District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

NOTIFY OCD 24 HOURS PRIOR to

beginning closure and 24 HOURS PRIOR

to obtaining samples. Samples are to be

provided to OCD prior to backfilling pit.

obtained from pit area and analyses

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

FEB 27 2008

Form C-144 June 1, 2004

OCD-ARTESIA
For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe

office

Is pit or below-grade tank covered by a "general plan"? Yes \( \sum \) No \( \sum \)  Type of action: Registration of a pit or below-grade tank \( \sum \) Closure of a pit or below-grade tank \( \sum \)		
Operator LCX Energy LLC Telephone	432-687-1575 e-mail address	ilowery@eeronline.com
Address: 110 N. Marienfeld Suite 200 Midland, Texas 79701		
Facility or well name: 1724 OShowow 101 API#.  County. Eddy Latitude  Surface Owner Federal State Private Indian	30-015 - 3.5362 U/L or Qtr/Qtr	Sec. 10 T 175 R. 245 Sto NAD: 1927 1983 51
Pit	Below-grade tank	
Type: Drilling   Production   Disposal   Volume:bbl Type of fluid:		
Workover 🗋 Emergency 🗍	Construction material	
Lined 🔯 Unlined 🗌	Double-walled, with leak detection? Yes  troot, explain why not.	
Liner type: Synthetic Thickness 12 mil Clay		
Pit Volume: <u>11000 bbl</u>		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Leaf than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) XXX
	100 feet or vnore	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) XXX
, in the second	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points) XXX
	Ranking Score (Total Points)	10 Points
If this is a pit clasure; (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered. No X Yes [] If yes, show depth below ground surface		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments Work Plan for the closure of drilling pit. The drilling pit contents will be mixed to stiffen the pit contents. An encapsulation trench will be excavated		
and lined with a 12 mil synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil synthetic liner will		
then be placed over the pit contents with a min of a 3" over lap of the underlying trench area. Then encapsulation trench will then be backfilled back to grade using a min of 3'		
of clean soil and like material. A one call and 48 hr notice will be provided to the Oil Conservation Division before pit closure actions begin. Pit closure actions will begin		
1 week after permit approval.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will he constructed or closed according to NMOCD guidelines, a general permit		
Date: 2-25-08		
Printed Name/Title Billy WALKER, Supervisor mature Bull Walk		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		

If burial trench is to be constructed

and analyses submitted to OCD

PRIOR to lining trench.

in pit area, samples are to be obtained

Signed By Wile Bearing

MAR 0 4 2008