District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For driappropriate propriation of the state of th

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

## 

MAR 19 2008

Form C-144 June 1, 2004

Type of action. Registration of a pit of below-grade tank. [1] Closure of a pit of below-grade tank. [2] [1] [1] [1] [1] [1] [1] [1] [1] [1] [1		
Operator. <u>EOG RESOURCES, INC.</u> Telephone: <u>432-686-3600</u> e-mail address		
AddressPOBox_2267, Midland_TX_79702  Facility or well name Chama 3 Fed #1HAPI # _30-015-36007		
CountyFddy CountyLatitude1800 'FSLLongitude660 'FEL NAD. 1927 1983		
Surface Owner Federal State Private Indian		
Pit Below-grade tank		
Type. Drilling \(\mathbb{L}\) Production \(\D\) Disposal \(\D\)	Volume:bbl Type of fluid	
Workover   Emergency	Construction material.	
Lined) Unlined	Double-walled, with leak detection? Yes  If not, explain why not	
Liner type: Synthetic [2] Thickness 12 mil Clay [3]	Source wanted, wanted detection Tes El 1 105, 97, part may 100	
Pit Volume (1000 bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water )	100 feet or more	(Opoints)
	Var	
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(Opoints)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(Opoints)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite [X] offsite [ ] If offsite, name of facility		
remediation start date and end date (4) Groundwater encountered No 🖾 Yes 🗌 If yes, show depth below ground surface ft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
WITH 12-MIL PLASTIC, MIX ALL CONTENTS IN PIT TO STIFFEN AND PLACE IN		
ENCAPSULATION TRENCH; CAP WITH 20-MIL LINER, COVER WITH 3' OR MORE TOP		
SOIL OR LIKE MATERIAL. PULL SOIL SAMPLES FROM BOTTOM OF PIT, IF SAMPLES		
PASS, FILL IN OLD DRILLING PIT.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines [7], a general permit [7], or an (attached) alternative OCD-approved plan [7].		
Date: 3/19/08 MORGAN TOOLS CO., LLC		
Printed Name/Title Stephen Wilson, Foreman Signature Stephen Wilson		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations		
Approval:	11	
Printed Name/Title	Signed By Mile Be	MAR 1 0 2008

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses provided to OCD prior to backfilling pit.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.