
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S St Francis Dr, Santa Fe, NM 87505



Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144
June 1, 2004

Pit or Below-Grade Tank Registration or Closure ls pit or below-grade tank covered by a "general plan"? Yes X No

	r betow-grade tank  Cosme of a pit of betow-grad	MAY 1 2 2008
Operator: EOG RESOURCES, INC. Telephone: (432)631-3957 e-mail address.		
Address. PO Box 2267, Midland TX 79702  Facility or well name: Salmon A32 St Com 1HAPI#30015 35910 U/L or Qtr/Qtr NW/4 Sec 32 T18S R23E		
7.01 ENI - COL ENI - COL ENI		
County:Eddy		
Pit	Below-grade tank	
Type Drilling Production Disposal	Volume:bbl Type of fluid	
Workover Emergency		
Lined M Unlined	Double-walled, with leak detection? Yes  If not, explain why not	
Liner type: Synthetic M Thickness 12 mil Clay		
Pit Volume 1000 Dbbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
Ingii water elevation of ground water.)	100 feet or more	(Opoints)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( Dooints)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	1000 feet or more	(Opoints)
	Darking Course (Tradal Darket)	
	Ranking Score (Total Points)	8
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location. (check the onsite box if		
your are burying in place) onsite 🗖 offsite 🗌 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered No 🔀 Yes 🔲 If yes, show depth below ground surfaceft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments RECLAIM DRILLING PIT PER OCD REGULATIONS. DIG DEEP BURIAL HOLE, LINE		
WITH 12-MIL LINER; MIX ALL CONTENTS IN PIT TO STIFFEN AND PLACE IN ENCAPSULATION		
TRENCH; CAP WITH 20-MIL LINER, COVER WITH 3' OR MORE TOP SOIL OR LIKE MATERIAL.		
PULL SAMPLES FROM BOTTOM OF PIT; IF SAMPLES PASS, BACKFILL OLD DRILLING PITS WITH		
CLEAN TOP SOIL.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date _5/01/2008 MORGAN TOOLS CO. LLC		
Printed Name/Title Stephen Wilson, Foreman Signature Stephen Wilson		
Your certification and NMOCD approval of this application/closure does not relieve the operator of hability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval		
Printed Name/Title	Signature Signed By Mile Brase	WICK DaMAY 1-3 2008

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.