District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia NM 88210 2007
District III
1000 Rio Brazos Road, Aztec NM 87410 7 FESTA
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \subseteq \)

Type of action Registration of a pit or below-grade tank \(\begin{align*}\text{Closure of a pit or below-grade tank }\equiv \equiv \text{Closure of a pit or below-grade tank }\equiv \equiv \text{Closure of a pit or below-grade tank }\equiv \equiv \text{Closure of a pit or below-grade tank }\equiv \equiv \text{Closure of a pit or below-grade tank }\equiv \equiv \text{Closure of a pit or below-grade tank }\equiv		
505 004 1450		
Operator <u>EOG RESOURCES</u> , INC. Telephone <u>505-234-1450</u> e-mail address		
Address <u>PO Box 3229, Carlsbad NM 88220</u> 34990 Facility or well name <u>Tiber B5 Fee Well #2HAPI# 30-015-34980</u> <u>U/L or Qtr/Qtr SE/4 S∞ 5 T 16S R 25E</u>		
4001 -01 -001 -01 -01		
Surface Owner Federal State Private Mindian D		
Pit	Below-grade tank Volume bbl Type of fluid	
Type Drilling ☐ Production ☐ Disposal ☐ Workover ☐ Emergency ☐	Construction material %	
Lined Unlined	☐ Unlined ☐ Double-walled, with leak detection? Yes: ☐ If not, explain why not	
Liner type Synthetic Thickness mil Clay		
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources)	No	(o points)
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)
,	1000 feet or more	(0 points)
•	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite 🔲 offsite 🔯 If offsite, name of facility		
remediation start date and end date (4) Groundwater encountered No 🗌 Yes 🔲 If yes, show depth below ground surfaceft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments MIX ALL CONTENTS TO STIFFEN AND HAUL TO C.R.I. LAND FARM.		
TAKE SOIL SAMPLES FROM BOTTOM OF PIT AND HAUL TO CARDINAL LAB IN		
HOBBS, NM. IF SAMPLES PASS, BACKFILL WITH TOP SOIL.		
HODDS, NM. IT SAMPLES PASS, DACKFILL WITH TOF SOIL.		
		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan		
Date 9/18/07 MORGAN TOOLS CO., LLC		
Printed Name/Title Stephen Wilson/Foreman Signature Stephen Wilson		
Your certification and NMOCD approval of this application/closure does not relieve the operator of hability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		
	Signature	Date Of 1 - 1 -
Jem W. S.	Signature	Date 4/19/17
Printed Name/Title Signature Date 4/19/07 Nichief II. Segression		