

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2001
		WELL API NO. 30-015-35414
		5. Indicate Type of Lease STATE ☒ FEE ☐
		State Oil & Gas Lease No.


WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well. OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____		7. Lease Name or Unit Agreement Name 1625 STATE COM.	
b. Type of Completion: NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. WELL OVER BACK RESVR. ☐ OTHER _____		8. Well No. 92	
2. Name of Operator LCX Energy, LLC.		9. Pool name or Wildcat COTTONWOOD CREEK- WOLFCAMP GAS	
3. Address of Operator 110 North Marienfeld, Suite 200 Midland, TX 79701		10. Date Spudded 02/08/2008	
4. Well Location Unit Letter L 1880 Feet From The SOUTH Line and 660 Feet From The WEST Lin Section 9 Township 16S Range 25E NMPM EDDY County _____		11. Date T.D. Reached 02/28/2008	
12. Date Compl. (Ready to Prod.) 05/01/2008		13. Elevations (DF& RKB, RT, GR, etc.) 3502	
14. Elev. Casinghead 5145-8565		15. Total Depth TD 8607 / TVD 4600'	
16. Plug Back T D 8565		17. If Multiple Compl. How Many Zones? _____	
18. Intervals Drilled By X		19. Producing Interval(s), of this completion - Top, Bottom, Name 5145-8565	
20. Was Directional Survey Made Yes		21. Type Electric and Other Logs Run N/A	
22. Was Well Cored No		23. CASING RECORD (Report all strings set in well)	

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	32	1288	12 1/4	790 Poz:C, 100RFC	200.00 Sur
5 1/2	17	8607	7 7/8	400 Poz:C, 370 ASC	Circ. to Sur

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8	4995	
26. Perforation record (interval, size, and number) 5145-8565				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC			
				DEPTH INTERVAL			
				AMOUNT AND KIND MATERIAL USED			
				5145-8565			
				Frac w/12288 bbl water, 76177#			
				sand, 336 tons CO2			

28. PRODUCTION							
Date First Production 04/26/2008		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod or Shut-in) Producing		
Date of Test 05/04/2008	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2	Gas - MCF 2991	Water - Bbl 77	Gas - Oil Ratio 1495
Flow Tubing Press 700	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl 2	Gas - MCF 2991	Water - Bbl 77	Oil Gravity - API - (Corr)	
29. Disposition of Gas (Sold, used for fuel, vented, etc) Sold						Test Witnessed By Bill Walker	
30. List Attachments							

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief			
Signature 	Printed Name Jenifer Sorley	Title Regulatory Analyst	Date 05/12/2008
E-mail Address Jenifer@eeronline.com			

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depth shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 570	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta 1730	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb 3134	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo 3821	T.	T. Wingate	T.
T. Wolfcamp 4804	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONE

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
3700	3820	120	Dolomite				
3820	3920	100	Dolomite, Shale				
3920	4080	160	Shale				
4080	4400	320	Dolomite, Shale				
4400	4834	434	Dolomite				
4834	4930	96	Dolomite, Shale				
4930	8330	3400	Dolomite				
8330	8404	74	Dolomite, Lime				
8404	8420	16	No Sample				
8420	8438	18	Dolomite, Lime				
8438	8454	16	No Sample				
8454	8462	8	Dolomite, Lime				
8462	8508	46	No Sample				
8508	8607	99	Dolomite				

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87506

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 12, 2005

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-35414	Pool Code 75250	Pool Name COTTONWOOD CREEK-WOLFCAMP
Property Code 36200	Property Name 1625 STATE COM	Well Number 92
OGRID No. 218885	Operator Name LCX ENERGY	Elevation 3502'

Surface Location

UL or lot No.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
L	9	16 S	25 E		1880	SOUTH	660	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
I	9	16 S	25 E		1880	SOUTH	660	EAST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
320			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

PROJECT AREA PRODUCING AREA SURFACE LOCATION LAT-N32°56'07.8" LONG-W104°29'48.7" (NAD-83) BOTTOM HOLE LOCATION LAT-N32°56'07.9" LONG-W104°29'02.0" (NAD-83) VA-2579 SW/4 FEE SE/4	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Joe T. Janica</i> Signature Date 02/03/07 Joe T. Janica Printed Name Agent
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JANUARY 29, 2007 Date Surveyed 30 Jan 2007 Signature and Seal of Professional Surveyor W.G. Jones Certificate No. 7977

A Gyrodata Directional Survey

for

LCX ENERGY

Lease: Cottonwood Creek Well: 1625 State Com No.92, 4-1/2" Drillpipe
Location: Big Dog No.2, Eddy County, New Mexico

Job Number: MD0208G_131

Run Date: 3/7/2008 1:18:02 PM

Surveyor: Steve Winther; Henry Drew

Calculation Method: MINIMUM CURVATURE

Survey Latitude: 32.935361 deg. N Longitude: 104.496306 deg. W

Azimuth Correction:

Gyro: 0.09000 deg East to Grid North

Vertical Section Calculated from Well Head Location

Closure Calculated from Well Head Location

Horizontal Coordinates Calculated from Well Head Location

A Gyrodata Directional Survey

Lcx Energy

Lease: Cottonwood Creek Well: 1625 State Com No.92, 4-1/2" Drillpipe

Location: Big Dog No.2, Eddy County, New Mexico

Job Number: MD0208G_131

MEASURED DEPTH feet	I N C L deg.	AZIMUTH deg.	BORE HOLE BEARING deg. min.	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
0.00	0.00	0.00	N 0 0 E	0.00	0.00	0.0 0.0	0.00 N 0.00 E

0 TO 4306 FT. RATE GYROSCOPIC MULTISHOT SURVEY RUN INSIDE 4-1/2" DRILLPIPE							
ALL MEASURED DEPTHS AND COORDINATES REFERENCED TO BIG DOG #2 R.K.B.							

200.00	0.59	210.10	S 30 6 W	0.30	200.00	1.0 210.1	0.89 S 0.52 W
400.00	0.66	207.30	S 27 18 W	0.04	399.98	3.2 209.1	2.82 S 1.57 W
600.00	1.03	210.69	S 30 41 W	0.19	599.96	6.2 209.2	5.40 S 3.02 W
800.00	1.52	221.58	S 41 35 W	0.27	799.91	10.6 212.5	8.94 S 5.70 W
1000.00	1.37	228.58	S 48 35 W	0.12	999.85	15.5 216.5	12.50 S 9.25 W
1200.00	1.03	240.53	S 60 32 W	0.21	1199.81	19.6 220.1	14.96 S 12.61 W
1400.00	1.00	242.98	S 62 59 W	0.03	1399.77	22.9 223.4	16.64 S 15.74 W
1600.00	0.86	247.71	S 67 43 W	0.08	1599.75	26.0 226.1	18.01 S 18.69 W
1800.00	0.51	255.17	S 75 10 W	0.18	1799.73	28.1 228.1	18.80 S 20.93 W
2000.00	0.78	298.43	N 61 34 W	0.27	1999.72	29.4 231.3	18.39 S 22.99 W
2200.00	0.95	326.11	N 33 53 W	0.22	2199.70	30.0 236.9	16.37 S 25.10 W
2400.00	1.04	326.13	N 33 52 W	0.05	2399.67	30.2 243.5	13.49 S 27.03 W
2600.00	1.12	323.44	N 36 34 W	0.05	2599.63	31.0 250.4	10.42 S 29.20 W
2800.00	1.05	331.38	N 28 37 W	0.08	2799.60	32.1 256.9	7.26 S 31.24 W
3000.00	1.18	332.95	N 27 3 W	0.07	2999.56	33.3 263.4	3.82 S 33.05 W
3200.00	1.07	334.13	N 25 52 W	0.05	3199.52	34.8 269.5	0.31 S 34.80 W
3346.10	0.98	338.22	N 21 47 W	0.08	3345.60	35.9 273.3	2.08 N 35.86 W
3533.90	0.68	359.26	N 0 44 W	0.22	3533.38	36.8 277.3	4.68 N 36.47 W
3721.70	0.77	11.55	N 11 33 E	0.09	3721.16	36.9 281.0	7.02 N 36.23 W
3909.50	0.85	28.05	N 28 3 E	0.13	3908.95	36.6 285.0	9.49 N 35.32 W

A Gyrodata Directional Survey

Lcx Energy

Lease: Cottonwood Creek Well: 1625 State Com No.92, 4-1/2" Drillpipe

Location: Big Dog No.2, Eddy County, New Mexico


Job Number: MD0208G_131

MEASURED DEPTH feet	I N C L deg.	AZIMUTH deg.	BORE HOLE BEARING deg. min.	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
4097.30	0.86	28.74	N 28 44 E	0.01	4096.72	36.0 289.4	11.96 N 33.98 W
4191.20	1.00	34.75	N 34 45 E	0.18	4190.61	35.7 291.8	13.25 N 33.18 W
4285.00	1.22	41.53	N 41 32 E	0.27	4284.39	35.2 294.6	14.68 N 32.05 W
4306.00	1.29	43.75	N 43 45 E	0.43	4305.39	35.1 295.3	15.01 N 31.74 W

Final Station Closure: Distance: 35.11 ft Az: 295.32 deg.


Lcx Energy
Well: Cottonwood Creek 1625 State Com No.92 4-1/2" Drillpipe
Location: Big Dog No.2, Eddy County, New Mexico

Outrun
Gyrodata
MD0208G_131 DEFINITIVE




Lcx Energy
Well: Cottonwood Creek 1625 State Com No.92 4-1/2" Drillpipe
Location: Big Dog No.2, Eddy County, New Mexico

Outrun
Gyrodata
MD0208G_131 DEFINITIVE



Lcx Energy
Well: Cottonwood Creek 1625 State Com No.92 4-1/2" Drillpipe
Location: Big Dog No.2, Eddy County, New Mexico

Outrun
Gyrodata
MD0208G_131 DEFINITIVE



Survey Report


Report Date: February 27, 2008	Survey / DLS Computation Method: Minimum Curvature / Lubinski
Client: LCX Energy	Vertical Section Azimuth: 89.940°
Field: Eddy County, NM NAD83	Vertical Section Origin: N 0.000 ft, E 0.000 ft
Structure / Slot: 1625 State Com #92 / 1625 State Com #92	TVD Reference Datum: RKB
Well: 1625 State Com #92	TVD Reference Elevation: 0.0 ft relative to
Borehole: 1625 State Com #92	Sea Bed / Ground Level Elevation: 0.000 ft relative to
UWI/API#:	Magnetic Declination: 8.449°
Survey Name / Date: 1625 State Com #92_surveys / February 19, 2008	Total Field Strength: 49319.905 nT
Tort / AHD / DDI / ERD ratio: 138.833° / 4083.46 ft / 6.003 / 0.842	Magnetic Dip: 60.773°
Grid Coordinate System: NAD83 New Mexico State Planes, Eastern Zone, US Feet	Declination Date: February 19, 2008
Location Lat/Long: N 32 56 7.800, W 104 29 48.700	Magnetic Declination Model: IGRF 2005
Location Grid N/E Y/X: N 704108.739 ftUS, E 491167.244 ftUS	North Reference: Grid North
Grid Convergence Angle: -0.08890934°	Total Corr Mag North -> Grid North: +8.538°
Grid Scale Factor: 0.99991197	Local Coordinates Referenced To: Well Head

Comments	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100ft)	Mag / Grav Tool Face (deg)
Tie-In	4306.00	1.29	43.75	4305.39	-31.72	15.01	-31.74	35.11	295.32	0.43	60.70M
	4341.00	1.90	60.70	4340.38	-30.94	15.58	-30.96	34.66	296.72	2.18	79.10M
	4372.00	5.60	79.10	4371.30	-29.00	16.12	-29.02	33.20	299.05	12.40	2.15R
	4403.00	9.60	80.00	4402.03	-24.97	16.86	-24.99	30.14	304.00	12.91	8.11R
	4434.00	13.80	82.50	4432.38	-18.76	17.79	-18.78	25.86	313.45	13.64	8.45R
	4465.00	17.70	84.40	4462.21	-10.40	18.73	-10.42	21.43	330.92	12.69	HS
	4497.00	21.70	84.40	4492.33	0.34	19.78	0.32	19.79	0.92	12.50	5.58L
	4528.00	25.70	83.50	4520.71	12.73	21.10	12.70	24.63	31.05	12.96	3.12R
	4559.00	29.30	83.90	4548.20	26.95	22.67	26.93	35.20	49.91	11.63	15.76R
	4590.00	33.20	85.90	4574.70	42.97	24.09	42.94	49.24	60.71	13.02	19.76R
	4621.00	36.90	88.10	4600.07	60.74	25.00	60.72	65.66	67.62	12.61	15.27R
	4653.00	41.00	89.80	4624.95	80.85	25.36	80.83	84.71	72.58	13.24	9.11L
	4684.00	44.50	89.00	4647.71	101.89	25.58	101.86	105.03	75.90	11.43	14.03L
	4715.00	48.40	87.70	4669.07	124.34	26.24	124.32	127.06	78.08	12.94	HS
	4746.00	51.70	87.70	4688.97	148.09	27.19	148.06	150.54	79.59	10.65	33.33R
	4778.00	55.10	90.40	4708.05	173.77	27.60	173.74	175.92	80.97	12.60	25.26R
	4809.00	57.80	91.90	4725.18	199.59	27.08	199.57	201.39	82.27	9.60	HS
	4841.00	61.20	91.90	4741.42	227.15	26.16	227.12	228.62	83.43	10.63	16.82L
	4872.00	64.80	90.70	4755.49	254.75	25.54	254.73	256.00	84.27	12.11	12.34L
	4903.00	68.20	89.90	4767.85	283.18	25.40	283.15	284.29	84.87	11.22	1.51L
	4933.00	71.80	89.80	4778.11	311.36	25.47	311.34	312.38	85.32	12.00	1.58L
	4964.00	75.30	89.70	4786.89	341.09	25.60	341.06	342.02	85.71	11.29	3.74R
	4996.00	78.30	89.90	4794.20	372.24	25.71	372.21	373.10	86.05	9.39	1.83L
	5027.00	81.40	89.80	4799.66	402.75	25.79	402.73	403.55	86.34	10.01	6.81L
	5058.00	83.90	89.50	4803.62	433.49	25.98	433.47	434.25	86.57	8.12	5.19R
	5089.00	87.20	89.80	4806.03	464.40	26.17	464.37	465.11	86.77	10.69	11.31R
	5120.00	89.20	90.20	4807.00	495.38	26.17	495.35	496.04	86.98	6.58	36.87R
	5151.00	89.60	90.50	4807.33	526.38	25.98	526.35	526.99	87.17	1.61	10.01R
	5243.00	91.30	90.80	4806.60	618.36	24.93	618.34	618.84	87.69	1.88	144.46R
	5335.00	90.60	91.30	4805.08	710.33	23.25	710.31	710.69	88.13	0.93	111.80R
	5427.00	90.40	91.80	4804.28	802.29	20.76	802.27	802.54	88.52	0.59	48.81L
	5519.00	91.10	91.00	4803.07	894.25	18.51	894.23	894.43	88.81	1.16	150.25L
	5613.00	89.70	90.20	4802.42	988.24	17.53	988.22	988.38	88.98	1.72	38.66L
	5706.00	90.20	89.80	4802.50	1081.24	17.53	1081.22	1081.37	89.07	0.69	119.05R
	5799.00	89.70	90.70	4802.58	1174.24	17.12	1174.22	1174.35	89.16	1.11	11.31L
	5894.00	90.20	90.60	4802.66	1269.23	16.04	1269.21	1269.32	89.28	0.54	144.79R
	5989.00	88.50	91.80	4803.74	1364.20	14.05	1364.18	1364.25	89.41	2.19	44.99L
	6084.00	88.60	91.70	4806.14	1459.12	11.15	1459.11	1459.15	89.56	0.15	HS

Comments	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)	Mag / Grav Tool Face (deg)
	6178.00	89.30	91.70	4807.87	1553.06	8.37	1553.05	1553.07	89.69	0.74	LS
	6272.00	88.80	91.70	4809.42	1647.00	5.58	1647.00	1647.00	89.81	0.53	15.95R
	6367.00	89.50	91.90	4810.83	1741.94	2.59	1741.94	1741.94	89.91	0.77	50.71L
	6462.00	90.40	90.80	4810.92	1836.91	0.36	1836.91	1836.91	89.99	1.50	176.42R
	6557.00	88.80	90.90	4811.58	1931.89	-1.05	1931.89	1931.89	90.03	1.69	26.57L
	6653.00	90.00	90.30	4812.58	2027.88	-2.06	2027.88	2027.88	90.06	1.40	120.97L
	6748.00	89.10	88.80	4813.33	2122.87	-1.31	2122.87	2122.87	90.04	1.84	159.79L
	6844.00	87.20	88.10	4816.43	2218.78	1.28	2218.78	2218.78	89.97	2.11	18.43L
	6940.00	88.10	87.80	4820.37	2314.64	4.71	2314.64	2314.64	89.88	0.99	30.26L
	7035.00	89.30	87.10	4822.52	2409.52	8.94	2409.52	2409.53	89.79	1.46	HS
	7130.00	90.90	87.10	4822.36	2504.40	13.75	2504.39	2504.43	89.69	1.68	12.52L
	7226.00	91.80	86.90	4820.09	2600.25	18.77	2600.23	2600.30	89.59	0.96	146.31R
	7322.00	90.90	87.50	4817.83	2696.11	23.46	2696.09	2696.19	89.50	1.13	LS
	7417.00	89.40	87.50	4817.58	2791.02	27.60	2791.00	2791.13	89.43	1.58	158.76R
	7511.00	87.60	88.20	4820.04	2884.92	31.13	2884.89	2885.06	89.38	2.05	164.77R
	7605.00	86.50	88.50	4824.88	2978.76	33.83	2978.73	2978.92	89.35	1.21	44.96L
	7699.00	86.80	88.20	4830.37	3072.57	36.53	3072.53	3072.75	89.32	0.45	83.72R
	7795.00	87.10	90.90	4835.48	3168.42	37.28	3168.38	3168.60	89.33	2.83	6.34R
	7891.00	88.00	91.00	4839.59	3264.31	35.69	3264.28	3264.47	89.37	0.94	33.68L
	7987.00	88.60	90.60	4842.43	3360.26	34.35	3360.23	3360.40	89.41	0.75	75.97L
	8082.00	88.70	90.20	4844.67	3455.23	33.69	3455.20	3455.36	89.44	0.43	131.21L
	8177.00	88.00	89.40	4847.41	3550.19	34.02	3550.16	3550.32	89.45	1.12	25.29R
	8272.00	91.60	91.10	4847.74	3645.17	33.61	3645.14	3645.29	89.47	4.19	26.55R
	8366.00	91.80	91.20	4844.95	3739.11	31.72	3739.08	3739.21	89.51	0.24	33.66L
	8550.00	92.70	90.60	4837.73	3922.94	28.83	3922.91	3923.01	89.58	0.59	---
Projected TD	8607.00	92.70	90.60	4835.04	3979.87	28.24	3979.84	3979.94	89.59	0.00	---


LCX Energy

WELL 1625 State Com #92	FIELD Eddy County, NM NAD83	STRUCTURE 1625 State Com #92
Magnetic Parameters Model IGRF 2005 Dip 60.773° Mag Dec -8.443° Date February 19, 2008 FS 49319.9 nT	Surface Location Lat N32 56 7.800 Lon W104 29 48.700 Northing 704108.74 IUS Easting 491167.24 IUS NAD83 New Mexico State Plane, Eastern Zone, US Feet Grid Conv -0.08890934° Scale Fact 0.9999119732	Miscellaneous Sit 1625 State Com #92 Plan 1625 State Com #92_surveys TVD Ref RKB (0.00 ft above) Srvy Date February 19, 2008



LCX Energy

WELL 1625 State Com #92	FIELD Eddy County, NM NAD83	STRUCTURE 1625 State Com #92
Magnetic Parameters Model IGRF 2005 Dip 60.773° Mag Dec +8.449° Date February 19, 2008 FS 49319.9 nT	Surface Location Lat N32 56 7.800 Lon W104 29 48 700 Northing 704108.74 IUS Easting 491187.24 IUS NAD83 New Mexico State Planes, Eastern Zone US Feet Gnd Conv -0.08890934° Scale Fact 0.9999119732	Miscellaneous Slot 1625 State Com #92 Plan 1625 State Com #92_surveys TVD Ref RKB (0.00 ft above) Srvy Date February 19, 2008



LCX Energy

WELL 1625 State Com #92			FIELD Eddy County, NM NAD83			STRUCTURE 1625 State Com #92		
Magnetic Parameters			Surface Location			Miscellaneous		
Model	IGRF 2005	Dip	60.773°	Date	February 19, 2008	Lat	N32 56 7.500	NAD83 New Mexico State Planes, Eastern Zone, US Feet
		Mag Dec	+8.449°	FS	49319.9 nT	Lon	W104 29 48.700	704108.74 ftUS
								Grd Conv -0.08890934°
								Scale Fact 0.9999119732
								Plan 1625 State Com #92
								TVD Ref RKB (0.00 ft above)
								Srvy Date February 19, 2008

