

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



FORM APPROVED
OMB No 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
**Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.**

SUBMIT IN TRIPLICATE - Other instructions on page 2

1 Type of Well

☐ Oil Well

☒ Gas Well

☐ Other

MAY - 9 2008

2 Name of Operator
Devon Energy Production Co., LP

OCD-ARTESIA

3a Address
20 North Broadway
OKC, OK 73102

3b. Phone No (include area code)
(405)-552-7802

4 Location of Well (Footage, Sec., T, R, M, or Survey Description)
SL NESE 1980' FSL & 990' FEL BHL NWSE 1980' & 1650' FEL
Sec 22-T19S-R31E

5 Lease Serial No

NMNM-44594

6 If Indian, Allottee or Tribe Name

7 If Unit of CA/Agreement, Name and/or No

8 Well Name and No

Arenoso 22 Federal 2

9 API Well No

30-015-35631

10 Field and Pool or Exploratory Area

Lusk; Morrow (Gas), West

11 Country or Parish, State

Eddy County, NM

12 CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Use of co-flex hose
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	between the BOPE &
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	the choke manifold

13 Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Devon Energy Production Co., LP respectfully requests a variance to Onshore Order No. 2. If Nabors PACE #M-41 is used to drill this well, co-flex hose may be used between the BOPE and the choke manifold. The hose will be kept as straight as possible with minimal turns.

Co-Flex Hose:

- * Manufacturer: Phoenix Beatti
- * Approximately 22' (7.62 meters) of co-flex line
- * 3" coupling with 4 1/16" flanges on each end - 10,000 psi
- * Quality Control Inspection & Test Certificate attached
- * See configuration schematic
- * Per Wesley Ingram; there will be no safety clamp requirement and BLM accepts current configuration.

Line to be kept as straight as possible
Check exterior condition - replace if damaged or fails test

14 I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Stephanie A. Ysasaga

Title Sr. Staff Engineering Technician

Signature

Date 04/28/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Office

APPROVED

Date **APR 29 2008**

Wesley Ingram
WESLEY W. INGRAM

PETROLEUM ENGINEER

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)




QUALITY DOCUMENT

PHOENIX RUBBER
INDUSTRIAL LTD.

H-6728 Szeged, Budapesti út 10. Hungary • H-6701 Szeged P.O.Box. 152 • Phone: (3662) 566-737, Fax: (3662) 566-738
The Court of Csongrad County as Registry Court, Registry Court reg.No.: Cg.06-09-002502

QUALITY CONTROL INSPECTION AND TEST CERTIFICATE				CERT. N°: 688	
PURCHASER: Phoenix Beattie Co.				P.O. N°: 000573	
PHOENIX ORDER N°: 332060		HOSE TYPE: 3" ID Choke and Kill Hose			
HOSE SERIAL N°: 46226		NOMINAL / ACTUAL LENGTH: 7,62 m			
W.P. 68,96 MPa 10000 psi		T.P. 103,4 MPa 15000 psi		Duration: 60 min.	
Pressure test with water at ambient temperature					
See attachment. (1 page)					
↑ 10 mm = 10 Min. → 10 mm = 16 MPa					
COUPLINGS					
Type	Serial N°		Quality	Heat N°	
3" coupling with 4 1/16" Flange end	774 791		AISI 4130	445651	59681
			AISI 4130	59534	59681
API Spec 16 C Temperature rate: "B"					
All metal parts are flawless					
WE CERTIFY THAT THE ABOVE HOSE HAS BEEN MANUFACTURED IN ACCORDANCE WITH THE TERMS OF THE ORDER AND PRESSURE TESTED AS ABOVE WITH SATISFACTORY RESULT.					
Date: 29. March. 2006	Inspector		Quality Control PHOENIX RUBBER Industrial Ltd. Hose Inspection and Certification Dept. <i>[Signature]</i> <i>[Signature]</i>		


HARTEX RC-4300
Industrial Ltd.
Total Inspection and
Certification Inc.

11	+20.40	PC	19.00						
10	+21.34	PC	19.00						
9	+10.42	bar	19.00						
8	+20.31	PC	19.50						
7	+21.71	PC	19.50						
6	+10.43	bar	19.50						
5	+20.35	PC	19.40						
4	+21.72	PC	19.40						
3	+10.45	bar	19.10						
2	+20.35	PC	19.30						
1	+21.31	PC	19.30						
0	+10.48	bar	19.30						
15	+20.32	PC	19.20						
14	+21.30	PC	19.10						
13	+10.50	bar	19.20						
12	+20.33	PC	19.10						
11	+21.31	PC	19.10						
10	+10.55	bar	19.10						
9	+20.33	PC	19.10						
8	+21.31	PC	19.10						
7	+10.55	bar	19.10						
6	+20.33	PC	19.10						
5	+21.31	PC	19.10						
4	+10.55	bar	19.10						
3	+20.33	PC	19.10						
2	+21.31	PC	19.10						
1	+10.55	bar	19.10						
0	+20.33	PC	19.10						
15	+21.31	PC	19.10						
14	+10.55	bar	19.10						
13	+20.33	PC	19.10						
12	+21.31	PC	19.10						
11	+10.55	bar	19.10						
10	+20.33	PC	19.10						
9	+21.31	PC	19.10						
8	+10.55	bar	19.10						
7	+20.33	PC	19.10						
6	+21.31	PC	19.10						
5	+10.55	bar	19.10						
4	+20.33	PC	19.10						
3	+21.31	PC	19.10						
2	+10.55	bar	19.10						
1	+20.33	PC	19.10						
0	+21.31	PC	19.10						
15	+10.55	bar	19.10						
14	+20.33	PC	19.10						
13	+21.31	PC	19.10						
12	+10.55	bar	19.10						
11	+20.33	PC	19.10						
10	+21.31	PC	19.10						
9	+10.55	bar	19.10						
8	+20.33	PC	19.10						
7	+21.31	PC	19.10						
6	+10.55	bar	19.10						
5	+20.33	PC	19.10						
4	+21.31	PC	19.10						
3	+10.55	bar	19.10						
2	+20.33	PC	19.10						
1	+21.31	PC	19.10						
0	+10.55	bar	19.10						
15	+20.33	PC	19.10						
14	+21.31	PC	19.10						
13	+10.55	bar	19.10						
12	+20.33	PC	19.10						
11	+21.31	PC	19.10						
10	+10.55	bar	19.10						
9	+20.33	PC	19.10						
8	+21.31	PC	19.10						
7	+10.55	bar	19.10						
6	+20.33	PC	19.10						
5	+21.31	PC	19.10						
4	+10.55	bar	19.10						
3	+20.33	PC	19.10						
2	+21.31	PC	19.10						
1	+10.55	bar	19.10						
0	+20.33	PC	19.10						
15	+21.31	PC	19.10						
14	+10.55	bar	19.10						
13	+20.33	PC	19.10						
12	+21.31	PC	19.10						
11	+10.55	bar	19.10						
10	+20.33	PC	19.10						
9	+21.31	PC	19.10						
8	+10.55	bar	19.10						
7	+20.33	PC	19.10						
6	+21.31	PC	19.10						
5	+10.55	bar	19.10						
4	+20.33	PC	19.10						
3	+21.31	PC	19.10						
2	+10.55	bar	19.10						
1	+20.33	PC	19.10						
0	+21.31	PC	19.10						
15	+10.55	bar	19.10						
14	+20.33	PC	19.10						
13	+21.31	PC	19.10						
12	+10.55	bar	19.10						
11	+20.33	PC	19.10						
10	+21.31	PC	19.10						
9	+10.55	bar	19.10						
8	+20.33	PC	19.10						
7	+21.31	PC	19.10						
6	+10.55	bar	19.10						
5	+20.33	PC	19.10						
4	+21.31	PC	19.10						
3	+10.55	bar	19.10						
2	+20.33	PC	19.10						
1	+21.31	PC	19.10						
0	+10.55	bar	19.10						
15	+20.33	PC	19.10						
14	+21.31	PC	19.10						
13	+10.55	bar	19.10						
12	+20.33	PC	19.10						
11	+21.31	PC	19.10						
10	+10.55	bar	19.10						
9	+20.33	PC	19.10						
8	+21.31	PC	19.10						
7	+10.55	bar	19.10						
6	+20.33	PC	19.10						
5	+21.31	PC	19.10						
4	+10.55	bar	19.10						
3	+20.33	PC	19.10						
2	+21.31	PC	19.10						
1	+10.55	bar	19.10						
0	+20.33	PC	19.10						
15	+21.31	PC	19.10						
14	+10.55	bar	19.10						
13	+20.33	PC	19.10						
12	+21.31	PC	19.10						
11	+10.55	bar	19.10						
10	+20.33	PC	19.10						
9	+21.31	PC	19.10						
8	+10.55	bar	19.10						
7	+20.33	PC	19.10						
6	+21.31	PC	19.10						
5	+10.55	bar	19.10						
4	+20.33	PC	19.10						
3	+21.31	PC	19.10						
2	+10.55	bar	19.10						
1	+20.33	PC	19.10						
0	+21.31	PC	19.10						
15	+10.55	bar	19.10						
14	+20.33	PC	19.10						
13	+21.31	PC	19.10						
12	+10.55	bar	19.10						
11	+20.33	PC	19.10						
10	+21.31	PC	19.10						
9	+10.55	bar	19.10						
8	+20.33	PC	19.10						
7	+21.31	PC	19.10						
6	+10.55	bar	19.10						
5	+20.33	PC	19.10						
4	+21.31	PC	19.10						
3	+10.55	bar	19.10						
2	+20.33	PC	19.10						
1	+21.31	PC	19.10						
0	+10.55	bar	19.10						
15	+20.33	PC	19.10						
14	+21.31	PC	19.10						
13	+10.55	bar	19.10						
12	+20.33	PC	19.10						
11	+21.31	PC	19.10						
10	+10.55	bar	19.10						
9	+20.33	PC	19.10						
8	+21.31	PC	19.10						
7	+10.55	bar	19.10						
6	+20.33	PC	19.10						
5	+21.31	PC	19.10						
4	+10.55	bar	19.10						
3	+20.33	PC	19.10						
2	+21.31	PC	19.10						
1	+10.55	bar	19.10						
0	+20.33	PC	19.10						
15	+21.31	PC	19.10						
14	+10.55	bar	19.10						
13	+20.33	PC	19.10						
12	+21.31	PC	19.10						
11	+10.55	bar	19.10						
10	+20.33	PC	19.10						
9	+21.31	PC	19.10						
8	+10.55	bar	19.10						
7	+20.33	PC	19.10						
6	+21.31	PC	19.10						
5	+10.55	bar	19.10						
4	+20.33	PC	19.10						
3	+21.31	PC	19.10						
2	+10.55	bar	19.10						
1	+20.33	PC	19.10						
0	+21.31	PC	19.10						
15	+10.55	bar	19.10						
14	+20.33	PC	19.10						
13	+21.31	PC	19.10						
12	+10.55	bar	19.10						
11	+20.33	PC	19.10						
10	+21.31	PC							

M 41 Choke hose

