<u>District [</u> 1625 N French Dr., Hobbs, NM 88240 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S St. Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

the Santa Fe Environmental Bureau office and

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to

orm C-144

1220 South St. Francis Dr. Santa Fe. NM 87505

Pit. Closed-Loop System. Below-Grade Tank. or

provide a copy to the appropriate NMOCD District Office.

JUN 19 2008 Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method DARTESIA Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator Mack Energy Corporation OGRID #· P.O. Box 960 Artesia, NM 88211-0960 Address: Facility or well name: Black Cat Federal #3 API Number: 30-015-36040 OCD Permit Number: 36948 U/L or Qtr/Qtr K Section 14 Township 17S Range 28E County: Eddy, NM Center of Proposed Design: Latitude Longitude NAD: 1927 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19.15.17.11 NMAC Closed-loop System: Subsection H of 19.15.17.11 NMAC ☐ Drying Pad ☐ Tanks ☐ Haul-off Bins ☐ Other Temporary: Drilling Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ Lined ☐ Unlined Liner type: Thickness mil LLDPE HDPE PVC ☐ Lined ☐ Unlined ☐ Other \_\_\_\_\_ \_\_\_\_\_ String-Reinforced Seams: Welded Factory Other Seams: Welded Factory Other Volume: \_\_\_\_\_\_bbl Volume: \_\_\_\_\_bbl Dimensions: L \_\_\_\_ x W \_\_\_ x D\_ Dimensions: Length x Width Below-grade tank: Subsection I of 19.15.17.11 NMAC Fencing: Subsection D of 19.15.17.11 NMAC Volume: bbl ☐ Chain link, six feet in height, two strands of barbed wire at top Type of fluid: \_\_\_\_\_ Four foot height, four strands of barbed wire evenly spaced between one and Tank Construction material: Secondary containment with leak detection Netting: Subsection E of 19.15.17.11 NMAC Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Screen ☐ Netting ☐ Other\_\_\_\_ ☐ Visible sidewalls and liner ☐ Monthly inspections ☐ Visible sidewalls only Signs: Subsection C of 19.15.17.11 NMAC Other \_\_\_\_\_ 12'x24', 2' lettering, providing Operator's name, site location, and Liner type Thickness \_\_\_\_\_mil HDPE PVC emergency telephone numbers ☐ Other ☐ Signed in compliance with 19.15.3.103 NMAC Alternative Method: Administrative Approvals and Exceptions: Submittal of an exception request is required. Exceptions must be Justifications and/or demonstrations of equivalency are required. Please refer to submitted to the Santa Fe Environmental Bureau office for consideration 19.15.17 NMAC for guidance. of approval. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - (WATERS database search; USGS, Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo: Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.15 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.15 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number:  or Permit Number		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the diattached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC  NMAC  Previously Approved Design (attach copy of design) API Number:	19.15 17.15	

Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	ocuments are	
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17.15 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
String Chiena Compitance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC		
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan		
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC		
Proposed Closure: 19.15.17.13 NMAC		
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative	
Proposed Closure Method:  Waste Excavation and Removal		
On-site Closure Method (only for temporary pits and closed-loop systems)		
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	scideration)	
	isideration)	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC  Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from		
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau		
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.		
MINAC for galaunce.		
Ground water is less than 50 feet below the bottom of the buried waste.	☐ Yes ☐ No	
- NM Office of the State Engineer - (WATERS database search; USGS; Data obtained from nearby wells	∐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ Yes ☐ No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA	
Ground water is more than 100 feet below the bottom of the buried waste.	☐ Yes ☐ No	
- NM Office of the State Engineer - (WATERS database search; USGS; Data obtained from nearby wells	□ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	∐ Yes ∐ No	
- Topographic map; Visual inspection (certification) of the proposed site		
	_	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No	
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland.	☐ Yes ☐ No	
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	L res Lino	
Within the area overlying a subsurface mine.	☐ Yes ☐ No	
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		
Within an unstable area.	_	
Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resources; USGS; NM Geological  Section Towards and Company and	☐ Yes ☐ No	
Society; Topographic map		
Within a 100-year floodplain.	☐ Yes ☐ No	
- FFMA map		

Waste Excavation and Removal Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC				
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19 15.17	1.13 D NMAC) Instructions: Please indentify the facility			
or facilities for the disposal of liquids, drilling fluids and drill cuttings.				
	ity Permit Number: R-9166			
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following iter by a check mark in the box, that the documents are attached.	ns must be attached to the closure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC  Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
	7.13 MINIAC			
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete	to the best of my knowledge and belief.			
Name (Print): Jerry W. Sherrell Title: F	roduction Clerk			
Signature: Cony W. Shensal Date:	Jüne 19, 2008			
e-mail address: jerrys@mackenergycorp.com Telephone	:(575) 748-1288			
OCD Approval: Permit Application (including closure plan) Closure Plan (only)				
OCD Representative Signature: Approval Date: 6 20108				
Alexander Sungar				
Title: OCD Permit	fumber: 020807			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13				
	ompletion Date:			
Closure Method:  ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Met ☐ If different from approved plan, please explain.	hod			
	Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check			
mark in the box, that the documents are attached.				
1 Droof of Classica Notice				
Proof of Closure Notice				
Proof of Deed Notice (if applicable)				
☐ Proof of Deed Notice (if applicable) ☐ Plot Plan ☐ Confirmation Sampling Analytical Results ☐ Waste Material Sampling Analytical Results				
☐ Proof of Deed Notice (if applicable) ☐ Plot Plan ☐ Confirmation Sampling Analytical Results ☐ Waste Material Sampling Analytical Results ☐ Disposal Facility Name and Permit Number				
☐ Proof of Deed Notice (if applicable) ☐ Plot Plan ☐ Confirmation Sampling Analytical Results ☐ Waste Material Sampling Analytical Results ☐ Disposal Facility Name and Permit Number ☐ Soil Backfilling and Cover Installation				
Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
☐ Proof of Deed Notice (if applicable) ☐ Plot Plan ☐ Confirmation Sampling Analytical Results ☐ Waste Material Sampling Analytical Results ☐ Disposal Facility Name and Permit Number ☐ Soil Backfilling and Cover Installation	NAD: □1927 □ 1983			
Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude	NAD: □1927 □ 1983			
Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	urate and complete to the best of my knowledge and			
Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude  Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accident. I also certify that the closure complies with all applicable closure requirements and conditions.	urate and complete to the best of my knowledge and ons specified in the approved closure plan.			
Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude  Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accibelief. I also certify that the closure complies with all applicable closure requirements and condition Name (Print):  Title:	urate and complete to the best of my knowledge and ons specified in the approved closure plan.			
Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude  Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accibelief. I also certify that the closure complies with all applicable closure requirements and condition Name (Print):  Title:	urate and complete to the best of my knowledge and ons specified in the approved closure plan.			

## Mack Energy Closed Loop System Design Plan

Equipment list,

- 2-414 Swaco Centrifuges
- 2-4 screen Mongoose shale shakers
- 2-250 BBL tanks to hold fluid
- 2- CRI Bins with track system
- 2-500 BBL frac tanks for fresh water
- 2-500 BBL frac tanks for brine water

## **Operation and Maintenance**

Closed Loop equipment will be inspected daily by each tour and any necessary maintenance performed

Any leak in system will be repaired and/or contained immediately

OCD notified within 48 hours

Remediation process started

## Closure Plan

During drilling operations all liquids, drilling fluids and cuttings Will be hauled off via CRI(Controlled Recovery Incorporated Permit R-9166).