<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u>

1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505



For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application OCD-ARTESI

Type of action: XPermit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. OGRID #: 14744 Operator: Mewbourne Oil Company Address: PO Box 5270, Hobbs NM 88241 Facility or well name: Hackberry Hills 31 State #2 OCD Permit Number: API Number: 30-015-35408 U/L or Qtr/Qtr \_M \_\_\_\_ Section \_31 \_\_\_\_ Township \_21S \_\_\_\_ Range \_26E \_\_\_\_ County: Eddy\_\_\_ Center of Proposed Design: Latitude N/A Closed Loop System Longitude N/A Closed Loop System NAD: 1927 1983 Surface Owner: Federal X State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19.15.17.11 NMAC X Closed-loop System: Subsection H of 19.15.17.11 NMAC Temporary: Drilling Workover ☐ Drying Pad ☐ Tanks X Haul-off Bins ☐ Other \_\_\_\_\_ ☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit ☐ Lined ☐ Unlined ☐ Lined ☐ Unlined Line type: Thickness mil LLDPE HDPE PVC Other ☐ String-Reinforced Seams: Welded Factory Other Seams: Welded Factory Other Volume: \_\_\_\_\_bbl \_\_\_\_\_yd^3 Volume: \_\_\_\_bbl Dimensions: L\_\_\_\_ x W\_\_\_\_ x D\_\_ Dimensions: Length x Width Below-grade tank: Subsection I of 19.15.17.11 NMAC Fencing: Subsection D of 19.15.17.11 NMAC Volume: bbl Chain link, six feet in height, two strands of barbed wire at top Type of fluid: Four foot height, four strands of barbed wire evenly spaced between one and Tank Construction material: four feet Netting: Subsection E of 19.15.17.11 NMAC Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Screen ☐ Netting ☐ Other ☐ Visible sidewalls and liner Monthly inspections ☐ Visible sidewalls only Signs: Subsection C of 19.15.17.11 NMAC Other 12'x24', 2' lettering, providing Operator's name, site location, and Liner type: Thickness \_\_\_\_\_mil HDPE PVC emergency telephone numbers Other X Signed in compliance with 19.15.3.103 NMAC Alternative Method: **Administrative Approvals and Exceptions:** Submittal of an exception request is required. Exceptions must be Justifications and/or demonstrations of equivalency are required. Please refer to submitted to the Santa Fe Environmental Bureau office for consideration 19.15.17 NMAC for guidance. of approval. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for

consideration of approval.


Exception(s): Requests must be submitted to the Santa Fe

Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain. - FEMA map	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 in Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:  or Permit Number:	ouments are  O NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number:	19.15.17.9

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	l
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that t attached,	ne aocuments are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan	
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
☐ Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Type: 🗓 Drilling 🗌 Workover 🔲 Emergency 🔲 Cavitation 🔲 Permanent Pit 🔲 Below-grade Tank 🗓 Closed-loop System	Alternative
Proposed Closure Method: Waste Excavation and Removal	
X Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau fo	r consideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval frethe appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.1	
NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	NA NA
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or plays	a ☐ Yes ☐ No
lake (measured from the ordinary high-water mark).	1 162 110
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 businessed Cost of a minute of a minute of a cost of a	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application	Yes No
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	1.
tivi Office of the State Engineer - tw ATERS database, visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
ob Fish and Whathe Wettand Identification map, Topographic map, Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
William and the second of the	
Within an unstable area.  Engineering measures incorporated into the degical NIM Durage of Cooleans & Mineral Resources, USCS, NIM Cooleans I.	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
occio, Topograpino map	
Within a 100-year floodplain.	☐ Yes ☐ No
FEMA map	

osure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
<ul> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
aste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility facilities for the disposal of liquids drilling fluids and drill cuttings.
Disposal Facility Name: See AttachedDisposal Facility Permit Number:
1-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate,
<ul> <li>a check mark in the box, that the documents are attached.</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> </ul>
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Derator Application Certification:
nereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
me (Print): _Jackie Lathan Title: _Hobbs Regulatory
gnature Jackie Lathan Date: _07/09/08
nail address: jlathan@mewbourne.com
CD Approval: Permit Application (including closure plan) L Closure Plan (only)
ED Approval. 12 Territe Application falcidding closure Flair (only)
CD Representative Signature: Approval Date: 7/15/08
CD Representative Signature: Approval Date: 7/15/08
CD Representative Signature: Approval Date: 7/15/08
CD Representative Signature: Approval Date: 7/15/08 tle: OCD Permit Number: 07/18/19  Osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Approval Date: 7/15/08  tle: OCD Permit Number: 07/18/08  Osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Completion Date:
CD Representative Signature: Approval Date: 7/15/08 tle: OCD Permit Number: 07/18/19  Osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Approval Date: 7/15/08  tle: OCD Permit Number: 07/18/19  Osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Completion Date:  Osure Method:  Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.
Approval Date:
Approval Date: 7/5/08  tle: OCD Permit Number: OZO 8 / / 9  osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC    Closure Completion Date:
Approval Date: 7/8/08  tle:
Approval Date: 7/5/08  tle: OCD Permit Number: OZO 8 / / 9  osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC    Closure Completion Date:
Approval Date: 7/15/08  tte: OCD Permit Number: OZ/08/19  osure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Completion Date:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method  If different from approved plan, please explain.  osure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check ark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Waste Material Sampling Analytical Results
tte:
tle:
tle:
tle:
tle:  OCD Permit Number:
tle: OCD Permit Number: OCD Perm
tte:
tte:OCD Permit Number:
tte:



Closed Loop System Design and Construction

## OPERATING AND MAINTENANCE PLAN

1. The operator will maintain all liquids and solids within the closed loop system. To prevent the contamination of fresh water and protect public health & environment.

2. Solids and contaminated fluid will be hauled to the approved facility as required. Listed below:

Lea Land, LLC Disposal Facility Permit # WM-1-035

CRI Disposal Facility Permit # R9166

Liquids will be hauled to an approved SWD.