

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Parallel Petroleum Corporation		Telephone: 432-684-3905	e-mail address: ddurham@ppl.com
Address: 1004 N. Big Spring Street, Suite 400, Midland, Texas 79701			
Facility or well name: Go For Wind 1525-29 Fed Com #1		API #: 3000563966	U/A, or Qtr/Qtr: D Sec: 28 T: 15S R: 25E
County: Chaves		Latitude: 32° 59' 29.55" N	Longitude: 104° 27' 19.00" W NAD, 1927 X 1983 <input type="checkbox"/>
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>			
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness: 12 mil Clay <input type="checkbox"/> Pit Volume: 25,000 bbl		Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water): 93.9'		Less than 50 feet	(20 points)
		50 feet or more, but less than 100 feet	(10 points) 0
		100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes	(20 points)
		No	(0 points) 0
Distance to surface water (horizontal distance to all wetlands, playas, migration canals, ditches, and perennial and ephemeral watercourses)		Less than 200 feet	(20 points)
		200 feet or more, but less than 1000 feet 700'	(10 points) 10
		1000 feet or more	(0 points)
Ranking Score (Total Points)		10	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility: _____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface: _____ ft and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments: This well shares a drilling location and pit with the Native Dancer 1525-28 #1, API # 3000563916
Closed by trench burial, procedure by verbal approval from Mike Bratcher on 7-2-2008
All material with chloride levels above 250 mg/Kg were removed and placed in 20 mil lined burial trench located next to the reserve pit, on West side of reserve pit
Except for the NW and NE corners where solid rock was encountered. Both corners of the pit were bedded with sand and capped with 20 mil plastic before it was closed
Some slightly elevated material was left in the SW corner of the pit. The trench was capped with 20 mil liner on all sides and covered with 3' of native soil
Lab and field samples results are attached

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: **7-15-08**

Printed Name/Title: **Gary Miller, Agent**

Signature: _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title: _____

Signature: _____

Accepted for record
NMOCD

Date: **JUL 17 2008**

Highlander Environmental Corp.

Pit Closure Sampling Report

Job Number:

2763

Date:

01/10/08

Client:

Pave 14.1

Well Name

Go for 601.01 1525-29 Pvd. Com #1H

API#

Chaves Co. NM

Depth of Pit

Depth to

Groundwater

Orientation of pit N (S) E W

BT-West of R-15

All pit sample depths are below pit bottom (BPB)

Sample Location	Depth (BPB)	Field Chloride Results (mg/Kg)	Lab Chloride Results (mg/Kg)
NE	2'	3800	
	4'	4300	
	5'	2650	1640
	Rock		
NW	2'	1150	1140
	Rock		
SE	2'	450	
	5'	-100	<100
SW	2'	1050	
	5'	350	
	10'	400	414
	Rock		

DNR- Did not run at lab.

BGS- Below Ground Surface

BPB- Below Pit Bottom

Report Date: July 11, 2008
2763

Work Order: 8070810
Parallel/Go For Wind 1525-29 Fed. Com #1H

Page Number: 1 of 2
Chaves Co., NM

Summary Report

Gary Miller
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: July 11, 2008

Work Order: 8070810



Project Location: Chaves Co., NM
Project Name: Parallel/Go For Wind 1525-29 Fed. Com #1H
Project Number: 2763

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
165821	NE 5'	soil	2008-07-01	00:00	2008-07-08
165822	NW 2'	soil	2008-07-01	00:00	2008-07-08
165823	SE 5'	soil	2008-07-01	00:00	2008-07-08
165824	SW 10'	soil	2008-07-01	00:00	2008-07-08

Sample: 165821 - NE 5'

Param	Flag	Result	Units	RL
Chloride		1640	mg/Kg	2.00

Sample: 165822 - NW 2'

Param	Flag	Result	Units	RL
Chloride		1140	mg/Kg	2.00

Sample: 165823 - SE 5'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 165824 - SW 10'

Report Date: July 11, 2008
2763

Work Order: 8070810
Parallel/Go For Wind 1525-29 Fed. Com #111

Page Number: 2 of 2
Chaves Co , NM

Param	Flag	Result	Units	RL
Chloride		414	mg/Kg	2.00