Form 3160-5 (April2004)

## **UNITEDSTATES** DEPARTMENT OF THE INTERIOR

FORMAI	PROVED
	1004-0137
Expires	March 31, 2007


DEPARTMENT OF THE INTERIOR	OCD-ART	ESIA Expires March 31, 2007
BUREAU OF LAND MANAGEMENT  SUNDRY NOTICES AND REPORTS OF		5 Lease Serial No NMLC-063418
Do not use this form for proposals to drill or t abandoned well. Use Form 3160-3 (APD) for su	o re-enter an	6 If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on	reverse side.	7 If Unit or CA/Agreement, Name and/or No NMNM 68294X
1 Type of Well Oil Well  Osher  Other		8. Well Name and No
2 Name of Operator BEPCO, L.P.		Big Eddy Unit #220 9 API Well No. 30 015 3645
3a Address 3b PhoneNo	(include area code) 883-2277	Not yet assigned 10 Field and Pool, or Exploratory Area
4 Location of Well (Footage, Sec., T., R., M., or Survey Description)		Quahada Ridge (Morrow)
Unit letter O, 1980' FEL & 810' FSL, Section 9, T21S, R29E	AUG - 6 2008	11 County or Parish, State Eddy
Lat N 32.488922 deg, Lon W 103 987425 deg	OCD-ARTESIA	New Mexico
12 CHECK APPROPRIATE BOX(ES)TO INDICATE	NATURE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
X Notice of Intent Acidize Deepen Alter Casing Fracture Tr	Production (State   Reclamation	art/Resume) Water Shut-Off Well Integrity
Subsequent Report	truction Recomplete	Other
Final Abandonment Notice Change Plans Plugand A  Convert to Injection PlugBack	bandon Temporarily Al Water Disposal	
following completion of the involved operations. If the operation results in a multiesting has been completed. Final Abandoniment Notices shall be filed only after determined that the site is ready for final inspection.)  BEPCO, L.P. respectfully requests permission to install a #220.  The proposed gas line will consist of 4" SCH-40, 0 237 war #220 wellsite in the SW 1/4 of th SE 1/4 of Sec. 9, T21S, If of the SW 1/4 of Sec. 9. The 4" gas line will then turn NW Big Eddy Unit gas pipeline servicing the BEU #163 wellbook ROW number NM-119503.)	all requirements, including reclaining high pressure gas line all, welded and buried selected and will run West and run from that poine in the SW 1/4 of the	that will service the Big Eddy Unit steel pipe. It will be laid from the BEU at to a point 672 4' just inside the SE 1, and for 3189.3' to intersect with the 4" a NW 1/4 of Sec. 9 (BEU Pipeline is
The pipeline easement has been previously arch cleared. gas line.	A survey map is attac	• , ,
		ACCEPTED FOR RECORD
14 Thereby certify that the foregoing is true and correct Name (Printed/Typed) ANN MOORE	Title PRODUCTION	AUG 8 2009  CLERK Gerry Guye, Deputy Field Inspector  NMOCD-District HAPPEN
Signature Rnn Moore	Date 07/16/2008	NMOCD-District II ARTESIA
THIS SPACE FOR FEDERAL	OR STATE OFFICE	USE
Approved by	Title	Date
Conditions of approval, if any, are attached Approval of this notice does not warre certify that the applicant holds legal or equitable title to those rights in the subject	ease Office CARL	SBAD FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false. Fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

which would entitle the applicant to conduct operations thereon

# Exhibit-A-14


5, IUINDIHE &I DUUIH, NANGE &S LADI, M.W.F.W., **SECTION** EDDY COUNTY. NEW MEXICO.



## LEGAL DESCRIPTION

A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 9, TOWNSHIP 21 SOUTH, RANGE 29 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

SECTION 9 = 3861.7 FEET = 234.04 RODS = 0.73 MILES = 2.66 ACRES



BASIN SURVEYS P.O. BOX 1786 - HOBBS, NEW MEXICO

J. SMALL W.O. Number: 19831 Drawn By: Date: 06-19-2008 Disk: **JMS** 19831PIPELINE


1000 1000 2000 FEET HHHHH

## BEPCO, L.P.

REF: PROP PIPELINE TO THE BEPCO. BEU #220

A PIPELINE CROSSING USA LAND IN SECTION 9, TOWNSHIP 21 SOUTH, RANGE 29 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.

Survey Date: VARIES Sheet Sheets



## PROPOSED PIPELINE TO THE BEU #220

Section 9, Township 21 South, Range 29 East, N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hcbbs, New Mexico 88241 (505) 393-7316 — Office (505) 392-3074 — Fax basinsurveys.com

Name and Address of the Owner, where	WΟ	Number	JMS	19831	
Chicaman	Surv	ey Date:	VARIE	ES	
	Scale	e: 1" =	2000'		
r	Doto	06_10	2_7008	e and the many death of the state of the	

BEPCO, L.P.

BLM LEASE NUMBER _	LC-063418	
COMPANY NAME	BEPCO	
WELL NO. & NAME	<b>BEU #220</b>	

#### BURIED PIPELINE STIPULATIONS

A copy of the Sundry Notice and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

- 5. All construction and maintenance activity will be confined to the authorized right-of-way.
- 6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.
- 7. Blading of all vegetation will be allowed. Blading is defined as the complete removal of brush and ground vegetation. Clearing of brush species will be allowed. Clearing defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface. In areas where blading and/or clearing is allowed, maximum width of these operations will not exceed 35 feet.
- 8. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 9. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in row, piles, or berms, unless otherwise approved by the Authorized Officer. A berm will be left over the ditch line to allow for settling back to grade.
- 10. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 11. The holder will reseed. Seeding will be done according to the attached seeding requirements, using the following seed mix.

(	) seed mixture 1	(	) seed mixture 3
(	X) seed mixture 2	(	) seed mixture 4

### Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)\* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed\* per acre:

<u>Species</u>	<u>lb/acre</u>		
	Plains Bristlegrass	5lbs/A	
	Sand Bluestem		5lbs/A
	Little Bluestem		3lbs/A
	Big Bluestem	r = =	6lbs/A
	Plains Coreopsis		2lbs/A
	Sand Dropseed	•	1lbs/A

<sup>\*\*</sup>Four-winged Saltbush

Pounds of seed x percent purity x percent germination = pounds pure live seed

- 12. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 13. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

<sup>5</sup>lbs/A

<sup>\*</sup> This can be used around well pads and other areas where caliche cannot be removed.

<sup>\*</sup>Pounds of pure live seed:

- 14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.
- 15. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

### 16. Special Stipulations:

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.