Fee Lease - 5 copies District I

Signature

1625 N. French, Hobbs, NM 88240

District II 811 South First, Artesia, NM 87210

State of New Mexico Energy, Minerals and Natural Resources

Revised March 25, 1999

Form C-105

OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

30-015-36129 5. Indicate Type Of Lease

WELL API NO.

District III STATE X FEE Santa Fe, NM 87505 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No. District.IV 1220 S St Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a Type of Well: Lease Name or Unit Agreement Nag GAS WELL X DRY 🗌 OIL WELL OTHER\_ b Type of Completion NEW WORK DEEPEN BACK DIFF. OTHER Pembina A 33 State 8. Well No. 2 Name of Operator JUN 122008 EOG Resources Inc. 1H OCD-ARTESIA 9. Pool name or Wildcat 3 Address of Operator P.O. Box 2267 Midland, Texas 79702 Four Mile Draw; Wolfcamp (Gas) 4 Well Location Unit Letter A: 760 Feet From The 660 Feet From The North Line and <u>East</u> Township 185 NMPM Range 23E 10. Date Spudded 11 Date T.D. Reached 12. Date Compl. (Ready to Prod.) 13. Elevations (DF & RKB, RT, GR, etc.) 14 Elev. Casinghead 4/20/08 4/29/08 5/28/08 3949' GR 18. Intervals 15 Total Depth 16 Plug Back T.D. 17. If Multiple Compl. How Rotary Tools Cable Tools Drilled By Many Zones? 8267 M - 4491 V 8200 19 Producing Interval(s), of this completion - Top, Bottom, Name 20. Was Directional Survey Made 4750 - 8180 Wolfcamp Yes 21 Type Electric and Other Logs Run 22. Was Well Cored No CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT LB./FT. **DEPTH SET** HOLE SIZE CEMENTING RECORD AMOUNT PULLED 1000 C, 600 35/65 POZ C 8-5/8 1244 12-1/4 32 5-1/2 17 8251 7-7/8 1400 50/50 POZ C 24. LINER RECORD 25. TUBING RECORD SACKS CEMENT | SCREEN SIZE TOP BOTTOM SIZE **DEPTH SET** PACKER SET 2-3/8 5447 26. Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 7465 - 8180, 0.42", 30 hls 4750 - 5480, 0.42", 30 hls 4750 - 5480 Frac w/ 42000 gals acid, 57036 6560 - 7280, 0.42", 30 hls gals gel, 594257 lbs sand, 5660 - 6380, 0.42", 30 hls 953526 gals slick water 28 **PRODUCTION** Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) 5/28/08 Flowing Producing Gas - MCF Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl. Water - Bbl. Gas - Oil Ratio Test Period 6/10/08 Open 1558 Flow Tubing Calculated 24-Casing Pressure Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API -(Corr) Press Hour Rate 760 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By Sold 30 List Attachments C-103, C-104, directional survey 31 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Title Regulatory Analyst Date 6/11/08

Stan Wagner

Name

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northeastern New Mexico

Southeastern New Mexico

T. Anhy			T. Canyon	T. Ojc	Alamo _	· · · · · · · · · · · · · · · · · · ·	
T. Salt		T. Strawn	T. Kir	tland-Frui	tland ———	_ T. Penn. "C"	
B. Salt _			T. Atoka	T. Pict	tured Cliff	s ———	- T. Penn. "D"
T. Yates			T. Miss	T. Clif	f House_		T. Leadville
T. 7 Rive	ers		T. Devonian				
				T. Poi	nt Lookou	ıt	T. Elbert
				Т. Ma	ncos —		T. McCracken
T. Glorie	eta	1510	T. McKee		reenhorn		T. Granite
			T. Delaware Sand	T Too	lilto		T
					rada		T
	uru			T Wir	radu		
		4554		T. Chi			Т.
				T Der	T. Chinle		_ T
		"		T. Pen			T
1. Cisco	(Bough C	C)	T	1. Pen	n A		
							OIL OR GAS SANDS OR ZONES
			to		3, from	· <b></b>	to
No. 2, fro	om		to	No.	4, from		to
			IMPOR	RTANT WATE	E CAN	ne	
Include d	lata on rat	e of water in	offlow and elevation to which			<b>D</b> Q	
			to			feet	
			to				
	UIII ~		W	· ·		- · ICCI	
			4-			C 4	
			to		- <b></b>	feet	
			LITHOLOGY REC				
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic		ecessary)
		<u> </u>				onal sheet if no	
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)
No. 3. fro	om	Thickness	LITHOLOGY REC	CORD (Attac	h additic	Thickness	ecessary)



June 11, 2008

**EOG Resources, Inc.** 4000 North Big Spring, Suite 500 Midland, TX 79705 (915) 686-3600

State of New Mexico Oil Conservation Division 1301 W. Grand Avenue Artesia, New Mexico 88210

Re: Confidentiality Request Pembina A 33 State 1H G JUN 12 2008 OCD-ARTESIA

Enclosed please find logs and completion papers for our Pembina A 33 State 1H. EOG Resources, Inc. respectfully requests confidentiality for the logs and completion papers on this well.

Thank you for your consideration of this request.

Sincerely,

EOG Resources, Inc.

Stan Wagner //
Regulatory Analyst

432 686 3689