

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-AK

OCD-ARTESIA

FORM APPROVED
OMB NO. 1004-0137
Expires March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff Resvr.
Other _____

2 Name of Operator
BEPCO, L.P.

3 Address
P.O. BOX 2760 MIDLAND TX 79702-2760

3 a (If not on file with BLM, provide code)
(432)683-2277

4 Location of Well (Report location clearly and in accordance with Federal requirements)*

At Surface UL C, 660' FNL, 1855' FWL, LAT 32.252028 DEG N., LON 103.923389 DEG W

At top prod interval reported below SAME

At total depth SAME

CONFIDENTIAL

14 Date Spudded
03/06/2008

15 Date T.D Reached
03/21/2008

16 Date Completed
☐ D & A ☒ Ready to Prod
04/30/2008

17 Elevations (DF, RKB, RT, GL)*
3206'

18 Total Depth MD 7410'
TVD

19 Plug Back T D MD 7360'
TVD

20 Depth Bridge Plug Set MD
TVD

21 Type of Electric & Other Mechanical Logs Run (Submit copy of each)
GR-CLN-LDT; GR-AIT

22 Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23 Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt (#/ft)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No of Sks & Type of Cement	Slurry Vol (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8"K55	32#	0'	680'		500 SXS		SURF-CIRC.	
7-7/8"	5-1/2"J55	15.5/17#	0'	7407'	5019'	390 STG. 1		5019'- CIRC.	
						1400 STG. 2		SURF-CIRC.	

24 Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	5724' SN	5558' TAC						

25 Producing Intervals

26 Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No Holes	Perf Status
A) DELAWARE	3493'	7362'	6030-40'	0.34	20	PRODUCING
B)			7008-7134'	0.34	16	PRODUCING
C)			7324-7345	0.34	20	PRODUCING
D)						

27 Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
6030-40'	109444 GAL PW + 10008#s 14/30 LITE PROP
7008-7134'	88557 GAL PW + 7035#s 14/30 LITE PROP
7324-7345'	22955 GAL VIKING 3000 + 60448 #S 16/30 OTTAWA SAND + 24971 #S SUPER LC

28 Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
05/01/08	05/06/08	24	→	93	163	238			PUMPING
Choke Size	Tbg Press Flwg SI	Csg Press	24 Hr Rate	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	
12/64"	250	500	→	93	163	238	1753	PRODUCING	

Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
			→						
Choke Size	Tbg Press Flwg SI	Csg Press	24 Hr Rate	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	
			→						

ACCEPTED FOR RECORD

MAY 25 2008

J. Ames

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

28b Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg SI	Csg Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg SI	Csg Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29 Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30 Summary of Porous Zones (Include Aquifers)

Show all important zones or porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries

31 Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc	Name	Top
					Meas Depth
				T/SALT	737'
				B/SALT	3252'
				T/LAMAR	3468'
				T/BELL CANYON	3493'
				T/CHERRY CANYON	4345'
				T/LOWER CHERRY CANYON	5616'
				T/BRUSHY CANYON	5428'
				T/LOWER BRUSHY CANYON	6966'
				T/BONE SPRING LIME	7228'
				T/AVALON SAND	7314'
				BASE AVALON SAND	7362'

32 Additional remarks (include plugging procedure)


33 Indicate which items have been attached by placing a check in the appropriate boxes

- ☒ Electrical/Mechanical Logs (1 full set req'd)
 ☐ Geological Report
 ☐ DST Report
 ☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
☒ Other **Inclination Report**

34 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) ANN MOORETitle PRODUCTION CLERK

Signature

Date 05/13/2008

Title 18 U.S.C. Section 101 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR'S COPY BLM-

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-31693	Pool Code 47545	Pool Name Nash Draw (Dela, BS, Avalon Sd)
Property Code 1796	Property Name POKER LAKE UNIT	
OGRID No. 001801	Operator Name BEPCO, L.P.	
	Well Number 162	Elevation 3207'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	6	24 S	30 E		660	NORTH	1855	WEST	EDDY

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Dedicated Acres 40	Joint or Infill N	Consolidation Code	Order No.
------------------------------	-----------------------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

LOT 1 40.72 ACRES	LAT - N32°15'09.2" LONG - W103°55'24.8" (NAD-83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Gary E. Gerhard</i> Signature _____ Date 2/28/07 Gary E. Gerhard Printed Name
LOT 2 40.58 ACRES	162.65 ACRES	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. DECEMBER 14, 2006 Date Surveyed _____ Signature of _____ Professional Surveyor
LOT 3 40.42 ACRES	41.04 ACRES	
LOT 4 40.28 ACRES	81.67 ACRES	
162.74 ACRES		Certificate No. Gory L. Jones 7977 BASIN SURVEYS

SECTION 6, TOWN. IP 24 SOUTH, RANGE EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO.



DIRECTIONS TO LOCATION:

FROM THE JUNCTION OF STATE HWY 128 AND CO. RD. 793, PROCEED SOUTH ON CO. RD. 793 FOR 3.4 MILES TO LEASE ROAD. ON LEASE ROAD PROCEED WEST 0.2 MILES TO LEASE ROAD, ON LEASE ROAD PROCEED SOUTH THENCE EAST 3.2 MILES TO CO. RD. 746 (GAVILAN), ON CO. RD. 746 PROCEED SOUTH 0.2 MILE TO PROPOSED LOCATION.

BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO

W.O. Number: 17522

Drawn By: J. SMALL

Date: 12-18-2006

Disk: 17522W JMS


BEPCO, L.P.

REF: POKER LAKE UNIT #162 / WELL PAD AND TOPO

THE POKER LAKE UNIT No. 162 LOCATED 660'
FROM THE NORTH LINE AND 1855' FROM THE WEST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH, RANGE 30 EAST,
N.M.P.M., EDDY COUNTY, NEW MEXICO.

Survey Date: 12-14-2006


Sheet 1 of 1 Sheets



POKER LAKE UNIT 162

660' FNL and 1855' FWL

Section 6, Township 24 South, Range 30 East,
N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786
1120 N. West County Rd.
Hobbs, New Mexico 88241
(505) 393-7316 - Office
(505) 392-3074 - Fax
basinsurveys.com


W.O. Number: JMS 17522T

Survey Date: 12-14-2006

Scale: 1" = 2000'

Date: 12-18-2006

BEPCO, L.P.



POKER LAKE UNIT 162
 660' FNL and 1855' FWL
 Section 6, Township 24 South, Range 30 East,
 N.M.P.M., Eddy County, New Mexico.

basin
surveys
 focused on excellence
 in the oilfield

P.O. Box 1786
 1120 N. West County Rd.
 Hobbs, New Mexico 88241
 (505) 393-7316 - Office
 (505) 392-3074 - Fax
 basinsurveys.com

W.O. Number: JMS 17522T

Survey Date: 12-14-2006

Scale: 1" = 2 MILES

Date: 12-18-2006

BEPCO, L.P.

