

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 16, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. <u>015-36421</u> 30-025-38951
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. V-5604
7. Lease Name or Unit Agreement Name Junior AWW State
8. Well Number 004H
9. OGRID Number 025575
10. Pool name or Wildcat <u>Cow Flats</u> Wolfcamp <u>97102</u>

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐	
2. Name of Operator Yates Petroleum Corporation	
3. Address of Operator 105 South Fourth Street, Artesia NM 88210	
4. Well Location Surface Hole Unit Letter <u>I</u> : <u>2130</u> feet from the <u>South</u> line and <u>150</u> feet from the <u>East</u> line Bottom Hole Unit Letter <u>L</u> : <u>2270</u> feet from the <u>South</u> line and <u>330</u> feet from the <u>West</u> line Section <u>17</u> Township <u>16S</u> Range <u>28E</u> NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3564' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: Change bottom hole footages



SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER:



13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation wishes to correct the bottom hole location from 1980' FSL & 330' FWL to the correct footages of 2270' FSL & 330' FWL. A new C-102 is attached along with the horizontal diagrams.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Clifton R. May TITLE Regulatory Agent DATE September 9, 2008

Type or print name Clifton R. May E-mail address: _____ PHONE: 748-4347

For State Use Only

APPROVED BY: Timberly M. Wilson Compliance Officer DATE 10-8-08

Conditions of Approval (if any):

1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-36421	Pool Code 97102	Pool Name Crow Flats - WOLF CAMP
Property Code 26974	Property Name JUNIOR "AWW" STATE	Well Number 4H
OGRID No. 025575	Operator Name YATES PETROLEUM CORP.	Elevation 3564'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	17	16 S	28 E		2130	SOUTH	150	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	17	16 S	28 E		2270	SOUTH	330	WEST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


BOTTOM HOLE LOCATION Lat - N32°55'17.42" Long - W104°12'18.93" SPC- N.: 699002.030 E.: 580637.157 (NAD-83)		SURFACE LOCATION Lat - N32°55'16.17" Long - W104°11'23.44" SPC- N.: 698881.801 E.: 585367.330 (NAD-83)	
PROJECT AREA		PRODUCING AREA	
330' B.H.		150' S.L.	
2270'		2130'	
		PENETRATION POINT 2160' FSL & 630' FEL	
OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Clifton R. May</i> 9/9/08 Signature Date CLIFTON R. MAY Printed Name			
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JULY 2 2008 Date Surveyed Signature & Seal of Professional Surveyor Certificate No. Gary L. Jones 7977 BASIN SURVEYS			

MD	Inclination	SAZimuth	TVD	N/S	E/W	D/S	Toolface	Rel HS/GN	
0	0	0	0	0	0	0			
279	0	0	279	0	0	0			YATES
449	0	0	449	0	0	0			SEVEN RIVERS
975	0	0	975	0	0	0			QUEEN
1,149'	0	0	1,149'	0	0	0			GRAYBURG
1,755'	0	0	1,755'	0	0	0			SAN ANDRES
3,233'	0	0	3,233'	0	0	0			GLORIETA
4,517'	0	0	4,517'	0	0	0			TUBB
5,237'	0	0	5,237'	0	0	0			ABO
6044'	0	0	6044'	0	0	12	273	GN	KOP
6050	0 72	273 46	6050	0	-0 04	12	360	HS	
6075	3 72	273 46	6074 98	0.06	-1	12	360	HS	
6100	6 72	273 46	6099 87	0 2	-3 27	12	0	HS	
6125	9 72	273 46	6124 61	0 41	-6 84	12	0	HS	
6150	12 72	273 46	6149 13	0 71	-11 7	12	0	HS	
6175	15 72	273 46	6173 36	1.08	-17 83	12	360	HS	
6200	18 72	273 46	6197 24	1 52	-25 21	12	0	HS	
6225	21 72	273 46	6220 7	2 04	-33 84	12	0	HS	
6250	24 72	273 46	6243 67	2 64	-43 67	12	0	HS	
6275	27 72	273 46	6266.09	3 3	-54 7	12	0	HS	
6300	30 72	273 46	6287.91	4.04	-66 88	12	0	HS	
6325	33 72	273 46	6309 06	4 84	-80.18	12	0	HS	
6350	36 72	273 46	6329 48	5.71	-94 57	12	0	HS	
6375	39 72	273 46	6349 12	6 65	-110 01	12	0	HS	
6400	42 72	273 46	6367 92	7 64	-126 45	12	0	HS	
6425	45 72	273 46	6385.83	8.69	-143 85	12	0	HS	
6450	48 72	273 46	6402 81	9 8	-162 17	12	0	HS	
6475	51 72	273 46	6418 81	10 96	-181 34	12	360	HS	
6500	54 72	273 46	6433 77	12 16	-201 33	12	0	HS	
6525	57 72	273 46	6447 67	13 42	-222 07	12	0	HS	
6550	60 72	273 46	6460 46	14 71	-243 5	12	0	HS	
6575	63 72	273 46	6472.11	16 05	-265.58	12	0	HS	
6600	66 72	273 46	6482 59	17 41	-288 23	12	360	HS	
6625	69 72	273 46	6491 87	18 81	-311 4	12	0	HS	
6650	72 72	273 46	6499 91	20.24	-335 03	12	360	HS	
6675	75 72	273 46	6506.71	21 69	-359 04	12	0	HS	
6700	78 72	273 46	6512.24	23 16	-383 37	12	360	HS	
6725	81 72	273 46	6516.49	24 65	-407 96	12	0	HS	
6750	84 72	273 46	6519 44	26 14	-432.74	12	0	HS	
6775	87 72	273 46	6521 09	27 65	-457 64	12	0	HS	
6796.92	90 35	273 46	6521.46	28.97	-479.51	12	0	HS	Pay Zone
11125.37	90 35	273 46	6495	290	4800	0			Lateral TD

Pilot hole will be drilled to 6697'. Well will then be plugged back and kicked off at approx 6044' at 12 degrees per 100' with a 7 7/8" hole to 11,125' MD with a TVD of 6,495' at TD. Penetration point of producing zone will be 2160' FSL and 630' FEL, Sect 17, 16S-28E

3D^s Directional Drilling Planner - 3D View

Company: Yates Petroleum Corporation
Well: Junior AWW State #4H



3D³ Directional Drilling Planner - 3D View

Company: Yates Petroleum Corporation
Well: Junior AWW State #4H

