

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S. St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



NOV - 6 2008

OCD-ARTESIA

Form C-103
June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-63778
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Lime Rock Resources A, L.P.		6. State Oil & Gas Lease No. VA-2355
3. Address of Operator Heritage Plaza, 1111 Bagby St. Suite 4600, Houston, TX 77002		7. Lease Name or Unit Agreement Name Dehavilland State
4. Well Location Unit Letter: E: 1,980 feet from the North line and 660 feet from the West line Section 28 Township 5S Range 26E NMPM Chaves County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,835' GR		9. OGRID Number 255333
		10. Pool name or Wildcat Wildcat Cisco

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plugging Procedure:

**Notify OCD 24 hrs. prior
To any work done.**

1. TIH with tubing and load hole with mud.
2. Spot 100' cement plug from 4,204' to 4,104' (across the top of the Abo). Tag top of plug.
3. Spot 100' cement plug from 1,820' to 1,720' (above open San Andres perforations). Tag top of plug.
4. Spot 100' cement plug from 958' to 858'. Tag top of plug
5. Spot cement plug from 60' back to surface.
6. Cut off wellhead and install dry hole marker.
7. Cut off anchors, fill in cellar, and restore location.

Approval Granted providing work
is complete by 2/7/09

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE C. I. Miller TITLE Vice President - Operations DATE: 31 October 2008

Type or print name C. Tim Miller E-mail address: tmiller@limerockresources.com PHONE: (713) 292-9514


For State Use Only

APPROVED BY: PhD Hankins TITLE JR. DATE 11/7/08
Conditions of Approval (if any):



LIME ROCK
RESOURCES

PROPOSED ABANDONMENT



**Perforate @ 60' and
circulate cement
back to surface**

11-3/4", 42#, H-40, ST&C Casing @ 908'

Perforate @ 958' and spot 100' cement plug from 958' to 858' (tag top of plug)

TOC @ 1,350'

Spot 100' cement plug from 1,820' to 1,720' (tag top of plug)

San Andres Perfs: 1,870-72' (18 – 0.42" DIA holes)

**Spot 100' cement plug from 4,204' to
4,104' (tag top of plug)**

CIBP @ 5,515' w/ 35' cement on top (EXISTING)

Cisco Perfs: 5,565-73' (18 – 0.41" DIA holes)

CIBP @ 5,846' w/ 35' cement on top

Strawn Perfs: 5,896-01'; 5,905-16'; 5,922'; 5,928'; 5,954'; 5,965' & 5,976-84' (184 – 0.42" DIA holes)

CIBP @ 6,044' w/ 35' cement on top

Siluro-Devonian Perfs: 6,094-37' (88 – 0.42" DIA holes)

PBTD @ 6,205'

TD @ 6,250'

4-1/2"; 11.6#; L-80 & N-80; LT&C Casing @ 6,250'

<u>Zone</u>	<u>Top</u>
Seven Rivers	198'
Queen	526'
Grayburg	704'
San Andres	910'
Glorieta	1,964'
Tubb	3,484'
Abo	4,154'

**Lime Rock Resources
Dehavilland State Unit 1
Sec 28E-5S-26E
Chaves County, NM**