

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



WELL API NO. 30-015-36421
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-5604
7. Lease Name or Unit Agreement Name Junior AWW State
8. Well Number 4H
9. OGRID Number 025575
10. Pool name or Wildcat Crow Flats; Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Yates Petroleum Corporation	
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210	
4. Well Location Surf-Unit Letter I : 2130 feet from the South line and 150 feet from the East line BHL-Unit Letter L : 1981 feet from the South line and 360 feet from the West line Section 17 Township 16S Range 28E NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3563'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Completion Operations ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/17/08 - Spotted 1500g 15% acid.

11/23/08 - RIH with 5-1/2" frac flow thru plug. Pumped down to 10,940'. Spotted 1500g 15% acid. Set plug and tested to 4000# - good. Perforated Wolfcamp 10,929', 10,707', 10,485', 10,263' and 10,041'. Frac with 18,757g 15% acid, 58,224g 15% borate gel, 62,916# 40/70 Jordan-Unimin sand. Flushed with 10,747g 20% linear gel. RIH with 5-1/2" frac flow thru plug. Pumped down to 9860'. Spotted 1500g 15% acid. Set plug and tested to 4000# - good. Perforated Wolfcamp 9819', 9597', 9375', 9153' and 8931'. Frac with 50,991g slickwater, 18,479g 15% acid, 60,703g 15# borate gel, 63,902# 40/70 Jordan-Unimin sand. Flushed with 9686g 20# linear gel.

11/24/08 - RIH with 5-1/2" frac flow thru plug. Pumped down to 8740'. Spotted 36 bbls 15% acid. Set plug and tested to 4000# - good. Perforated Wolfcamp 8709', 8487', 8265', 8043' and 7821'. Frac with 54,544g slickwater, 19,939g 15% HCL acid, 61,596g 15# borate gel, 65,624# 40/70 Jordan-Unimin sand. Flushed with 7858g 20# linear gel.

12/2/08 - RIH with 5-1/2" frac flow thru plug. Pumped down to 7620'. Spotted 36 bbls 15% HCL acid. Set plug and tested to 4000# - good. Perforated Wolfcamp 7599', 7377', 7155', 6933' and 6733'. Frac with 49,080g slickwater, 29,744g 15% HCL acid, 72,688g 15# borate gel, 88,704# 40/70 Jordan-Unimin sand. Flushed with 6588g 20# linear gel. 2-7/8" tubing at 6587'.

ACCEPTED FOR RECORD

Spud Date:

Rig Release Date:

DEC 22 2008

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Gerry Guza, Deputy Field Inspector
NM OGD-District II ARTESIA

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE December 19, 2008

Type or print name Tina Huerta E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):