

Form 3160-4
(September 3001)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTOPE TOR'S COPY FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2004

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMNM-14758

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry Other
 b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
 Other _____

2. Name of Operator

Mewbourne Oil Company 14744

3. Address

PO Box 5270 Hobbs, NM 88240

3a. Phone No. (include area code)

575-393-5905

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface 990' FNL & 1810' FWL, Unit Letter C

At top prod. interval reported below

At total depth

14. Date Spudded

02/25/09

15. Date T.D. Reached

03/02/09

16. Date Completed

☐ D&A ☒ Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*

3426' GL

18. Total Depth: MD 3130'
TVD19. Plug Back T.D.: MD 3100'
TVD20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

CNL/CCL/GR

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
 Was DST run? ☒ No ☐ Yes (Submit report)
 Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
11"	8 5/8" J55	24	0	935'		600	146	surface	NA
7 7/8"	4 1/2" J55	11.6	0	3130'		650	228	surface	NA

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 3/8"	2475	NA						

25. Producing Intervals

Formation	TOP	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Yeso	2418'	3130'	2486' - 2935'	0.31"	109	open
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
2730' to 2935'	Frac w/1500 gals 10% HCl & 200,000 gals 12# X-link carrying 267,500# 20/40 brown sand & 30,000# 20/40 SB Excel.
2486' to 2566'	Frac w/1500 gals 10% HCl & 100,000 gals 12# X-link carrying 133,750# 20/40 brown sand & 15,000# 20/40 SB Excel.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
03/19/09	03/23/09	24	→	50	8	132	36	.897	Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
NA	400	90	→	50	8	132	160	open	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Call Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
			→						

ACCEPTED FOR RECORD

APR 11 2009

RECEIVED
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE
APR 14 2009

BY: _____

(See instructions and spaces for additional data on next page)

CC: ALLEN B. - WAYNE J. - CHERYL L. - DON R. - SUE

4-22-09

7W2

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Queen	245				
Grayburg	610				
San Andres	918				
Glorieta	2290				
Yeso	2418				
TD	3130				
LTD	3100				

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

- ☒ 1 Electrical/Mechanical Logs (1 full set req'd.) 2 Geologic Report 3 DST Report 4 Directional Survey
☐ 5 Sundry Notice for plugging and cement verification 6 Core Analysis ☒ 7 Other: Dev Rpt & C104 & completion sundry

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Jackie Lathan

Title Hobbs Regulatory

Signature



Date 03/24/09

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false fictitious or fraudulent statements or representations as to any matter within its jurisdiction.