

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		MAY 15 2009 Form C-105 July 17, 2008	
		1. WELL API NO. 30-015-36564		2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN	
		3. State Oil & Gas Lease No.		5. Lease Name or Unit Agreement Name STALEY STATE	
				6. Well Number: 9	
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER					
8. Name of Operator: Lime Rock Resources A, L.P.				9. OGRID: 255333	
10. Address of Operator: c/o Mike Pippin LLC, 3104 N. Sullivan, Farmington, NM 87401				11. Pool name or Wildcat: 96834e Red Lake, Glorieta-Yeso (21120) NE	
12. Location	Unit Ltr	Section	Township	Range	Lot
Surface:	O	30	17-S	28-E	
BH:					
13. Date Spudded 12/15/08	14. Date T.D. Reached 12/28/08	15. Date Drilling Rig Released 12/29/08		16. Date Completed (Ready to Produce) 5/5/09	
17. Elevations (DF and RKB, RT, GR, etc.): 3646' GR		18. Total Measured Depth of Well 4010'		19. Plug Back Measured Depth 3960'	
20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Induction, Density/Neutron			
22. Producing Interval(s), of this completion - Top, Bottom, Name 3666'-3942' - Yeso					
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24# J-55	450'	12-1/4"	375 sx Class C	0'
5-1/2"	17# J-55	4001'	7-7/8"	375 sx 35/65 Poz C	0'
				+ 550 sx C	
24. LINER RECORD			25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE
					2-7/8"
26. Perforation record (interval, size, and number) 3666'-3942'. Total 41 holes.			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 3666'-3942' AMOUNT AND KIND MATERIAL USED 3500 gals 15% NEFE HCL; fraced w/94,620# 16/30 sand in 20# X-linked gcl.		
28. PRODUCTION					
Date First Production READY		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping		Well Status (Prod. or Shut-in) Pumping	
Date of Test 5/4/09	Hours Tested 3	Choke Size	Prod'n For Test Period:	Oil - Bbl 0	Gas - MCF 0
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl 0	Gas - MCF	Water - Bbl. 0
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Vent				30. Test Witnessed By: Jerry Smith	
31. List Attachments					
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.					
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD 1927 1983					
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief					
Signature <i>Mike Pippin</i>		Printed Name Mike Pippin		Title: Petroleum Engineer Date: 5/14/09	
E-mail Address: mike@pippinllc.com					

STALEY STATE #9

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1077	T. Silurian	T. Menefee	T. Madison
T. Grayburg 1500'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1806'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 3222'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Yeso 3338'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4. from..... to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)


From	To	Thickness In Feet	Lithology
			- On File -

WELL NAME AND NUMBER Staley St. #9
LOCATION Section 30, T17S, R28E, 330 FSL, 2210 FEL, Eddy County
OPERATOR Lime Rock Resources
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation test and obtained the following results:


Degrees @ Depth	Degrees @ Depth	Degrees @ Depth
1/2 @ 450'		
1/4 @ 936'		
1/2 @ 1443'		
1/2 @ 1921'		
3/4 @ 2426'		
1 @ 2932'		
1 @ 3400'		
1 1/4 @ 3879'		
1 @ 3978'		

Drilling Contractor- UNITED DRILLING, INC.

By: 
(Luisa Noriega)

Title: Assistant Office Manager

Subscribed and sworn to before me this 1 day of January, 2009.


Notary Public

My Commission Expires:

10-7-12

Chaves NM
County State