

Rec'd 4/6/09

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

**Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application**

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: BOPCO, L.P. OGRID #: 001801
Address: P.O. Box 2760 Midland, TX 79702
Facility or well name: Poker Lake Unit #274
API Number: 30-015-35138 OCD Permit Number: 208259
U/L or Qtr/Qtr SWSE Section 12 Township 24S Range 29E County: EDDY
Center of Proposed Design: Latitude N 32.225806 Longitude W 103.936972 NAD: ☐ 1927 ☒ 1983
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.
☒ **Pit:** Subsection F or G of 19.15.17.11 NMAC
Temporary: ☒ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☒ Lined ☐ Unlined Liner type: Thickness mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other
☐ String-Reinforced
Liner Seams ☒ Welded ☐ Factory ☐ Other Volume: bbl Dimensions: L x W x D

3.
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Type of Operation ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams: ☐ Welded ☐ Factory ☐ Other

4.
☐ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: bbl Type of fluid:
Tank Construction material:
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thickness mil ☐ HDPE ☐ PVC ☐ Other

5.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Form C-144
Final Closure Date 11/11/08

6.

Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- ☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☐ Alternate. Please specify

7.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☐ Netting ☐ Other
- ☐ Monthly inspections (If netting or screening is not physically feasible)

8.

Signs: Subsection C of 19.15.17.11 NMAC

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☒ Signed in compliance with 19.15.3.103 NMAC

9.

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- ☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.

☐ Yes ☐ No

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

☐ Yes ☐ No

- Topographic map; Visual inspection (certification) of the proposed site

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (*Applies to temporary, emergency, or cavitation pits and below-grade tanks*)

☐ Yes ☐ No
☐ NA

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (*Applies to permanent pits*)

☐ Yes ☐ No
☐ NA

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

☐ Yes ☐ No

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

☐ Yes ☐ No

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

Within 500 feet of a wetland.

☐ Yes ☐ No

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

Within the area overlying a subsurface mine.

☐ Yes ☐ No

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

Within an unstable area.

☐ Yes ☐ No

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

Within a 100-year floodplain.

☐ Yes ☐ No

- FEMA map

11.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number:

or Permit Number:

12.

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
- ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number:☐ Previously Approved Operating and Maintenance Plan API Number:

(Applies only to closed-loop system that

use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Climatological Factors Assessment
- ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Quality Control/Quality Assurance Construction and Installation Plan
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- ☐ Emergency Response Plan
- ☐ Oil Field Waste Stream Characterization
- ☐ Monitoring and Inspection Plan
- ☐ Erosion Control Plan
- ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

Proposed Closure: 19.15.17.13 NMAC**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.Type: ☒ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System☐ AlternativeProposed Closure Method: ☒ Waste Excavation and Removal☐ Waste Removal (Closed-loop systems only)☐ On-site Closure Method (Only for temporary pits and closed-loop systems)☐ In-place Burial ☐ On-site Trench Burial☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- ☒ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)**Instructions:** Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name:

Disposal Facility Permit Number:

Disposal Facility Name:

Disposal Facility Permit Number:

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?☐ Yes (If yes, please provide the information below) ☐ No*Required for impacted areas which will not be used for future service and operations:*

- ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC**Instructions:** Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

18.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

20.

OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: _____ **Approval Date:** _____

Title: _____ **OCD Permit Number:** _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 11/11/08

22.

Closure Method:

☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23.

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name:

Disposal Facility Permit Number:

Disposal Facility Name:

Disposal Facility Permit Number:

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

- ☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure)
☒ Plot Plan (for on-site closures and temporary pits)
☒ Confirmation Sampling Analytical Results (if applicable)
☐ Waste Material Sampling Analytical Results (required for on-site closure)
☒ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☒ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: ☐ 1927 ☐ 1983

25.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Annette Childers Title: Administrative Assitant

Signature: Annette Childers Date: 2-6-09


e-mail address: machilders@basspet.com Telephone: (432) 683-2277

Accepted for record
 NMOCD

MAY 29 2009

APR - 6 2009

Waste Excavation and Removal Closure Plan



BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico



SPORT ENVIRONMENTAL SERVICES, PLLC

502 N. Big Spring Street, Midland, Texas 79701

Business: 432.683.1100 Fax: 888.500.0622

April 1, 2009

Mr. Mike Bratcher
State of New Mexico
Oil Conservation Division
1301 W. Grand
Artesia, NM 88210

Re: **Waste Excavation and Removal Closure Report**
BOPCO, L.P., Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico

Dear Mr. Bratcher,

On behalf of BOPCO, L.P., Sport Environmental Services is providing the enclosed "Waste Excavation and Removal Closure" report and C-144 closure form for BOPCO, L.P.'s Poker Lake Unit #274 pit location. The company has undergone a name change since the time of pit closure, explaining the previous use of BEPCO, L.P. throughout previously filed and attached documents.

In an effort to fully delineate the pit location both horizontally and vertically, extensive soil investigation was conducted. Attached please find a site plan denoting sample locations along with the associated analytical results. Each soil sample was analyzed for **Total Petroleum Hydrocarbons** (C₆-C₁₂ Gasoline Range Hydrocarbons or GRO; C₁₂-C₁₈ Diesel Range Hydrocarbons or DRO; C₂₈-C₃₅ Oil Range Hydrocarbons; and Total TPH) using Methods 418.1 and 8015M, **Chlorides (Cl)** EPA Method 300/300.1, and **Total BTEX** (Benzene; Toluene; Ethylbenzene; m,p-Xylene; o-Xylene, Total Xylenes, and total BTEX) using the Method 8021B/5030. This pit was sampled per the requirements set forth in NMAC 19.15.17.13 B(1)(b).

In summary, the TPH and Combined DRO and GRO fraction levels within all soil samples analyzed were below the regulatory limit. According to the New Mexico Oil Conservation Division and the New Mexico Office of the State Engineer iWATERS, groundwater is greater than 100 feet below ground surface (100' bgs) resulting in a soil chloride limitation of 1000 mg/kg. Analytical results demonstrate chloride levels are below the regulatory limitation.

There were a total of four rounds of delineation and confirmation sampling events, conducted on August 27, September 2, September 5 and September 22, 2008. Analytical results for each soil sample and the date the sample was determined clean are provided below and also condensed for your convenience within the attached **Sample Data Summary**. As required, email transmissions demonstrating 48-hour notification of sampling events and equipment mobilization are available upon request.

Sample location	Sample ID	Chloride Level	"Clean" Date
North Pit Wall	NEW-001	270 mg/kg	August 27, 2008
East Pit Wall	EEW-001	868 mg/kg	August 27, 2008
South Pit Wall	SEW-004	535 mg/kg	September 22, 2008
West Pit Wall	WEW-003	961 mg/kg	September 5, 2008
Pit Floor	EEF1-001	535 mg/kg	August 27, 2008
	EEF2-001	115 mg/kg	August 27, 2008
	EEF3-001	332 mg/kg	August 27, 2008
	WEF1-001	44.2 mg/kg	August 27, 2008
	WEF2-002	136 mg/kg	September 2, 2008
	WEF3-001	410 mg/kg	August 27, 2008

Big D Environmental performed excavation and removal activities associated with the pit waste material. All excavated waste was disposed of off-site at a NMOCD permitted and approved facility, Controlled Recovery Inc. (Permit #R-9166). Sport Environmental Services was advised by Big D Environmental that an estimated 2044 cubic yards were excavated and hauled to CRI. Waste manifesting documentation is maintained by Big D Environmental. The total surface area affected by the pit was approximately 0.25 acres. The area was subsequently backfilled with unimpacted caliche and a two foot layer of topsoil.

During the reclamation phase of the pit closure, the site was reclaimed to a natural condition that blends with the surrounding topography; involving restoring the original landform or creating a landform that approximates and blends in with the surrounding landform. Disturbed areas will be re-vegetated to native species, controlling erosion, controlling invasive non-native plants and noxious weeds. A soil cover design consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater has been provided. The soil cover was constructed to mimic the existing grade and prevent ponding of water and erosion of the cover material.

James Amos of the BLM has requested that reseeding take place in late June 2009, during the monsoonal season, for optimal vegetative growth. BLM Seed Mixture 2, for Sandy Sites, will be applied using the broadcast method. When broadcasting the seed, the pounds per acre will be doubled. As required by NMAC 19.15.17.13(I)(2), successful reclamation is considered to be 70% re-growth of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons, that prove viability, there will be no artificial irrigation of the vegetation. Repeat seeding or planting will occur, until required vegetation coverage is successfully achieved. Evaluation of

growth will not be made before completion of at least one full growing season after seeding. Photographs of existing vegetation were taken prior to constructing the drilling pit location, as a tool to confirm re-growth of 70% native vegetative coverage.

Species to be planted in pounds of pure live seed* per acre:

<u>Species</u>	<u>lb/acre</u>
Sand dropseed (Sporobolus cryptandrus)	1.0
Sand love grass (Eragrostis trichodes)	1.0
Plains bristlegrass (Setaria macrostachya)	2.0


*Pounds of pure live seed:

Pounds of seed X percent purity X percent germination = pounds pure life seed

Enclosed please find documentation demonstrating that the checklist requirements set forth with the Waste Excavation and Removal Closure Plan Form C-144, Box 15, have been met. The closure report consists of protocols and procedures, delineation and confirmation sampling plans, disposal facility name and permit number, soil backfill and cover design specifications, re-vegetation plan, and site reclamation plan.

If you have any questions or comments with regard to this matter, please contact me at my office (432.683.1100) or on my cell (432.553.8555). I would be more than happy to review this closure report with you.

Sincerely,

Debi S. Moore.

Debi Sport Moore, M.E., R.E.P.A.
President

Enclosures: Waste Excavation and Removal Closure Report

Cc: Mr. William R. Dannels
C.K. "Buddy" Jenkins
BOPCO, L.P.
dba Bass Enterprises Production Co.
P.O. Box 2760
Midland, TX 79702


BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico

**Form C-144 Pit Closure
and
Form 3160-5 BLM Sundry Notice**
Poker Lake Unit #274



The Oilfield Waste Disposal Experts.SM

**The Smarter, Safer Solution
to Your Oil and Gas Related
Waste Management Needs.**



Disposal Facility Name

Controlled Recovery, Inc

Permit Number

R-9166

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
BEPCO, L.P.

3a. Address
P.O. BOX 2760 Midland, TX 79702

3b. Phone No. (include area code)
432-683-2277

4. Location of Well (Footage, Sec, T, R, M, or Survey Description)
SWSE, SEC 12 T24S R29E, LAT N32.225806 DEG, LONG W103.936972

5. Lease Serial No.
NMNM 05912

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
NMNM 1776

8. Well Name and No.
Poker Lake Unit #274

9. API Well No.
30-015-35138

10. Field and Pool, or Exploratory Area
Nash Draw (DEL/BS/Avalon)

11. County or Parish, State
EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Pit Closure
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Pit was closed to meet regulatory requirements written under 19.15.17.13 NMAC temporary pit Waste Excavation and Removal on 11/11/08. See attached NMOCD Form C-144

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Annette Childers

Title **Administrative Assistant**

Signature **Annette Childers**

Date **2-16-09**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office




Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico

**SITE PLAN DENOTING
PIT CLOSURE SAMPLING LOCATIONS**



Poker Lake Unit #274



BEPCO, L.P.
Poker Lake Unit #274
Section 12, Township 24S, Range 29E
Eddy County, New Mexico


Delineation Sampling Plan

August 27, 2008



Note All wall samples were composite samples. Initial round of sampling methods SW8015 Mod and EPA 418.1 for TPH, EPA 300/300.1 for chlorides and 8021B/5030 for BTEX were run during the analysis. Chlorides were the only ones that came back above the required limits. All analysis shown were mg/Kg Chlorides.

Round One Samples - 08-27-08
Round Two Samples - 09-02-08
Round Three Samples - 09-05-08
Round Four Samples - 09-22-08



BEPCO, L.P.
Poker Lake Unit #274
Section 12, Township 24S, Range 29E
Eddy County, New Mexico

Confirmation
Sampling
Plan

BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico

SAMPLE DATA SUMMARY

Poker Lake Unit #274

[illegible]

[illegible]

[illegible]

BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico

ANALYTICAL RESULTS
XENCO LABORATORIES
Poker Lake Unit #274

Analytical Report 311583

for

Sport Environmental Services, PLLC

Project Manager: Debi Smith

BEPCO

Poker Lake Unit 274

05-SEP-08



12600 West I-20 East Odessa, Texas 79765

Texas certification numbers:

Houston, TX T104704215 - Odessa/Midland, TX T104704215-08-TX

Florida certification numbers:

**Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675
Norcross(Atlanta), GA E87429**

South Carolina certification numbers:

Norcross(Atlanta), GA 98015

North Carolina certification numbers:

Norcross(Atlanta), GA 483

**Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America
Midland - Corpus Christi - Atlanta**



05-SEP-08

Project Manager: **Debi Smith**
Sport Environmental Services, PLLC
502 North Big Spring Street
Midland, TX 79701

Reference: XENCO Report No: **311583**
BEPCO
Project Address: New Mexico

Debi Smith:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 311583. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 311583 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brent Barron, II

Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



Sample Cross Reference 311583

Sport Environmental Services, PLLC, Midland, TX
BEPCO

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
WEF2-002	S	Sep-02-08 14:03	15 ft	311583-001
WEW-002	S	Sep-02-08 14:10	6 ft	311583-002
SEW-002	S	Sep-02-08 14:15	6 ft	311583-003



Certificate of Analysis Summary 311583

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO

Project Id: Poker Lake Unit 274

Contact: Debi Smith

Project Location: New Mexico

Date Received in Lab: Wed Sep-03-08 08 09 am


Report Date: 05-SEP-08

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	311583-001	311583-002	311583-003			
	Field Id:	WEF2-002	WEW-002	SEW-002			
	Depth:	15 ft	6 ft	6 ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Sep-02-08 14 03	Sep-02-08 14 10	Sep-02-08 14 15			
Anions by EPA 300/300.1	Extracted:						
	Analyzed:	Sep-03-08 15 15	Sep-03-08 15 15	Sep-03-08 15 15			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		136 5 00	3440 50 0	1910 50 0			
BTEX by EPA 8021B	Extracted:	Sep-03-08 10 00	Sep-03-08 10 00	Sep-03-08 10 00			
	Analyzed:	Sep-03-08 14 27	Sep-03-08 14 50	Sep-03-08 15 13			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		ND 0 0010	ND 0 0010	ND 0 0011			
Toluene		ND 0 0021	ND 0 0020	ND 0 0021			
Ethylbenzene		ND 0 0010	ND 0 0010	ND 0 0011			
m,p-Xylenes		ND 0 0021	ND 0 0020	ND 0 0021			
o-Xylene		ND 0 0010	ND 0 0010	ND 0 0011			
Total Xylenes		ND	ND	ND			
Total BTEX		ND	ND	ND			
Percent Moisture	Extracted:						
	Analyzed:	Sep-04-08 15 00	Sep-04-08 15 00	Sep-04-08 15 00			
	Units/RL:	% RL	% RL	% RL			
Percent Moisture		2 45	1 85	5 26			
TPH By SW8015 Mod	Extracted:	Sep-03-08 14 00	Sep-03-08 14 00	Sep-03-08 14 00			
	Analyzed:	Sep-04-08 00 12	Sep-04-08 00 39	Sep-04-08 01 05			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
C6-C12 Gasoline Range Hydrocarbons		ND 15 4	ND 15 3	ND 15 8			
C12-C28 Diesel Range Hydrocarbons		ND 15 4	ND 15 3	28 6 15 8			
C28-C35 Oil Range Hydrocarbons		ND 15 4	ND 15 3	ND 15 8			
Total TPH		ND	ND	28 6			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 311583

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO

Project Id: Poker Lake Unit 274

Contact: Debi Smith

Project Location: New Mexico

Date Received in Lab: Wed Sep-03-08 08.09 am


Report Date: 05-SEP-08

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	311583-001	311583-002	311583-003			
	Field Id:	WEF2-002	WEW-002	SEW-002			
	Depth:	15 ft	6 ft	6 ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Sep-02-08 14:03	Sep-02-08 14:10	Sep-02-08 14:15			
TPH by EPA 418.1	Extracted:	Sep-04-08 15:04	Sep-04-08 15:04	Sep-04-08 15:04			
	Analyzed:	Sep-04-08 15:04	Sep-04-08 15:04	Sep-04-08 15:04			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
TPH, Total Petroleum Hydrocarbons		ND 10.3	ND 10.2	107 10.6			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi


Brent Barron
Odessa Laboratory Director



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
 - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
 - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
 - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
 - F** RPD exceeded lab control limits.
 - J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
 - U** Analyte was not detected.
 - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
 - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
 - K** Sample analyzed outside of recommended hold time.
- * Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
9701 Harry Hines Blvd., Dallas, TX 75220
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238
2505 N. Falkenburg Rd., Tampa, FL 33619
5757 NW 158th St, Miami Lakes, FL 33014
6017 Financial Dr., Norcross, GA 30071

Phone	Fax
(281) 589-0692	(281) 589-0695
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555
(770) 449-8800	(770) 449-5477



Form 2 - Surrogate Recoveries

Project Name: BEPCO

Work Orders : 311583,

Project ID: Poker Lake Unit 274

Lab Batch #: 733054

Sample: 311583-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0366	0.0300	122	80-120	**
4-Bromofluorobenzene	0.0287	0.0300	96	80-120	

Lab Batch #: 733054

Sample: 311583-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0356	0.0300	119	80-120	
4-Bromofluorobenzene	0.0291	0.0300	97	80-120	

Lab Batch #: 733054

Sample: 311583-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0387	0.0300	129	80-120	**
4-Bromofluorobenzene	0.0299	0.0300	100	80-120	

Lab Batch #: 733054

Sample: 311584-010 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0288	0.0300	96	80-120	
4-Bromofluorobenzene	0.0271	0.0300	90	80-120	

Lab Batch #: 733054

Sample: 311584-010 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0289	0.0300	96	80-120	
4-Bromofluorobenzene	0.0269	0.0300	90	80-120	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO

Work Orders : 311583,

Project ID: Poker Lake Unit 274

Lab Batch #: 733054

Sample: 515038-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0284	0.0300	95	80-120	
4-Bromofluorobenzene	0.0255	0.0300	85	80-120	

Lab Batch #: 733054

Sample: 515038-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0375	0.0300	125	80-120	**
4-Bromofluorobenzene	0.0273	0.0300	91	80-120	

Lab Batch #: 733054

Sample: 515038-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0290	0.0300	97	80-120	
4-Bromofluorobenzene	0.0261	0.0300	87	80-120	

Lab Batch #: 733057

Sample: 311580-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	88.5	100	89	70-135	
o-Terphenyl	50.1	50.0	100	70-135	

Lab Batch #: 733057

Sample: 311580-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	94.0	100	94	70-135	
o-Terphenyl	52.7	50.0	105	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO

Work Orders : 311583,

Project ID: Poker Lake Unit 274

Lab Batch #: 733057

Sample: 311583-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	94.3	100	94	70-135	
o-Terphenyl	50.6	50.0	101	70-135	

Lab Batch #: 733057

Sample: 311583-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	93.4	100	93	70-135	
o-Terphenyl	49.2	50.0	98	70-135	

Lab Batch #: 733057

Sample: 311583-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	91.6	100	92	70-135	
o-Terphenyl	49.8	50.0	100	70-135	

Lab Batch #: 733057

Sample: 515046-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	92.1	100	92	70-135	
o-Terphenyl	51.5	50.0	103	70-135	

Lab Batch #: 733057

Sample: 515046-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	91.7	100	92	70-135	
o-Terphenyl	50.3	50.0	101	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO

Work Orders : 311583,

Project ID: Poker Lake Unit 274

Lab Batch #: 733057

Sample: 515046-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	94.8	100	95	70-135	
o-Terphenyl	52.8	50.0	106	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Blank Spike Recovery

Project Name: BEPCO

Work Order #: 311583

Project ID: Poker Lake Unit 274

Lab Batch #: 733047

Sample: 733047-1-BKS

Matrix: Solid

Date Analyzed: 09/03/2008

Date Prepared: 09/03/2008

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Anions by EPA 300/300.1 Analytes	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Chloride	ND	10.0	8.52	85	75-125	

Blank Spike Recovery [D] = $100 \times [C] / [B]$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries

Project Name: BEPCO

Work Order #: 311583

Analyst: ASA

Date Prepared: 09/03/2008

Project ID: Poker Lake Unit 274

Date Analyzed: 09/03/2008

Lab Batch ID: 733054

Sample: 515038-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	ND	0.1000	0.1013	101	0.1	0.1052	105	4	70-130	35	
Toluene	ND	0.1000	0.0989	99	0.1	0.1026	103	4	70-130	35	
Ethylbenzene	ND	0.1000	0.1021	102	0.1	0.1060	106	4	71-129	35	
m,p-Xylenes	ND	0.2000	0.2107	105	0.2	0.2190	110	4	70-135	35	
o-Xylene	ND	0.1000	0.0958	96	0.1	0.1003	100	5	71-133	35	

Analyst: ASA

Date Prepared: 09/04/2008

Date Analyzed: 09/04/2008

Lab Batch ID: 733159

Sample: 733159-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by EPA 418.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
TPH, Total Petroleum Hydrocarbons	ND	2500	2480	99	2500	2460	98	1	65-135	35	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries

Project Name: BEPCO

Work Order #: 311583

Analyst: IRO

Date Prepared: 09/03/2008

Project ID: Poker Lake Unit 274

Date Analyzed: 09/03/2008

Lab Batch ID: 733057

Sample: 515046-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK / BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
C6-C12 Gasoline Range Hydrocarbons	ND	1000	879	88	1000	884	88	1	70-135	35	
C12-C28 Diesel Range Hydrocarbons	ND	1000	929	93	1000	931	93	0	70-135	35	

Relative Percent Difference RPD = $200 * [(C-F)/(C+F)]$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS Recoveries

Project Name: BEPCO

Work Order #: 311583

Lab Batch #: 733047

Date Analyzed: 09/03/2008

QC- Sample ID: 311575-001 S

Project ID: Poker Lake Unit 274

Analyst: LATCOR

Date Prepared: 09/03/2008

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	14.9	100	129	114	75-125	

Lab Batch #: 733159

Date Analyzed: 09/04/2008

QC- Sample ID: 311583-001 S

Reporting Units: mg/kg

Date Prepared: 09/04/2008

Analyst: ASA

Batch #: 1

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
TPH by EPA 418.1	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
TPH, Total Petroleum Hydrocarbons	ND	2560	2500	98	65-135	

Matrix Spike Percent Recovery [D] = $100 \cdot (C-A)/B$
Relative Percent Difference [E] = $200 \cdot (C-A)/(C+B)$
All Results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: BEPCO

Work Order #: 311583

Project ID: Poker Lake Unit 274

Lab Batch ID: 733054

QC- Sample ID: 311584-010 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/03/2008

Date Prepared: 09/03/2008

Analyst: ASA

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
BTEX by EPA 8021B Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	ND	0.1015	0.0841	83	0.1015	0.0819	81	2	70-130	35	
Toluene	ND	0.1015	0.0797	79	0.1015	0.0779	77	3	70-130	35	
Ethylbenzene	ND	0.1015	0.0786	77	0.1015	0.0773	76	1	71-129	35	
m,p-Xylenes	ND	0.2031	0.1627	80	0.2031	0.1608	79	1	70-135	35	
o-Xylene	ND	0.1015	0.0752	74	0.1015	0.0748	74	0	71-133	35	

Lab Batch ID: 733057

QC- Sample ID: 311580-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/04/2008

Date Prepared: 09/03/2008

Analyst: IRO

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
C6-C12 Gasoline Range Hydrocarbons	ND	1250	1050	84	1250	1090	87	4	70-135	35	
C12-C28 Diesel Range Hydrocarbons	46.1	1250	1130	87	1250	1190	92	6	70-135	35	

Matrix Spike Percent Recovery $[D] = 100 \cdot (C-A)/B$
Relative Percent Difference $RPD = 200 \cdot |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \cdot (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not
ApplicableN = See Narrative, EQL = Estimated Quantitation Limit



Sample Duplicate Recovery

Project Name: BEPCO

Work Order #: 311583

Lab Batch #: 733047

Date Analyzed: 09/03/2008

QC- Sample ID: 311575-001 D

Reporting Units: mg/kg

Project ID: Poker Lake Unit 274

Analyst: LATCOR

Date Prepared: 09/03/2008

Batch #: 1

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	14.9	12.9	14	20	

Lab Batch #: 733221

Date Analyzed: 09/04/2008

QC- Sample ID: 311580-001 D

Reporting Units: %

Date Prepared: 09/04/2008

Analyst: WRU

Batch #: 1

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	20.2	20.5	2	20	

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

A Xenco Laboratories Company

12600 West I-20 East
Odessa, Texas 79765

Project Name: BACO POKER Lake Unit 274
Project #: _____
Project Loc: New Mexico
PO #: _____

Fax No:

e-mail

[illegible]

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client: Sport Env
Date/ Time: 9 3 08 8 07
Lab ID #: 311583
Initials: AL

Sample Receipt Checklist

			Client Initials
#1 Temperature of container/ cooler?	<u>Yes</u>	No	<u>1.5 °C</u>
#2 Shipping container in good condition?	<u>Yes</u>	No	
#3 Custody Seals intact on shipping container/ cooler?	<u>Yes</u>	No	Not Present
#4 Custody Seals intact on sample bottles/ container?	<u>Yes</u>	No	Not Present
#5 Chain of Custody present?	<u>Yes</u>	No	
#6 Sample instructions complete of Chain of Custody?	<u>Yes</u>	No	
#7 Chain of Custody signed when relinquished/ received?	<u>Yes</u>	No	
#8 Chain of Custody agrees with sample label(s)?	<u>Yes</u>	No	ID written on Cont / Lid
#9 Container label(s) legible and intact?	<u>Yes</u>	No	Not Applicable
#10 Sample matrix/ properties agree with Chain of Custody?	<u>Yes</u>	No	
#11 Containers supplied by ELDT?	<u>Yes</u>	No	
#12 Samples in proper container/ bottle?	<u>Yes</u>	No	See Below
#13 Samples properly preserved?	<u>Yes</u>	No	See Below
#14 Sample bottles intact?	<u>Yes</u>	No	
#15 Preservations documented on Chain of Custody?	<u>Yes</u>	No	
#16 Containers documented on Chain of Custody?	<u>Yes</u>	No	
#17 Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No	See Below
#18 All samples received within sufficient hold time?	<u>Yes</u>	No	See Below
#19 Subcontract of sample(s)?	<u>Yes</u>	No	Not Applicable
#20 VOC samples have zero headspace?	<u>Yes</u>	No	Not Applicable

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

- Check all that Apply:
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event

Analytical Report 311940

for

Sport Environmental Services, PLLC

Project Manager: Debi Smith

BEPCO, L.P.

Poker Lake Unit # 274

09-SEP-08



12600 West I-20 East Odessa, Texas 79765

Texas certification numbers:

Houston, TX T104704215 - Odessa/Midland, TX T104704215-08-TX

Florida certification numbers:

**Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675
Norcross(Atlanta), GA E87429**

South Carolina certification numbers:

Norcross(Atlanta), GA 98015

North Carolina certification numbers:

Norcross(Atlanta), GA 483

**Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America
Midland - Corpus Christi - Atlanta**



09-SEP-08

Project Manager: **Debi Smith**
Sport Environmental Services, PLLC
502 North Big Spring Street
Midland, TX 79701

Reference: XENCO Report No: **311940**
BEPCO, L.P.
Project Address:

Debi Smith:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 311940. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 311940 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brent Barron, II

Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



Sample Cross Reference 311940

Sport Environmental Services, PLLC, Midland, TX
BEPCO, L.P.

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SEW-003	S	Sep-05-08 00:00		311940-001
WEW-003	S	Sep-05-08 00:00		311940-002



Certificate of Analysis Summary 311940

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO, L.P.

Project Id: Poker Lake Unit # 274

Contact: Debi Smith

Date Received in Lab: Mon Sep-08-08 07:35 am

Report Date: 09-SEP-08


Project Location:

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	311940-001	311940-002				
	Field Id:	SEW-003	WEW-003				
	Depth:						
	Matrix:	SOIL	SOIL				
	Sampled:	Sep-05-08 00:00	Sep-05-08 00:00				
Anions by EPA 300/300.1	Extracted:						
	Analyzed:	Sep-08-08 10:52	Sep-08-08 10:52				
	Units/RL:	mg/kg RL	mg/kg RL				
Chloride		1010 20.0	961 10.0				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi


Brent Barron
Odessa Laboratory Director



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
 - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
 - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
 - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
 - F** RPD exceeded lab control limits.
 - J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
 - U** Analyte was not detected.
 - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
 - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
 - K** Sample analyzed outside of recommended hold time.
- * Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
9701 Harry Hines Blvd , Dallas, TX 75220
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238
2505 N. Falkenburg Rd., Tampa, FL 33619
5757 NW 158th St, Miami Lakes, FL 33014
6017 Financial Dr., Norcross, GA 30071

Phone	Fax
(281) 589-0692	(281) 589-0695
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555
(770) 449-8800	(770) 449-5477



Blank Spike Recovery

Project Name: BEPCO, L.P.

Work Order #: 311940

Project ID: Poker Lake Unit # 274

Lab Batch #: 733505

Sample: 733505-1-BKS

Matrix: Solid

Date Analyzed: 09/08/2008

Date Prepared: 09/08/2008

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Anions by EPA 300/300.1 Analytes	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Chloride	ND	10.0	9.51	95	75-125	

Blank Spike Recovery [D] = $100 * [C] / [B]$

All results are based on MDL and validated for QC purposes.



Form 3 - MS Recoveries

Project Name: BEPCO, L.P.

Work Order #: 311940

Lab Batch #: 733505

Date Analyzed: 09/08/2008

QC- Sample ID: 311939-001 S

Reporting Units: mg/kg

Date Prepared: 09/08/2008

Batch #: 1

Project ID: Poker Lake Unit # 274

Analyst: LATCOR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY

Inorganic Anions by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Chloride	156	200	400	122	75-125	

Matrix Spike Percent Recovery [D] = $100 \cdot (C-A)/B$

Relative Percent Difference [E] = $200 \cdot (C-A)/(C+B)$

All Results are based on MDL and Validated for QC Purposes



Sample Duplicate Recovery

Project Name: BEPCO, L.P.

Work Order #: 311940

Lab Batch #: 733505

Date Analyzed: 09/08/2008

QC- Sample ID: 311939-001 D

Reporting Units: mg/kg

Date Prepared: 09/08/2008

Batch #: 1

Project ID: Poker Lake Unit # 274

Analyst: LATCOR

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	156	155	1	20	

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

A Xonco Laboratories Company

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12600 West I-20 East
Odessa, Texas 79765

Phone: 432-563-1800
Fax: 432-563-1713

Project Manager Debbi Spurr Smith
Company Name Spurr Environmental Services
Company Address: 502 N. Bag Springs Street
City/State/Zip Meadland, TX 77701
Telephone No. _____ Fax No. _____
Sampler Signature [Signature] e-mail: _____

Project Name: BEPCO, L.P.
Project #: Poker Lake Unit #274
Project Loc: _____
PO #: _____

Report Format: ☒ Standard ☐ TRRP ☐ NPDES[illegible]

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client: Sport Env. Svcs
Date/ Time: 09/28/08 7:35 am
Lab ID #: 311940
Initials: gms

Sample Receipt Checklist

			Client Initials
#1. Temperature of container/ cooler?	(Yes)	No	12.5 °C
#2. Shipping container in good condition?	Yes	No	NA
#3. Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present
#4. Custody Seals intact on sample bottles/ container?	Yes	No	Not Present
#5. Chain of Custody present?	Yes	No	
#6. Sample instructions complete of Chain of Custody?	Yes	No	
#7. Chain of Custody signed when relinquished/ received?	Yes	No	
#8. Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Cont. Lid
#9. Container label(s) legible and intact?	Yes	No	Not Applicable
#10. Sample matrix/ properties agree with Chain of Custody?	Yes	No	
#11. Containers supplied by ELDT?	Yes	No	
#12. Samples in proper container/ bottle?	Yes	No	See Below
#13. Samples properly preserved?	Yes	No	See Below
#14. Sample bottles intact?	Yes	No	
#15. Preservations documented on Chain of Custody?	Yes	No	
#16. Containers documented on Chain of Custody?	Yes	No	
#17. Sufficient sample amount for indicated test(s)?	Yes	No	See Below
#18. All samples received within sufficient hold time?	Yes	No	See Below
#19. Subcontract of sample(s)?	Yes	No	Not Applicable
#20. VOC samples have zero headspace?	Yes	No	Not Applicable

Variance Documentation

Contact _____ Contacted by _____ Date/ Time _____
Regarding _____

Corrective Action Taken:

- Check all that Apply ☐ See attached e-mail/ fax
☐ Client understands and would like to proceed with analysis
☐ Cooling process had begun shortly after sampling event

Analytical Report 312997

for

Sport Environmental Services, PLLC

Project Manager: Debi Smith

BEPCO, L.P.

Poker Lake Unit # 274

24-SEP-08



E84880

12600 West I-20 East Odessa, Texas 79765

Texas certification numbers:

Houston, TX T104704215 - Odessa/Midland, TX T104704215-08-TX

Florida certification numbers:

**Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675
Norcross(Atlanta), GA E87429**

South Carolina certification numbers:

Norcross(Atlanta), GA 98015

North Carolina certification numbers:

Norcross(Atlanta), GA 483

**Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America
Midland - Corpus Christi - Atlanta**



24-SEP-08

Project Manager: **Debi Smith**
Sport Environmental Services, PLLC
502 North Big Spring Street
Midland, TX 79701

Reference: XENCO Report No: **312997**
BEPCO, L.P.
Project Address:

Debi Smith:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 312997. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 312997 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brent Barron, II
Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



Sample Cross Reference 312997



Sport Environmental Services, PLLC, Midland, TX
BEPCO, L.P.

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SEW-004	S	Sep-22-08 00:00	6 ft	312997-001



Certificate of Analysis Summary 312997
Sport Environmental Services, PLLC, Midland, TX



Project Id: Poker Lake Unit # 274

Contact: Debi Smith

Project Name: BEPCO, L.P.

Date Received in Lab: Tue Sep-23-08 10:50 am

Report Date: 24-SEP-08


Project Location:

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	312997-001					
	Field Id:	SEW-004					
	Depth:	6 ft					
	Matrix:	SOIL					
	Sampled:	Sep-22-08 00:00					
Anions by EPA 300/300.1	Extracted:						
	Analyzed:	Sep-23-08 16:22					
	Units/RL:	mg/kg RL					
Chloride		535 20.0					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi


Brent Barron
Odessa Laboratory Director



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.

* Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
9701 Harry Hines Blvd , Dallas, TX 75220
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238
2505 N. Falkenburg Rd., Tampa, FL 33619
5757 NW 158th St, Miami Lakes, FL 33014
6017 Financial Dr., Norcross, GA 30071

Phone	Fax
(281) 589-0692	(281) 589-0695
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555
(770) 449-8800	(770) 449-5477



Blank Spike Recovery



Project Name: BEPCO, L.P.

Work Order #: 312997

Project ID: Poker Lake Unit # 274

Lab Batch #: 734999

Sample: 734999-1-BKS

Matrix: Solid

Date Analyzed: 09/23/2008

Date Prepared: 09/23/2008

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Anions by EPA 300/300.1 Analytes	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Chloride	ND	10.0	9.14	91	75-125	

Blank Spike Recovery [D] = $100 * [C] / [B]$

All results are based on MDL and validated for QC purposes.



Form 3 - MS Recoveries

Project Name: BEPCO, L.P.



Work Order #: 312997

Lab Batch #: 734999

Project ID: Poker Lake Unit # 274

Date Analyzed: 09/23/2008

Date Prepared: 09/23/2008

Analyst: LATCOR

QC- Sample ID: 312993-001 S

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

MATRIX / MATRIX SPIKE RECOVERY STUDY

Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	4270	1000	5160	89	75-125	

Matrix Spike Percent Recovery [D] = $100 \cdot (C-A)/B$

Relative Percent Difference [E] = $200 \cdot (C-A)/(C+B)$

All Results are based on MDL and Validated for QC Purposes



Sample Duplicate Recovery



Project Name: BEPCO, L.P.

Work Order #: 312997

Lab Batch #: 734999

Date Analyzed: 09/23/2008

QC- Sample ID: 312993-001 D

Reporting Units: mg/kg

Date Prepared: 09/23/2008

Batch #: 1

Project ID: Poker Lake Unit # 274

Analyst: LATCOR

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	4270	4270	0	20	

Spike Relative Difference RPD 200 * | (B-A)/(B+A) |
All Results are based on MDL and validated for QC purposes.

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client Sport Pkw.
Date/ Time 9-25-08 10:50
Lab ID # 312997
Initials al

Sample Receipt Checklist

				Client Initials
#1	Temperature of container/ cooler?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	4.5 °C
#2	Shipping container in good condition?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#3	Custody Seals intact on shipping container/ cooler?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not Present
#4	Custody Seals intact on sample bottles/ container?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not Present
#5	Chain of Custody present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#6	Sample instructions complete of Chain of Custody?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#7	Chain of Custody signed when relinquished/ received?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#8	Chain of Custody agrees with sample label(s)?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	ID written on Container
#9	Container label(s) legible and intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not Applicable
#10	Sample matrix/ properties agree with Chain of Custody?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#11	Containers supplied by ELOT?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#12	Samples in proper container/ bottle?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	See Below
#13	Samples properly preserved?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	See Below
#14	Sample bottles intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#15	Preservations documented on Chain of Custody?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#16	Containers documented on Chain of Custody?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
#17	Sufficient sample amount for indicated test(s)?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	See Below
#18	All samples received within sufficient hold time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	See Below
#19	Subcontract of sample(s)?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not Applicable
#20	VOC samples have zero headspace?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not Applicable

Variance Documentation

Contact _____ Contacted by _____ Date/ Time _____

Regarding _____

Corrective Action Taken _____

- Check all that Apply
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event

Analytical Report 311229

for

Sport Environmental Services, PLLC

Project Manager: Debi Smith

BEPCO, L.P.

Poker Lake Unit # 274

03-OCT-08



E84880

12600 West I-20 East Odessa, Texas 79765

Texas certification numbers:

Houston, TX T104704215 - Odessa/Midland, TX T104704215-08-TX

Florida certification numbers:

**Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675
Norcross(Atlanta), GA E87429**

South Carolina certification numbers:

Norcross(Atlanta), GA 98015

North Carolina certification numbers:

Norcross(Atlanta), GA 483

**Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America
Midland - Corpus Christi - Atlanta**



03-OCT-08

Project Manager: **Debi Smith**
Sport Environmental Services, PLLC
502 North Big Spring Street
Midland, TX 79701

Reference: XENCO Report No: **311229**
BEPCO, L.P.
Project Address: New Mexico

Debi Smith:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 311229. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 311229 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brent Barron, II

Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



Sample Cross Reference 311229



Sport Environmental Services, PLLC, Midland, TX
BEPCO, L.P.

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
NEW-001	S	Aug-27-08 14:30	6 ft	311229-001
SEW-011	S	Aug-27-08 14:45	6 ft	311229-002
EEW-001	S	Aug-27-08 15:00	6 ft	311229-003
WEW-001	S	Aug-27-08 15:15	6 ft	311229-004
EEF1-001	S	Aug-27-08 15:30	12 ft	311229-005
EEF2-001	S	Aug-27-08 15:45	12 ft	311229-006
EEF3-001	S	Aug-27-08 16:00	12 ft	311229-007
WEF1-001	S	Aug-27-08 16:15	14 ft	311229-008
WEF2-001	S	Aug-27-08 16:30	14 ft	311229-009
WEF3-001	S	Aug-27-08 17:00	14 ft	311229-010



Certificate of Analysis Summary 311229

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO, L.P.



Project Id: Poker Lake Unit # 274

Contact: Debi Smith

Project Location: New Mexico

Date Received in Lab: Thu Aug-28-08 09:40 am

Report Date: 03-OCT-08


Project Manager: Brent Barron, II

<i>Analysis Requested</i>	<i>Lab Id:</i>	311229-001	311229-002	311229-003	311229-004	311229-005	311229-006
	<i>Field Id:</i>	NEW-001	SEW-011	EEW-001	WEW-001	EEF1-001	EEF2-001
	<i>Depth:</i>	6 ft	6 ft	6 ft	6 ft	12 ft	12 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Aug-27-08 14:30	Aug-27-08 14:45	Aug-27-08 15:00	Aug-27-08 15:15	Aug-27-08 15:30	Aug-27-08 15:45
Anions by EPA 300/300.1	<i>Extracted:</i>	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44
	<i>Analyzed:</i>	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		270 10.0	1390 25.0	868 20.0	1680 25.0	535 10.0	115 5.00
BTEX by EPA 8021B	<i>Extracted:</i>	Aug-28-08 15:00	Aug-28-08 15:00	Aug-28-08 15:00	Aug-28-08 15:00	Aug-28-08 15:00	Aug-28-08 15:00
	<i>Analyzed:</i>	Aug-28-08 18:03	Aug-28-08 18:25	Aug-28-08 18:48	Aug-28-08 19:11	Aug-28-08 19:34	Aug-28-08 19:57
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		ND 0.0011	ND 0.0011	ND 0.0010	ND 0.0010	ND 0.0011	ND 0.0011
Toluene		ND 0.0021	0.0028 0.0021	ND 0.0020	ND 0.0021	ND 0.0022	ND 0.0021
Ethylbenzene		ND 0.0011	0.0015 0.0011	ND 0.0010	ND 0.0010	ND 0.0011	ND 0.0011
m,p-Xylenes		ND 0.0021	0.0056 0.0021	ND 0.0020	ND 0.0021	ND 0.0022	ND 0.0021
o-Xylene		ND 0.0011	0.0029 0.0011	ND 0.0010	ND 0.0010	ND 0.0011	ND 0.0011
Total Xylenes		ND	0.0085	ND	ND	ND	ND
Total BTEX		ND	0.0128	ND	ND	ND	ND
Percent Moisture	<i>Extracted:</i>	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00
	<i>Analyzed:</i>	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00
	<i>Units/RL:</i>	% RL	% RL	% RL	% RL	% RL	% RL
Percent Moisture		5.87	4.82	1.77	2.5	8.83	5.94
TPH By SW8015 Mod	<i>Extracted:</i>	Aug-28-08 16:00	Aug-28-08 16:00	Aug-28-08 16:00	Aug-28-08 16:00	Aug-28-08 16:00	Aug-28-08 16:00
	<i>Analyzed:</i>	*****	*****	Aug-28-08 16:15	Aug-28-08 16:40	Aug-28-08 17:05	Aug-28-08 17:30
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
C6-C12 Gasoline Range Hydrocarbons		ND 15.9	ND 15.8	ND 15.3	ND 15.4	ND 16.5	ND 15.9
C12-C28 Diesel Range Hydrocarbons		ND 15.9	36.6 15.8	ND 15.3	ND 15.4	ND 16.5	ND 15.9
C28-C35 Oil Range Hydrocarbons		ND 15.9	ND 15.8	ND 15.3	ND 15.4	ND 16.5	ND 15.9
Total TPH		ND	36.6	ND	ND	ND	ND

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Version 1.014


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 311229

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO, L.P.



Project Id: Poker Lake Unit # 274

Contact: Debi Smith

Project Location: New Mexico

Date Received in Lab: Thu Aug-28-08 09:40 am

Report Date: 03-OCT-08


Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	311229-001	311229-002	311229-003	311229-004	311229-005	311229-006
	Field Id:	NEW-001	SEW-011	EEW-001	WEW-001	EEF1-001	EEF2-001
	Depth:	6 ft	6 ft	6 ft	6 ft	12 ft	12 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Aug-27-08 14:30	Aug-27-08 14:45	Aug-27-08 15:00	Aug-27-08 15:15	Aug-27-08 15:30	Aug-27-08 15:45
TPH by EPA 418.1	Extracted:	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03
	Analyzed:	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
TPH, Total Petroleum Hydrocarbons		ND 10.6	121 10.5	ND 10.2	ND 10.3	39.9 11.0	ND 10.6

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Version 1.014


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 311229

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO, L.P.



Project Id: Poker Lake Unit # 274

Contact: Debi Smith

Project Location: New Mexico

Date Received in Lab: Thu Aug-28-08 09:40 am

Report Date: 03-OCT-08


Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	311229-007	311229-008	311229-009	311229-010		
	Field Id:	EEF3-001	WEF1-001	WEF2-001	WEF3-001		
	Depth:	12 ft	14 ft	14 ft	14 ft		
	Matrix:	SOIL	SOIL	SOIL	SOIL		
	Sampled:	Aug-27-08 16:00	Aug-27-08 16:15	Aug-27-08 16:30	Aug-27-08 17:00		
Anions by EPA 300/300.1	Extracted:						
	Analyzed:	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44	Aug-28-08 15:44		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		332 10.0	44.2 5.00	1130 20.0	410 10.0		
BTEX by EPA 8021B	Extracted:	Aug-28-08 15:00	Aug-28-08 15:00	Aug-28-08 15:00	Aug-28-08 15:00		
	Analyzed:	Aug-28-08 20:20	Aug-28-08 20:43	Aug-28-08 21:06	Aug-28-08 21:28		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Benzene		ND 0.0011	ND 0.0010	ND 0.0010	ND 0.0010		
Toluene		ND 0.0021	ND 0.0021	ND 0.0021	ND 0.0021		
Ethylbenzene		ND 0.0011	ND 0.0010	ND 0.0010	ND 0.0010		
m,p-Xylenes		ND 0.0021	ND 0.0021	ND 0.0021	ND 0.0021		
o-Xylene		ND 0.0011	ND 0.0010	ND 0.0010	ND 0.0010		
Total Xylenes		ND	ND	ND	ND		
Total BTEX		ND	ND	ND	ND		
Percent Moisture	Extracted:						
	Analyzed:	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00	Aug-28-08 17:00		
	Units/RL:	% RL	% RL	% RL	% RL		
Percent Moisture		6.25	3.34	2.53	3.26		
TPH By SW8015 Mod	Extracted:	Aug-28-08 16:00	Aug-28-08 16:00	Aug-28-08 16:00	Aug-28-08 16:00		
	Analyzed:	Aug-28-08 17:55	Aug-28-08 18:21	Aug-28-08 18:47	Aug-28-08 19:14		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
C6-C12 Gasoline Range Hydrocarbons		ND 16.0	ND 15.5	ND 15.4	ND 15.5		
C12-C28 Diesel Range Hydrocarbons		ND 16.0	ND 15.5	ND 15.4	ND 15.5		
C28-C35 Oil Range Hydrocarbons		ND 16.0	ND 15.5	ND 15.4	ND 15.5		
Total TPH		ND	ND	ND	ND		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Version 1.014


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 311229

Sport Environmental Services, PLLC, Midland, TX

Project Name: BEPCO, L.P.



Project Id: Poker Lake Unit # 274

Contact: Debi Smith

Project Location: New Mexico

Date Received in Lab: Thu Aug-28-08 09:40 am

Report Date: 03-OCT-08


Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	311229-007	311229-008	311229-009	311229-010		
	Field Id:	EEF3-001	WEF1-001	WEF2-001	WEF3-001		
	Depth:	12 ft	14 ft	14 ft	14 ft		
	Matrix:	SOIL	SOIL	SOIL	SOIL		
	Sampled:	Aug-27-08 16:00	Aug-27-08 16:15	Aug-27-08 16:30	Aug-27-08 17:00		
TPH by EPA 418.1	Extracted:	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03		
	Analyzed:	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03	Aug-28-08 11:03		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
TPH, Total Petroleum Hydrocarbons		ND 10.7	ND 10.3	ND 10.3	24.9 10.3		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Version 1 014


Brent Barron
Odessa Laboratory Director



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.

* Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
9701 Harry Hines Blvd , Dallas, TX 75220
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238
2505 N. Falkenburg Rd., Tampa, FL 33619
5757 NW 158th St, Miami Lakes, FL 33014
6017 Financial Dr., Norcross, GA 30071

Phone	Fax
(281) 589-0692	(281) 589-0695
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555
(770) 449-8800	(770) 449-5477



Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders : 311229,

Project ID: Poker Lake Unit # 274

Lab Batch #: 732589

Sample: 311229-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0364	0.0300	121	80-120	**
4-Bromofluorobenzene	0.0300	0.0300	100	80-120	

Lab Batch #: 732589

Sample: 311229-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0283	0.0300	94	80-120	
4-Bromofluorobenzene	0.0275	0.0300	92	80-120	

Lab Batch #: 732589

Sample: 311229-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0284	0.0300	95	80-120	
4-Bromofluorobenzene	0.0267	0.0300	89	80-120	

Lab Batch #: 732589

Sample: 311229-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0399	0.0300	133	80-120	**
4-Bromofluorobenzene	0.0363	0.0300	121	80-120	**

Lab Batch #: 732589

Sample: 311229-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0361	0.0300	120	80-120	
4-Bromofluorobenzene	0.0294	0.0300	98	80-120	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders : 311229,

Project ID: Poker Lake Unit # 274

Lab Batch #: 732589

Sample: 311229-004 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0365	0.0300	122	80-120	**
4-Bromofluorobenzene	0.0310	0.0300	103	80-120	

Lab Batch #: 732589

Sample: 311229-005 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0362	0.0300	121	80-120	**
4-Bromofluorobenzene	0.0302	0.0300	101	80-120	

Lab Batch #: 732589

Sample: 311229-006 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0361	0.0300	120	80-120	
4-Bromofluorobenzene	0.0300	0.0300	100	80-120	

Lab Batch #: 732589

Sample: 311229-007 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0362	0.0300	121	80-120	**
4-Bromofluorobenzene	0.0297	0.0300	99	80-120	

Lab Batch #: 732589

Sample: 311229-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0365	0.0300	122	80-120	**
4-Bromofluorobenzene	0.0301	0.0300	100	80-120	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders : 311229,

Project ID: Poker Lake Unit # 274

Lab Batch #: 732589

Sample: 311229-009 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0366	0.0300	122	80-120	**
4-Bromofluorobenzene	0.0323	0.0300	108	80-120	

Lab Batch #: 732589

Sample: 311229-010 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0363	0.0300	121	80-120	**
4-Bromofluorobenzene	0.0305	0.0300	102	80-120	

Lab Batch #: 732589

Sample: 514764-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0277	0.0300	92	80-120	
4-Bromofluorobenzene	0.0259	0.0300	86	80-120	

Lab Batch #: 732589

Sample: 514764-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0374	0.0300	125	80-120	**
4-Bromofluorobenzene	0.0290	0.0300	97	80-120	

Lab Batch #: 732589

Sample: 514764-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0273	0.0300	91	80-120	
4-Bromofluorobenzene	0.0255	0.0300	85	80-120	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders : 311229,

Project ID: Poker Lake Unit # 274

Lab Batch #: 732585

Sample: 311229-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	86.0	100	86	70-135	
o-Terphenyl	46.6	50.0	93	70-135	

Lab Batch #: 732585

Sample: 311229-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	92.0	100	92	70-135	
o-Terphenyl	50.2	50.0	100	70-135	

Lab Batch #: 732585

Sample: 311229-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	97.1	100	97	70-135	
o-Terphenyl	55.3	50.0	111	70-135	

Lab Batch #: 732585

Sample: 311229-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	90.1	100	90	70-135	
o-Terphenyl	48.1	50.0	96	70-135	

Lab Batch #: 732585

Sample: 311229-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	89.0	100	89	70-135	
o-Terphenyl	47.4	50.0	95	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders : 311229,

Project ID: Poker Lake Unit # 274

Lab Batch #: 732585

Sample: 311229-004 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	87.2	100	87	70-135	
o-Terphenyl	47.3	50.0	95	70-135	

Lab Batch #: 732585

Sample: 311229-005 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	85.2	100	85	70-135	
o-Terphenyl	46.9	50.0	94	70-135	

Lab Batch #: 732585

Sample: 311229-006 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	88.9	100	89	70-135	
o-Terphenyl	47.8	50.0	96	70-135	

Lab Batch #: 732585

Sample: 311229-007 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	88.1	100	88	70-135	
o-Terphenyl	47.8	50.0	96	70-135	

Lab Batch #: 732585

Sample: 311229-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	87.1	100	87	70-135	
o-Terphenyl	46.4	50.0	93	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 \times A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders : 311229,

Project ID: Poker Lake Unit # 274

Lab Batch #: 732585

Sample: 311229-009 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	85.6	100	86	70-135	
o-Terphenyl	47.4	50.0	95	70-135	

Lab Batch #: 732585

Sample: 311229-010 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	89.2	100	89	70-135	
o-Terphenyl	47.3	50.0	95	70-135	

Lab Batch #: 732585

Sample: 514759-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	92.3	100	92	70-135	
o-Terphenyl	50.5	50.0	101	70-135	

Lab Batch #: 732585

Sample: 514759-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	86.2	100	86	70-135	
o-Terphenyl	47.2	50.0	94	70-135	

Lab Batch #: 732585

Sample: 514759-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	94.7	100	95	70-135	
o-Terphenyl	51.6	50.0	103	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.

Project Name: BEPCO, L.P.

Work Order #: 311229

Project ID: Poker Lake Unit # 274

Lab Batch #: 732544

Sample: 732544-1-BKS

Matrix: Solid

Date Analyzed: 08/28/2008

Date Prepared: 08/28/2008

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Anions by EPA 300/300.1		Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Analytes							
Chloride		ND	10.0	9.45	95	75-125	

Blank Spike Recovery [D] = $100 * [C] / [B]$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: BEPCO, L.P.

Work Order #: 311229

Analyst: ASA

Date Prepared: 08/28/2008

Project ID: Poker Lake Unit # 274

Date Analyzed: 08/28/2008

Lab Batch ID: 732589

Sample: 514764-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	ND	0.1000	0.0952	95	0.1	0.1038	104	9	70-130	35	
Toluene	ND	0.1000	0.0916	92	0.1	0.0995	100	8	70-130	35	
Ethylbenzene	ND	0.1000	0.0932	93	0.1	0.1015	102	9	71-129	35	
m,p-Xylenes	ND	0.2000	0.1932	97	0.2	0.2107	105	9	70-135	35	
o-Xylene	ND	0.1000	0.0895	90	0.1	0.0977	98	9	71-133	35	

Analyst: ASA

Date Prepared: 08/28/2008

Date Analyzed: 08/28/2008

Lab Batch ID: 732593

Sample: 732593-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by EPA 418.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
TPH, Total Petroleum Hydrocarbons	ND	2500	2360	94	2500	2440	98	3	65-135	35	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries



Project Name: BEPCO, L.P.

Work Order #: 311229

Analyst: ASA

Date Prepared: 08/28/2008

Project ID: Poker Lake Unit # 274

Date Analyzed: 08/28/2008

Lab Batch ID: 732585

Sample: 514759-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
C6-C12 Gasoline Range Hydrocarbons	ND	1000	854	85	1000	870	87	2	70-135	35	
C12-C28 Diesel Range Hydrocarbons	ND	1000	890	89	1000	903	90	1	70-135	35	

Relative Percent Difference RPD = $200 * (C-F) / (C+F)$

Blank Spike Recovery [D] = $100 * (C) / [B]$

Blank Spike Duplicate Recovery [G] = $100 * (F) / [E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS Recoveries

Project Name: BEPCO, L.P.



Work Order #: 311229

Lab Batch #: 732544

Date Analyzed: 08/28/2008

QC- Sample ID: 311229-001 S

Reporting Units: mg/kg

Date Prepared: 08/28/2008

Batch #: 1

Project ID: Poker Lake Unit # 274

Analyst: LATCOR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY

Inorganic Anions by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Chloride	270	200	519	125	75-125	

Matrix Spike Percent Recovery [D] = $100 \cdot (C-A)/B$
Relative Percent Difference [E] = $200 \cdot (C-A)/(C+B)$
All Results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: BEPCO, L.P.

Work Order #: 311229

Project ID: Poker Lake Unit # 274

Lab Batch ID: 732589

QC- Sample ID: 311229-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 08/29/2008

Date Prepared: 08/28/2008

Analyst: ASA

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
BTEX by EPA 8021B	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	ND	0.1062	0.0900	85	0.1062	0.0908	85	0	70-130	35	
Toluene	ND	0.1062	0.0870	82	0.1062	0.0862	81	1	70-130	35	
Ethylbenzene	ND	0.1062	0.0884	83	0.1062	0.0883	83	0	71-129	35	
m,p-Xylenes	ND	0.2125	0.1832	86	0.2125	0.1832	86	0	70-135	35	
o-Xylene	ND	0.1062	0.0846	80	0.1062	0.0843	79	1	71-133	35	

Lab Batch ID: 732593

QC- Sample ID: 311229-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 08/28/2008

Date Prepared: 08/28/2008

Analyst: ASA

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
TPH by EPA 418.1	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
TPH, Total Petroleum Hydrocarbons	ND	2660	2700	102	2660	2500	94	8	65-135	35	

Lab Batch ID: 732585

QC- Sample ID: 311229-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 08/29/2008

Date Prepared: 08/28/2008

Analyst: ASA

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
TPH By SW8015 Mod	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
C6-C12 Gasoline Range Hydrocarbons	ND	1060	893	84	1060	908	86	2	70-135	35	
C12-C28 Diesel Range Hydrocarbons	ND	1060	929	88	1060	954	90	2	70-135	35	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
N = See Narrative, EQL = Estimated Quantitation Limit



Sample Duplicate Recovery



Project Name: BEPCO, L.P.

Work Order #: 311229

Lab Batch #: 732544

Date Analyzed: 08/28/2008

QC- Sample ID: 311229-001 D

Reporting Units: mg/kg

Date Prepared: 08/28/2008

Batch #: 1

Project ID: Poker Lake Unit # 274

Analyst: LATCOR

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	270	272	1	20	

Lab Batch #: 732594

Date Analyzed: 08/28/2008

QC- Sample ID: 311229-001 D

Reporting Units: %

Date Prepared: 08/28/2008

Batch #: 1

Analyst: JLG

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	5.87	6.67	13	20	

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$
All Results are based on MDL and validated for QC purposes.

Environmental Lab of Texas

A Xenco Laboratories Company

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12600 West I-20 East
Odessa, Texas 79765

Phone: 432-563-1800
Fax: 432-563-1713

Project Manager Debi Sport Smith

Project Name BEPCO, L P

Company Name Sport Environmental Services

Project #: Poker Lake Unit #274

Company Address 502 N Big Spring Street

Project Loc: _____

City/State/Zip: Midland, Texas 79701

PO #: _____

Telephone No 432-683-1100

Fax No 888-500-0822

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature Chad Dand

e-mail debi@sportenvironmental.com

(lab use only)
ORDER #: 311229

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Preservation & # of Containers										Matrix										Analyze For										RUSH TAT (Per Schedule)	Standard TAT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₈	None	Other (Specify)	SW/Drinking Water	SL/Gauge	OW's	Comminuter	Substrate	Unfrozen Particulate	Specify Cont.	TPH	TX 1005	TX 1006	Cadmium (Ca, Ag, Na, K)	Arsenic	As	Barium	Beryllium	Bismuth	Chromium	Cobalt	Copper	Fluoride	Iron	Lead			Manganese	Mercury	Nickel	Phosphorus	Potassium	Selenium	Silver	Sulfate	Titanium	Vanadium	Zinc																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
-001	NEW-001		6'	8/27/2008	14:30		1	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</

Special Instructions:

Relinquished by <u>Chad Dand</u>	Date <u>8-28</u>	Time <u>7:40</u>	Received by _____	Date _____	Time _____
Relinquished by _____	Date _____	Time _____	Received by _____	Date _____	Time _____
Relinquished by _____	Date _____	Time _____	Received by ELO1: <u>gradvalley</u>	Date <u>08/28/08</u>	Time <u>9:40</u>

Laboratory Comments: 10-4-08 9:40
 Sample Containers intact? Y
 VOCs Free of Headspace? Y
 Labels on containers? Y
 Custody seals on containers? Y
 Custody seals on cooler(s)? Y
 Sample Hand Delivered? Y
 by Sampler/Client Rep? Y
 by Courier? Y UPS Y DHL Y FedEx Y Lone Star
 Temperature Upon Receipt: 6.0 °C

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client Sport Env. Svcs.
Date/ Time 08/28/08 @ 9:40 Am
Lab ID # 311229
Initials gms

Sample Receipt Checklist

				Client Initials
#1 Temperature of container/ cooler?	<u>Yes</u>	No	<u>6.0</u> °C	
#2 Shipping container in good condition?	<u>Yes</u>	No		
#3 Custody Seals intact on shipping container/ cooler?	<u>Yes</u>	No	<u>(Not Present)</u>	
#4 Custody Seals intact on sample bottles/ container?	<u>Yes</u>	No	<u>(Not Present)</u>	
#5 Chain of Custody present?	<u>Yes</u>	No		
#6 Sample instructions complete of Chain of Custody?	<u>Yes</u>	No		
#7 Chain of Custody signed when relinquished/ received?	<u>Yes</u>	No		
#8 Chain of Custody agrees with sample label(s)?	<u>Yes</u>	No	<u>ID written on Cont. Lid</u>	
#9 Container label(s) legible and intact?	<u>Yes</u>	No	Not Applicable	
#10 Sample matrix/ properties agree with Chain of Custody?	<u>Yes</u>	No		
#11 Containers supplied by ELOT?	<u>Yes</u>	No		
#12 Samples in proper container/ bottle?	<u>Yes</u>	No	See Below	
#13 Samples properly preserved?	<u>Yes</u>	No	See Below	
#14 Sample bottles intact?	<u>Yes</u>	No		
#15 Preservations documented on Chain of Custody?	<u>Yes</u>	No		
#16 Containers documented on Chain of Custody?	<u>Yes</u>	No		
#17 Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No	See Below	
#18 All samples received within sufficient hold time?	<u>Yes</u>	No	See Below	
#19 Subcontract of sample(s)?	<u>Yes</u>	No	<u>(Not Applicable)</u>	
#20 VOC samples have zero headspace?	<u>Yes</u>	No	Not Applicable	

Variance Documentation

Contact _____ Contacted by: _____ Date/ Time _____

Regarding _____


Corrective Action Taken:

- Check all that Apply:
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event

BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #274
Section 12, T-24-S, R-29-E
Eddy County, New Mexico

SITE PHOTOGRAPHS
TAKEN AUGUST 27, 2008
Poker Lake Unit #274

BEPCO, LP – Poker Lake Unit #274
Site Photographs taken August 27, 2008
(p. 1 of 2)



BEPCO, LP – Poker Lake Unit #274
Site Photographs taken August 27, 2008
(p. 2 of 2)

