

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

JUN - 4 2009

Form C-103  
June 19, 2008

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-36644
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Marbob Energy Corporation		6. State Oil & Gas Lease No.
3. Address of Operator PO Box 227, Artesia, NM 88211-0227		7. Lease Name or Unit Agreement Name MYOX 28 State Com
4. Well Location Unit Letter <u>N</u> : <u>430</u> feet from the <u>South</u> line and <u>1650</u> feet from the <u>West</u> line Section <u>28</u> Township <u>25S</u> Range <u>28E</u> NMPM Eddy County		8. Well Number 6H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2968' GR		9. OGRID Number 14049
		10. Pool name or Wildcat Red Bluff, Bone Spring

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Plug Back (Same Pool) ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plugged back to the Bone Spring Silicic Shale zone as follows:

5/7/09 - MIRU.

5/8/09 - POOH w/ rods & tbg. Set CBP @ 6900'. Perf the Bone Spring Silicic Shale @ 6480' - 6777' (20 shots).

5/11/09 - Acdz w/ 2000 gal NE FE 7 1/2% HCl acid. Tag plug @ 6942'. Test plug - no test. Set 10K HM plug @ 6900'.

Test plug to 3500# - OK.

5/14/09 - Frac w/ 50220# sand & 41881 gal fluid. AIR 51.22 BPM. AIP 1953#.

5/18/09 - Clean sand down to 6900'. Circ clean. RIH w/ 212 jts 2 7/8" J55 tbg. Set @ 6867'. Hang well on pump.

5/19/09 - RDMO. Producing interval: Bone Spring @ 6480' - 6777'.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Diana J. Briggs TITLE Production Manager DATE June 2, 2009

Type or print name Diana J. Briggs E-mail address: production@marbob.com PHONE: (575) 748-3303

For State Use Only

APPROVED BY: Jaqueline Reeves TITLE Geologist DATE 6/5/2009  
Conditions of Approval (if any):