

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUL - 6 2009

Form C-103
June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60577
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Jack J. Grynberg		6. State Oil & Gas Lease No. LG-5976
3. Address of Operator Prentice Point, Suite 500, 5299 DTC Blvd, Greenwood Village, CO 80111-3321		7. Lease Name or Unit Agreement Name Mewbourne State 25 COM
4. Well Location Unit Letter N : 1650 feet from the west line and 660 feet from the south line Section 25 Township 14S Range 27E NMPM County Chaves		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3474' GR, 3485' RKB		9. OGRID Number 11492
		10. Pool name or Wildcat Buffalo Valley, Penn.

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Jack J. Grynberg proposes to place this well into approved temporary abandonment.

A packer or bridge plug will be placed above the perforations. A pressure test will be conducted for 30 minutes at 500 psi. The rising pressure test will be recorded using a 1000 psi chart.

PLUG MUST BE WITHIN 100' OF
UPPERMOST PERF. MIT TEST MUST
BE WITNESSED
BY OIL.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Alan L. Merrill

TITLE

Petroleum Engineer

DATE

7-2-09

Type or print name
For State Use Only

Alan L. Merrill

E-mail address:

a.merrill@grynberg.com

PHONE:

303-850-7490

APPROVED BY:

Ramiro Inas

TITLE

Compliance Officer

DATE

7/7/09

Conditions of Approval (if any):