	UNITED STATES DEPARTMENT OF THE BUREAU OF LAND MANA	INTERIOR	OCD-ARTES	200 5. Lease Sen	FORM APPROVED OM B No 1004-0137 Expires: March 31, 2007
	NOTICES AND REP		WELLS JUN 30	NWLC	U28//3D
	nis form for proposals to ell. Use Form 3160-3 (A			6. If India	n, Allottee or Tribe Name
	IPLICATE- Other instr	uctions on re	everse side.	7. If Unit o	r CA/Agreement, Name and/or No
1. Type of Well Oil Well □ □	Gas Well □□ Other			8. Well Na	me and No.
2. Name of Operator COG Operator	ating LLC			9. API W	nit #141 eli No.
3a Address 3b. Phone No. (include area code) 432-685-4340					37140
4. Location of Well (Footage, Sec.,		432-003-434	,		nd Pool, or Exploratory Area urg Jackson SR Q G SA
1090' FSL & 1573' FWL Sec	.27, T17S, R29E, Unit N			11. County	or Parish, State
				Eddy,	NM
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE N	ATURE OF NOTICE,	REPORT, O	R OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construc Plug and Abar Plug Back	Reclamation Recomplete		Water Shut-Off Well Integrity Other Change Drilling Plan
If the proposal is to deepen dure	ectionally or recomplete horizontally	y, give subsurface l	ocations and measured and	true vertical dept	ork and approximate duration thereof. hs of all pertinent markers and zones. reports shall be filed within 30 days.

COG respectfully requests permission to make the following changes to the drill plan:

Change intermediate hole to 12-1/4" or 11", and csg weight to 24# or 32#. Change production csg to 15.5 or 17# and J55 or L80 depending on availability.

determined that the site is ready for final inspection )

## SEE ATTACHED FOR **CONDITIONS OF APPROVAL**

following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	I							
Phyllis A. Edwards	Title Regulatory Analyst							
Signature Lugling Ce - Courands	Date 06/17/2009							
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by D. J. Wihh	_ Till etroleum Engineer Date 6-23-09							
Conditions of approval, if any, are attached. Approval of this notice does not warrancertify that the applicant holds legal or equitable title to those rights in the subject leads which would entitle the applicant to conduct operations thereon	nt or							

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



## RJ Unit #141 30-015-34978 COG Operation LLC

Sundry for RJ Unit 141 is only approved for the option to change the 5-1/2" casing to L-80 based on availability because the other requests were already covered in the APD.

DHW 062609

## Phyllis Edwards

To:

Wesley\_ingram@blm.gov

Subject:

FW: B C Federal 28 Drill Plan Change Request S

end Management

MAY 18 2009

ranguad Field Office

Carlsbad, NM

VARIOUS

6-17-09

Dear Wesley,

These APD's were permitted before changes were made to the drill plans.

Each sundry specifically asks for these changes to be reviewed. The requested changes are highlighted below.

Hole Size	Interval	OD Casing	Weight	Grade	Jt., Condition	burst/collapse/tension
17 ½"		13 3/8"	48#	H-40	ST&C/New	6.03/2.578/10.32
11"or12 ¼"		8 5/8"	24or32#	J-55	ST&C/New	1.85/1.241/4.78
7 7/8"	0-T.D.	5 1/2"	17#	J-55orL-80	LT&C/New	1.59/1.463/2.05

As always, thanks so much for your time.

## Phyllis Edwards

Regulatory Analyst



COG Operating LLC

Fasken Tower II

550 W. Texas Avenue, Suite 1300

Midland, TX 79701

432-685-4340

432-685-4396

pedwards@conchoresources.com