District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505

- - 1 - 1

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and

the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative m X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative m Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, close below-grade tank, or proposed alternative method	ethod
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or al	lternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules.	ground water or the
Operator: Forest Oil Corporation OGRID #-8041	
Address: 3504 NW County Road Hobbs, NM 88241	
Facility or well name: Skelly Unit 300	
API Number: 30-015-29452 OCD Permit Number.	
U/L or Qtr/Qtr J Section 23 Township 17S Range 31E County: Eddy	
Center of Proposed Design: Latitude Longitude NA	.D· □1927 □ 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling X Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other X String-Reinforced Liner Seams: Welded Factory Other Volume: 50 bl Dimensions: L21' x W14' X W14' X W14' X W14' X W14' X W14' X W14' X W14' X W14' X	x D3' of a permit or notice of
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for cons	ideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, substitution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Atternate. Please specify	school,	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15 17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Econsideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	Bureau	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply above-grade tanks associated with a closed-loop system.	appro	opriate district
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or play lake (measured from the ordinary high-water mark) - Topographic map; Visual inspection (certification) of the proposed site	ya 	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image		Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	on.	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality		☐ Yes ☐ №0
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		Yes No
Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map		☐ Yes ☐ No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that attached.	17.9 NMAC the documents are
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 N Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	MAC 15.17.9 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C and 19.15.17.13 NMAC	of 19 15 17 9 NMAC
Previously Approved Design (attach copy of design) API Number or Permit Number.	
12.	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that	the degraments
attacked.	ine wocuments are
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 Design Plan - based upon the appropriate requirements of 19.15.17 NMAC	of 19.15.17 9 0 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection and 19.15.17.13 NMAC	C of 19.15 17 9 NMA(
Previously Approved Design (attach copy of design) API Number	
Previously Approved Operating and Maintenance Plan API Number (Applies only to closed-lo	oop system that use
above ground sieet tunks or name-off bits and propose to implement waste removal for closure)	
13. Prince Promite Application Chaptering Dec 10 15 170 NAAC	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that	the documents are
attacked.	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15 17.11 NMAC	
☐ Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17 13 NMAC	
Proposed Closure: 19.15.17 13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-le	oop System
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for	or consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must	La marata de la
cionare plan. I leuse indicate, by a check mark in the oux, that the aucuments are attached.	oe anocned to the
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NAME.	A C
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC	

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment	3.D NMAC)
Instructions: Please indentify the faculty of faculties for the aisposal of aquities, artifing futures and artificulties. Use attachment facilities are required.	if more than two
Disposal Facility Name Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future: Yes (If yes, please provide the information below) \(\sum \) No	service and operations?
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15 17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC	I AC
Siting Criteria (regarding on-site closure methods only): 19.15.17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable so provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate a considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. In demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	fistrict office or man he
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or plays lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes 🗆 🔪
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance idopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ \o
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards call Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	19.15.17.11 NMA(

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print):
Signature Date-
e-mail address.
24.
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date:
Title: OCD Permit Number:
71. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure repo The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date: 11Jun09
Closure Method: X Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
D. D. A. D. A. D. A. D. A. D. C. D. C. A. D. D. C. A. D. D. C. D. C. D. D. C. D. C. D. C. D. D. D. C. D. D. D. C. D. D. D. C. D. D. D. D. D. C. D.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more the two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\sumsymbol{\substack} \) No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a chec mark in the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (required for on-site closure)
X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Rick Rickman
Signature Kilkicking 12 Date 4 19-65
z-mail address rdrickman@forestoil com
Accepted for record

MA

JUL 0 8 2009

Forest Oil Corporation Pit Closure Summary

Skelly Unit 300

API 30-015-29452

UL. L, Sec. 23, T17S, R31E

Eddy County, NM

GPS N32 49.070 W103 50.289

Start date: 1Jun09

Finish date: 9Jun09

Prepared By: Vernon K. Black

Environmental Technician

Hungry Horse Environmental, LLC

PO Box 1058

Hobbs, NM 88240

(575)-393-3386



Table of Contents

1.0 Introduction	pg. 1
2.0 Area Description	pg. 1
3.0 Pit Closure Process	pg. 1
Diagram of Pit/Location Area	pg. 2

Attachment	1	 Overhead View
ALLACHHELL	1	- Overmean view

- Attachment 2 Lab Analytical & Chain of Custody
- Attachment 3 One call
- Attachment 4 Photos of Progress
- Attachment 5 Proof of Closure Notice
- Attachment 6 Plot Plan
- Attachment 7 C 144 w/Closure Plan
- Attachment 8 C 144 Final

1.0 Introduction

This report addresses the pit (work over) closure at Forest Oil Corporation's Skelly Unit 300 injection well. Analytical results, photos of the project, an overhead map, and a general scope of the work conducted are included in this document as attachments. The project manager for Hungry Horse Environmental Services was Vernon K. Black.


2.0 Area Description

This geographical area is primarily caliche/caliche rock base covered with sand. Vegetation present in this area is mesquite, yucca plants, and a variety of range grass and weeds. The depth to the ground water is >200' based on the Eddy County County Depth to Ground Water Map. There are no known water wells or surface bodies of water within a half of a mile of this location. This location is in rural Eddy County, NM approximately five miles west of Maljamar south of Highway 82.


3.0 Pit Closure Process

This pit closure was accomplished using the Waste Excavation and Removal Process. The work over pit was 21'L x 14'W X 3'D and was lined with a synthetic liner. The pit contents, along with the liner, and two feet of material from underneath the liner were excavated and removed. The final depth of the excavation was five feet. All material removed was disposed of at CRI (NM OCD Order R9166). A five-point composite soil sample was obtained from the pit and taken to Cardinal Labs for analysis. Lab results indicated that chlorides, TPH, GRO/DRO, Benzene, and BTEX were all well below the limits set forth by NM OCD. Mike Bratcher, NM OCD Dist II, was notified of the results and advised that backfilling could commence. The excavated area was backfilled using clean material from a nearby source and contoured to match the existing grade of the location. All work was conducted on the existing location and no re-seeding was required.





Note: Drawing is not to scale





ANALYTICAL RESULTS FOR HUNGRY HORSE ENVIRONMENTAL SERVICES ATTN: VERNON K. BLACK P.O. BOX 1058 **HOBBS, NM 88241** FAX TO: (575) 391-4585

Receiving Date: 06/01/09 Reporting Date: 06/05/09 Project Owner: FOREST OIL Project Name: SKELLY UNIT 300 Project Location: EDDY COUNTY, NM

Sampling Date: 06/01/09 Sample Type: SOIL

Sample Condition. COOL & INTACT @ 6°C

Sample Received By. ML Analyzed By AB/ZL

(mg/kg)

LAB NO SAMPLE ID

GRO DRO (C6-C10)

(mg/kg)

(>C10-C28) BENZENE TOLUENE BENZENE XYLENES

(mg/kg)

(mg/kg)

ETHYL TOTAL

(mg/kg)

CI. (mg/kg)

ANALYSIS DATE:	06/03/09	06/03/09	06/02/09	06/02/09	06/02/09	06/02/09	06/03/09
H17527-1 5PT COMPOSITE 5' BGS WORKOVER PIT	<10.0	<100	<0.050	<0.050	<0 050	<0300	32
		_					~ , .
							-
					· ·—- {	•	
Quality Control	486	453	0.059	0.048	0 043	0.129	500
True Value QC	500	500	0 050	0.050	0.050	0 150	500
% Recovery	97.2	90.6	118	96 0	86.0	86.0	100
Relative Percent Difference	2.5		19.7	4.2	4.3	3.6	2.0

(mg/kg)

METHODS: TPH GRO & DRO - EPA SW-846 8015 M, BTEX - SW-846 8021B, CI- Std. Methods 4500-CI-B *Analysis performed on a 1.4 w/v aqueous extract. Reported on wet weight. TPH GRO/DRO and Chlonde are not NELAP accredited.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES

Lab Director

H17527 TBCL HHE

PLEASE NOTE Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incluental or consequential damages including, without limitation, business interruptions loss of use or loss of profits incurred by client, its substitutes. service in the service and an analysis of the service of the performance of services hereunder by Clarifinal, regardless of whether such cleim is based upon any of the above-stated reason's or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approved of Cardinel Laborations.



ANALYTICAL RESULTS FOR HUNGRY HORSE ENVIRONMENTAL SERVICES ATTN VERNON K BLACK P O. BOX 1058 HOBBS, NM 88241 FAX TO. (575) 391-4585

Receiving Date: 06/01/09 Reporting Date: 06/08/09

Project Owner FOREST OIL

Project Name SKELLY UNIT 300

Project Location: EDDY COUNTY, NM

Sampling Date: 06/01/09 Sample Type: SOIL

Sample Condition. COOL & INTACT @ 6°C

Sample Received By ML

Analyzed By: AB

418 1 TOTAL TPH (mg/kg)

LAB NUMBER SAMPLE ID

ANALYSIS	DATE	06/08/09
H17527-1	5PT COMPOSITE 5' BGS	<100
	WORKOVER PIT	
	- · · · · · · · · · · · · · · · · · · ·	
Quality Conf		321
Quality Cont		321
True Value (% Recovery	ac	

METHODS: EPA 418.1. Reported on wet weight. Analyte not NELAP accredited.

Chemist

Date

H17526 THROUGH H17534 418 1 HHE

PLEASE NOTE Liability and Damages Cardinal's liability and client's exclusive remedy for any cleim erising, whether based in contract or tors, shall be limited to the amount pell by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall be liable for incidental or consequential damages, including, without limitetion, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laborations.

ARI	DINAL LABORATORIES
- KAU	JINAL LABORATORIES
_	101 East Mariand, Hobbs, NM 8824

_	101 East Mariand, (675) 393-2326 i	Hobbs, NM 882	140 2476	3																Pags_	of			
Company Name:	Hungey Hor	se Envicor	1/4.0	At	الد	Secu	ires	BILL TO				ANALYSIS REQUEST												
Project Manager	Vernen K.	Black			20 4			P.O #:													, }			
Address:	Hobbs 91ste: NVM 21p: 88241			Company: SAME					ł	į	ł	1	1	•	1		, }							
City:								1	[ľ	l	l	1	1				[
Phone #: 575-				Address:				!			ł			1				1 1						
Project #:		Project Owne	e: F	ب. ع∞د	do.	LG	gre	City	y;							l	1	ł	1	1	[, ,	
Project Name.	SkellyUnit	300						Sta		Zip:				ł		1				}		i		1
Project Location: Sampler Name:	Eddy Gunt Vernon K.	y NM Black							one #;					ļ										
FOR LABORE ONLY			T			MAI	RIX		PRESER	MAR	PLIN	0_	1 8		200	-			1	1				
Lab I.D.	Sample I		> (G)RAB OR (C)OMP	& CONTAINERS	GROUNDWATER	WASTEWATER	OIL	OTHER	ACID/BASE CE/COOL	DAT	E	TIME	Charit	HOL	84010	8TE								
H17527-1	SPT ang.	5'B65	Č	*	د ب ا	, X	Ϋ́, Μ̈́,	. Ÿ	, X;			0830	X	X	X	¥								
t	,		[•	•	•		~ ~		1	V. 27 -			, -	-	Ì							1
							: ا دادم		نا ج					ļ	ļ			_			_			-
- 1	~		.\]. [-		-1		ļ.,						ļ.					ŀ
						مـ			} }		~j.							<u> </u>	-		-			1
- [,		• •	} -	1 1		~	; -			.]	+		-			· .			\ \			-	}	
-1			·]·	<u> - </u>	- ,~			.			·-i			-					1					1
						~l^ .																		
mahtea Al-claves viewing ; revolu in 10 ovenignan Cerdi	Amages Conduints teathy and als frord for negagance and any adhal i find the analo for incidence or condui- cal of ou religiod to the performance	ed Berle revealenth ease. School a segemen hickory	deame andhe	d mild Mark	Bunkeu ten bus	e made el Langua pilo	neding and Reptains k	l ioten das bi i	na sy Cerane was or loss of	geo Pic mones provons and exp	1 17 14 1 1 17 18 18 18 18 18 18 18 18 18 18 18 18 18	correlation of U and, its swantage	ha repici nav,	tre .	<u> </u>	10 days (1641 dug 1	i the rate i	1 74% ço		n all stegu In the ong? In			
Sampler Relinqui	shed:	Dale:	Re	celv	red B	V:						Phone Re Fax Regul	pult:		~	No No		Phone Fax#		~				
	,	fime.									, [REMARK				- ' <i>==</i> "						~		`
Relinquisited 34		Date / Jund	g Re	celv	ed b	1	7		DK.		-													
Chill and	/	Time: 1660	_	Λ	K)	Ly	- 入	to	Du	1														
Delivered By:	(Circle One)		Ten	np. /	8		Canditi Intect	lan	CHEC	KED BY														
Sampler - UPS -	Bus - Other:	~	10	8	: }	Yes	Yes	. 1	· Ü	7/19														

#26

[†] Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476.

P.1/2

NMOC

Date: 5/26/2009 Time: 8:26 AM To: 2009220305 @ 915753914585

NEW MEXICO ONE CALL Locate Request Confirmation

Ticket #:2009220305 Work to Begin Date:

05/28/2009

Reason Code: STANDARD LOCATE

Time: 08:10:00 AM

CALLER INFORMATION

SHANON RUSK HUNGRY HORSE LLC Excavator Type:CONTRACTOR

Tel.: (575) 631-0983

DIG LOCATION

City: RURAL EDDY Subdivision:

Address: To: Street: SKELLY UNIT #300 Nearest Intersecting Street:

Second Intersecting Street :

Additional Dig Information:

SOIL REMEDIATION

FROM MALJAMAR W ON HWY 82 FOR 5.3- SE 0.4MI- W

600FT TO LOCATION

SPOT 200FT RADIUS AROUND WELL

Remarks:

Township: 17S Range: 31E Section 1/4: 23 SW


Type of Work: OIL/GAS-PIPELINE CONSTRUCTION


The following utility owners have been notified of your proposed excavation site:
HOLLY ENERGY PARTNERS, L.P.
PLAINS PIPELINE - HOBBS
FRONTIER FIELD SERVICES, LLC
NEW MEXICO GAS COMPANY - CARLSBAD TRANSMISSION
DCP MIDSTREAM - LINUM


IMPORTANT CONFIRMATION NOTICE


Your fax request has been received and processed. It is your responsibility to review the information provided on this faxback confirmation ticket and ensure it has been correctly interpreted from your request. Notify us immediately of any corrections or errors. Acceptance of this faxback confirmation ticket means you accept responsibility for the accuracy of the information contained in the ticket and you agree to indemnify New Mexico One Call Systems, Inc. of all liability, claims, fees, or damages, including reasonable attorney fees arising from or resulting from the use of the information provided on this confirmation ticket.





























HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Dirt Work * On-Site Remediation * Soil Testing * Excavation

18May09

To: Jim Amos, BLM Carlsbad Office

Reference: Pit Closures and Site Reclamation

Dear Mr. Amos,


As per our earlier phone conversation, Hungry Horse Environmental Services has been retained by Forest Oil Corporation to conduct pit closure and site reclamation work on several locations on BLM land. All work over pits will be closed using the waste excavation and removal process with one P&A'd well location being reclaimed in the process. All pit closure work will be done in accordance with 19.15.17.13 NMAC. Each affected area off the existing location will be returned to its natural state. Should you have any questions, please feel free to contact me at any time. The work to be conducted is at the listed well locations. All locations are in T17S, R31E.

Lea D1	30-015-05411
Lea D2	30-015-05412
Skelly Unit 83	30-015-05418
Skelly Unit 72	30-015-05372
Skelly Units 300	30-015-29452
Skelly Unit 106	30-015-20366
Skelly Unit 19	30-015-05155
Skelly Unit 110	30-015-20469
Skelly Unit 38	30-015-10770 (location to be reclaimed)

Thanks for your help,

Vernon K. Black

Hungry Horse Environmental Services



The center of the closed pit 60' south of the well head, GPS N32 49.070 W103 50.289.

Reference the drawing on page #2

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

REC'S 5/22/09

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Application	
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative methodification to an existing permit X Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop	thod
below-grade tank, or proposed alternative method	oop oj arom,
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alter	native request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, green environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, re	ound water or the
1. Operator: Forest Oil Corporation OGRID #:8041	
Address: 3504 NW County Road Hobbs, NM 88240	
Facility or well name: Skelly Unit 300	
OCD Promis Number	
U/L or Qtr/Qtr J Section 23 Township 17S Range 31E County: Eddy	
Center of Proposed Design: Latitude Longitude NAD:	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	□1927 □ 1965
PRINCE OMICE: Y LEGICUS Program Program of Linear Linear American	
X Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary: Drilling X Workover	
Permanent Emergency Cavitation P&A	
X Lined Unlined Liner type: Thickness 20mil LLDPE HDPE PVC Other	
X String-Reinforced	
Liner Seams: Welded Factory Other Volume: 50 bbl Dimensions: L21' x W	/14'x D3'
3	
Clased-loop System: Subsection H of 19.15.17.11 NMAC	
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a intent)	a permit or notice of
Drying Pad Above Ground Steel Tanks Hanl-off Bins Other	
☐ Lined ☐ Unlined Liner type: Thicknessmil `☐ LLDPE ☐ HDPE ☐ PVC ☐ Other	
Liner Seams:	
Below grade tank: Subsection I of 19.15.17.11 NMAC	
Volume:bbl Type of fluid:	
Tank Construction material:	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
Liner type: Thickness mil HDPE PVC Other	
5	
Alternative Method:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consider	ention of one

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school	, hospital,
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
2.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Monthly inspections (if facting of seconds is not paysonly feet)	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	
3.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
N. Siting Criteria (reparding permitting): 19.15.17.10 NMAC	· · · · · · · · · · · · · · · · · · ·
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acc.	eptable source
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate of the same of the sam	opriate district
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dr	<i>approvat.</i> yi ng pad s or
above-grade tasks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
(Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	│ □ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	Yes No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	_
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	□ ·∞□ 140
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Within a 100-year floodplain.	☐ Yes ☐ No
- FEMA map	

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are	e
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.19 NN and 19.15.17.13 NMAC	1 AC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	æ
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 N and 19.15.17.13 NMAC	MAC
Previously Approved Design (attach copy of design) API Number:	
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that us	æ
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.19 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Er	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: X Waste Excavation and Removal	
□ Waste Removal (Closed-loop systems only) □ On-site Closure Method (Only for temporary pits and closed-loop systems) □ In-place Burial □ On-site Trench Burial □ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the bac, that the documents are attached. X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC X Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	е

Waste Removal Closure For Clased-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if	.D NMAC) I more than two
facilities are required. Disposal Facility Name: Disposal Facility Permit Number:	
p p p p p p p p p p p p p p p p p p p	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future so Yes (If yes, please provide the information below) No	rvice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NM. Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC .
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sor provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	strict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure by a check mark in the bax, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards can Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	9.15.17.11 NMAC

I hereby certify that the information submitted with this application is to	
	true, accurate and complete to the best of my knowledge and belief.
Name (Print): Rick Rickman	Title: HSE
Signature: Kick Rickey An	Date: 19May09
o-mail address:rdrickman@forestoil.com_	Telephone: 575 369 6176
OCD Approval: Permit Application (including closure plan)	
OCD Representative Signature: Signed By 11/4 Democrate	Approval Date: JUN 1 1 2009
Title:	OCD Permit Number:
11. Closure Report (required within 60 days of closure completion): Si Instructions: Operators are required to obtain an approved closure pl The closure report is required to be submitted to the division within 66 section of the form until an approved closure plan has been obtained o	lan prior to implementing any closure activities and submitting the closure repo O days of the completion of the closure activities. Please do not complete this and the closure activities have been completed.
	Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop	p Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please indentify the facility or facilities for where the liq	quids, drilling fluids and drill cuttings were disposed. Use attachment if more to
two facilities were utilized.	D' 10 10 0 10 10 1
Disposal Facility Name:	
Disposal Facility Name:	Disposal Facility Permit Number:
Yes (If yes, please demonstrate compliance to the items below)	med on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service as	
Site Reclamation (Photo Documentation)	operations.
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: Instructions: Each of the formurk in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)	llowing items must be attached to the closure report. Please indicate, by a chec
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)	
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable)	
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site	: closure)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation	: closure)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	: closure)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation	
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	Longitude NAD: []1927 [] 1983
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Secting Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 23. Operator Closure Certification: I hereby certify that the information and attachments submitted with this	Longitude NAD: 1927 1983
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 25. Operator Closure Certification:	Longitude NAD: 1927 1983 s closure report is true, accurate and complete to the best of my knowledge and c requirements and conditions specified in the approved closure plan.
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Secting Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 3. Operator Closure Certification: I hereby certify that the information and attachments submitted with this belief. I also certify that the closure complies with all applicable closure	Longitude NAD: 1983 s closure report is true, accurate and complete to the best of my knowledge and e requirements and conditions specified in the approved closure plan. Title:

New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire Division Director Oil Conservation Division



Conditions of approval for closure of a drilling or work over pit


Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.

Surface restoration per OCD/BLM requirements. $-\mu/\mu$



HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Dirt Work * On-Site Remediation * Soil Testing * Excavation

18May09

TO: Mike Bratcher, NM OCD Dist 2

REFERENCE: Work Plan for Closure of a Temporary Pit

OPERATOR: Forest Oil Corporation

LOCATION: Skelly Unit 300

API: 30-015-29452

LEGALS: UL. J, Sec. 23, T17S, R31E GPS: N32 49.070 W103 50.289 DEPTH to GROUND WATER: >200'

Protocols and Procedures: The closure of this work over pit will be accomplished by using the waste excavation and removal method. All contents of the pit to include the synthetic liner will be removed and disposed of at a division-approved facility. The pit will be excavated to a depth of 2' below the liner at which point soil sampling/analysis will be conducted to determine if a release has occurred. If it is determined that a release has occurred, an initial C 141 will be submitted and work will proceed until further soil analysis indicate the levels of contaminants have reached acceptable levels as per NM OCD guidelines.

Confirmation Sampling: A composite sample of the excavated area will be obtained and analyzed to determine the levels of Benzene, BTEX, TPH, GRO/DRO, and Chlorides. All analysis will be conducted using NM OCD approved analysis methods.

Disposal Facility: Controlled Recovery Inc (CRI)

Soil backfill and Cover Design Specifications: The excavated area will be backfilled to the existing grade of the location using the stockpiled material that came from the pit construction. Should additional material be required for back fill, it will be obtained from a near-by source.

Re-vegetation Plan: due to the affected area being on an active well location, no re-vegetation will be conducted.

Submitted By: Vergon K. Black, Hungry Horse Environmental Services

Signature: MS/ (8May 09