

N.M. Oil Cons. DIV-Dist. 2

JUL 13 2009

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

UNITED STATE 301 W. Grand Avenue

2. HOLD TAILGATE SAFET OPERATIONS. 3. MIRU PU. ND WH. NU A			ORK EACH MC	ORNING ANI	J AS REQUIRED FO	JR SPECIFIC
1. NOTIFY THE BLM 24 HO 2. HOLD TAILGATE SAFET				ORNING AND	D AS REQUIRED FO	OR SPECIFIC
CHESAPEAKE, RESPECTFI RUBICON SYSTEM THAT W NO OTHER TRANSPORTER OPTIONS FOR EITHER AND THE MIT TEST TO TA.	/AS USED TO DELIVER (R OPTIONS TO DELIVER	GAS CAN NO THE GAS. W	LONGER TAKE Æ ARE CURRE	E THE GAS. INTLY IN TH	CURRENTLY CHE E PROCESS OF E	SAPEAKE HAS . VALUATING
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for	nally or recomplete horizontally, ork will be performed or provided operations. If the operation re bandonment Notices shall be file.	give subsurface the Bond No. or sults in a multipl	locations and measu file with BLM/BIA completion or rec	ired and true ve A. Required sub ompletion in a r	rtical depths of all pertin sequent reports shall be new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 shall be filed once
	☐ Convert to Injection		☐ Plug Back ☐ Water		isposal	
☐ Shosequent Report ☐ Casing Repair ☐ Final Abandonment Notice ☐ Change Plans		□ New Construction□ Plug and Abandon		☐ Recomplete ☐ Temporarily Abandon		☐ Other
☐ Alter Casing		_	☐ Fracture Treat		ation	☑ Well Integrity
Notice of Intent '	Intent		oen	☐ Production (Start/Resume)		☐ Water Shut-Off
TYPE OF SUBMISSION	SUBMISSION TYPE OF ACTION					
12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF 1	NOTICE, RE	EPORT, OR OTHE	R DATA
Séc 23 T10S R29E SWNE 19		CHAVES COUNTY, NM				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Parish, and State			
P.O. BOX 18496 OKLAHOMA CITY, OK 73154-0496						
			(include area code			
Oil Well Gas Well Other 2. Name of Operator Contact: LINDA GOOD					9. API Well No.	
1. Type of Well					8. Well Name and No. MIDWEST FEDERAL 2	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No.	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name	
SUNDRY NOTICES AND REPORTS ON WELLS					5. Lease Serial No. NMNM0477614	
F	TIDE ATLANTA MANIA	CENTRAL	- NINA C	10040	Expires:	July 31, 2010

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **



SEE ATTACHED FOR **CONDITIONS OF APPROVAL**

Additional data for EC transaction #70826 that would not fit on the form

32. Additional remarks, continued

- 4. RIH W/CIBP AND SET @ 9,213'. DUMP BAIL 35' OF CEMENT ON TOP. WOC.
- 5. LOAD WELL WITH PACKER FLUID.
- $6.\,$ PRESSURE UP WELL TO 500 PSI. RECORD MIT FOR 30 MINUTES. IF LESS THAT 10% PRESSURE CHANGE IN 30 MINUTES MIT IS ACCEPTABLE.
- 6. BLEED PRESSURE OFF WELL. ND BOP. NU WH.
- 7. RDMO. CLEAN LOCATION.

(CHK PN 890387)

BUREAU OF LAND MANAGEMENT Roswell Field Office 2909 West Second Street Roswell, New Mexico 88201 575-627-0272

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporary abandoned well is defined as a completion that is not capable of production in paying quantities but may have value as a service well: Pursuant to 43 CFR 3162.3-4(c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
- A. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
- B. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
- C. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
- D. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- E. Contact the BLM Roswell Field Office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Chaves and Roosevelt County, call (575) 910-6024 or after office hours call (575) 627-0205.

Wells that successfully pass the casing integrity test will be approved for Temporary Abandonment (TA) status for a 12 month period provided by the operator.

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval.
- Attaches a clear copy of the original pressure test chart.
- 3. Provided justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.
- Describes the temporary abandonment procedure.

The TA status could be extended without another casing integrity test provided there was no leak-off during the test and the test was witnesses by a BLM representative.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Ref: IM: NM-95-022 (12/16/1994)