

Submit 1 Copy To Appropriate District Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-26795

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
LG-1525

7. Lease Name or Unit Agreement Name
State CO Com

8. Well Number
6

9. OGRID Number
025575

10. Pool name or Wildcat
North Dagger Draw Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ P&A

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 South Fourth Street, Artesia, NM 88210

4. Well Location
Unit Letter H : 1980 feet from the North line and 660 feet from the East line
Section 36 Township 19S Range 24E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3582'GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/18/10 – NU BOP.

1/19/10 – RIH with gauge ring and junk basket to 7700'. 'Set 7" 10K alpha CIBP at 7654'. Loaded casing took 310 bbls. Tested to 500 psi, held for 10 min. Put 35' cement on top of CIBP.

1/20/10 – Pumped 240 bbls mud gel at 7577'. Spotted 30 sx Class "C" cement plug at 5672'. TOC at 5488'. Spotted 25 sx Class "C" cement plug at 3440'. TOC at 3286'. Spotted 25 sx Class "C" cement plug at 2159'. TOC at 2005'.

1/21/10 – Shot squeeze holes at 1140'. Loaded CP to 500 psi for 10 min. Spotted 30 sx Class "C" cement plug at 1185'. WOC 3 hrs. Tagged plug at 1009'. Pulled up to 150' and perforated holes. Broke circulation up surface. Circulated cement to surface. Cleaned location.

1/26/10 – Dug out wellhead and cut off. Installed dry hole marker. Filled cellar back in. Dug out anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE January 27, 2010

Type or print name Tina Huerta E-mail address tina.huerta@yatespetroleum.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE

Conditions of Approval (if any):

Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms: www.emnrd.state.nm.us/oed.

DATE 2/1/2010