Form 3150-5 (February 2005)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR

RECE	IVED	
------	------	--

FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007

FFR	1	h	21	1N
	-	17.	7.0	70

DLI	ARTMENT OF THE	INTERIOR	LFR T	<u> </u>	Expires March 31, 2007	
BUR	EAU OF LAND MAN	AGEMENT	1 20 2	5. Lease Serial N LC-061701	lo.	
Do not use this f	IOTICES AND REPO form for proposals t Use Form 3160-3 (A	to drill or to re-ent	er an		ttee or Tribe Name	
SUBMI	T IN TRIPLICATE – Other	instructions on page 2		7 If Unit of CA/A	Agreement, Name and/or No	
1. Type of Well				Nm 6820		
☑ Oil Well ☐ Gas V	Vell Other			8. Well Name an BALLARD GRA	d No. AYBURG SAN ANDRES UT	#003
2. Name of Operator TANDEM ENERGY CORPORATIO	N			30-0/5	- 03325	
			10 Field and Pool or Exploratory Area			
11490 WESTHEIMER RD, STE. 1000 HOUSTON, TX 77077 325-573-0705			LOCO HILLS, QU-GB-SA			
4. Location of Well (Footage, Sec., T.R., M., or Survey Description) 990 FSL & 990 FWL UNIT LETTER "M", SEC. 8, T-18S, R-29E			11. Country or Parish, State			
550 FOL & 550 FANT ONLI ESTIEN MI, SEC	o, 1-105, N-29C			EDDY COUNT	Y, NEW MEXICO	
12. CHEC	CK THE APPROPRIATE BO	OX(ES) TO INDICATE N.	ATURE OF NOTIC	CE, REPORT OR	OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACT	ION		
✓ Notice of Intent		Deepen Proc		uction (Start/Resun	ne) Water Shut-Off	
Troube of Intent	Alter Casing	Fracture Treat	Recla	amation	Well Integrity	
Subsequent Report Casing Repair		New Construction Reco		mplete		
Change Plans	Plug and Aband	on Temp	oorarily Abandon	<u> </u>		
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal			
13. Describe Proposed or Completed O the proposal is to deepen direction Attach the Bond under which the v following completion of the involve testing has been completed. Final determined that the site is ready fo	ally or recomplete horizontal work will be performed or proved operations. If the operation Abandonment Notices must	lly, give subsurface location ovide the Bond No. on file ion results in a multiple control of the control of th	ons and measured are with BLM/BIA. Firmpletion or recomp	nd true vertical dep Required subseque letion in a new int	pths of all pertinent markers at ent reports must be filed within terval, a Form 3160-4 must be	nd zones. 30 days filed once
1 BIH WITH CIBP SET @ 2376' - F	RIH CIRCUI ATE PLUGGI	NG MUD - SPOT 35' OF	E CEMENT ON T	ΩP		

- 2. PERF @ 823' PUMP 35 SACKS TAG 3. PERF @ 380' PUMP 35 SACKS TAG
  - 4. PERF AND CIRCULATE 25 SACKS FROM 60' TO SURFACE
- 4. PERF AND CIRCULATE 25 SACKS FROM 60' TO SURFACE
  5. CUT OFF WELL HEAD AN ANCHORS INSTALL PA MARKER LEVEL LOCATION

  SEE A

# SEE ATTACHED FOR CONDITIONS OF APPROVAL

### **RECLAMATION PROCEDURE** ATTACHED

14 I hereby certify that the foregoing is true and correct Name (Printed/Typed) JERRI JENNINGS	Title AGENT FOR TANDEM ENERGY CORP					
Signature Juni Junnings I	Date 01/18/20	10				
7 THIS SPACE FOR FEDER	AL OR ST	ATE OFF	<del>SE</del> US	OVED		1
Approved by	Title	Tr	APP	TUVLU Date	7	
Conditions of approval, if any, are attached Approval of this notice does not warrant or cer that the applicant holds legal or equitable title to those rights in the subject lease which wou entitle the applicant to conduct operations thereon		[5]	FEB Dustin	9 2010	-14	
Title 18 U.S.C Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any persistitious or fraudulent statements or representations as to any matter within its jurisdiction	on knowingly an	dwillfull to	mako to an AU OF LA	VVINKE department of a ND MANAGEM	ency of t	ne United States any false,
(Instructions on page 2)			TILOUNU	TILLU OLLIGE		

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### **SPECIFIC INSTRUCTIONS**

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

#### **NOTICES**

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:


The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

TAUDEM Energy APTH 30-015-03325



Tandem Energy Corporation
NMLC-061710: Ballard Grayburg San Andres Unit #3

API: 30-015-033025 Eddy County, New Mexico

RE: Plugging and Abandonment Requirements, Conditions of Approval

H2S monitoring equipment is to be on site.

- 1. OK (Perfs)
- 2. Move: Perf at 770'. Tag at 670' or shallower Otherwise OK (Yates BOS)
- 3. Attempt to circulate the annulus to surface to prevent from having to perf on surface plug. Tag at 275' or shallower Otherwise OK (TOS)
- 4. If circulated annulus in previous step, just spot a plug from 60' to surface Otherwise OK (Surface)
- 5. Verify Cement to surface in all annuluses. Location is to be contoured, not leveled. Otherwise OK.
- 6. Submit a subsequent report to the BLM.

See attached standard COAs.

DHW 020810

#### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

g.

#### Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. In lieu of a cement plug in a cased hole, a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Any plug that requires a tag will have a minimum WOC time of 4 hours.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

- 6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified when the wellhead is cut off to verify that cement is to surface in the casing and all annuluses.** The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement. The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).
- 7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and five copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation procedure.

DHW 112309



# **United States Department of the Interior**

#### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

#### **Interim Reclamation Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses.

Interim reclamation consists of minimizing the footprint of disturbance by reclaiming all portions of the well site not needed for production operations. The portions of the cleared well site not needed for operational and safety purposes are recontoured to a final or intermediate contour that blends with the surrounding topography as much as possible. Sufficient level area remains for setup of a workover rig and to park equipment. Topsoil is respread over areas not needed for all-weather operations. Production facilities should be clustered to maximize the opportunity for interim reclamation. In order to inspect and operate the well or complete workover operations, it may be necessary to drive, park, and operate on restored, interim vegetation within the previously disturbed area. This is generally acceptable provided damage is repaired and reclaimed following use.

To reduce final reclamation costs; maintain healthy, biologically active topsoil; and to minimize habitat, visual, and forage loss during the life of the well, all salvaged topsoil should be spread over the area of interim reclamation, rather than stockpiled.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). Interim reclamation is to be completed within 6 months of well completion.
- 3. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with interim reclamation as per approved APD or Sundry Notice. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.
- 4. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 5. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Environmental Protection Specialist 575-234-5909, 575-361-2648 (Cell)

Terry Gregston Environmental Protection Specialist 575-234-5958

Bobby Ballard Environmental Protection Specialist 575-234-2230

Randy Rust Environmental Protection Specialist 575-234-5943

Linda Denniston Environmental Protection Specialist 575-234-5974

Jennifer Van Curen Environmental Protection Specialist 575-234-5905

Justin Frye Environmental Protection Specialist 575-234-5922 Cody Layton Natural Resource Specialist 575-234-5959

Trishia Bad Bear Natural Resource Specialist 575-393-3612

Todd Suter Surface Protection Specialist 575-234-5987

Doug Hoag Civil Engineering Technician 575-234-5979