


30.015. 37241



Scientific Drilling

RECEIVED

NOV 23 2009

NMOCD ARTESIA

BURNETT OIL COMPANY


Field: Cedar Lake Yeso
Site: Eddy County, NM
Well: Gissler B #52
Wellpath: VH - Job #32K1009460
Survey: 10/30/09

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*Lu Hart*..... Company Representative

Notorized this date 13th of November, 2009.

Carrie Reed
Notary Signature
County of Midland
State of Texas





Scientific Drilling International Survey Report

Company: BURNETT OIL COMPANY	Date: 11/05/2009	Time: 14:32:11	Page: 1
Field: Cedar Lake Yeso	Co-ordinate(NE) Reference:	Site: Eddy County, NM, Grid North	
Site: Eddy County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: Gissler B #52	Section (VS) Reference:	Well (0.00N,0.00E,113.65Azi)	
Wellpath: VH Job #32K1009460	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey: 10/30/09	Start Date: 10/30/2009
Company: Scientific Drilling Internatio	Engineer: Garza w/Enertech
Tool: Keeper, Keeper Gyro	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.48	187.03	100.00	0.12	-0.42	-0.05	0.48	0.42	187.03
200.00	0.48	188.19	200.00	0.35	-1.25	-0.16	0.01	1.26	187.42
300.00	0.49	180.53	299.99	0.63	-2.09	-0.23	0.07	2.10	186.17
400.00	0.46	147.69	399.99	1.13	-2.86	-0.02	0.27	2.86	180.31
500.00	0.62	121.51	499.98	2.00	-3.48	0.66	0.29	3.54	169.24
600.00	1.01	83.75	599.97	3.30	-3.66	2.00	0.64	4.17	151.40
700.00	0.98	76.28	699.96	4.74	-3.37	3.70	0.13	5.01	132.25
800.00	1.02	79.55	799.94	6.16	-3.00	5.41	0.07	6.19	119.01
900.00	1.72	76.08	899.92	8.09	-2.48	7.74	0.70	8.13	107.75
1000.00	2.46	75.36	999.85	10.96	-1.57	11.28	0.74	11.39	97.95
1100.00	3.81	76.75	1099.70	15.30	-0.27	16.59	1.35	16.59	90.94
1200.00	6.08	78.65	1199.32	22.30	1.53	25.01	2.28	25.06	86.49
1300.00	6.70	79.05	1298.70	31.44	3.68	35.93	0.62	36.12	84.15
1400.00	8.66	82.01	1397.79	42.65	5.84	49.12	2.00	49.46	83.22
1500.00	9.15	84.40	1496.59	56.00	7.66	64.49	0.61	64.94	83.23
1600.00	9.77	86.65	1595.23	70.50	8.93	80.87	0.72	81.36	83.70
1700.00	10.16	89.52	1693.72	86.11	9.50	98.16	0.63	98.62	84.47
1800.00	10.37	92.04	1792.12	102.53	9.26	115.97	0.50	116.34	85.44
1900.00	10.55	93.77	1890.46	119.50	8.33	134.10	0.36	134.36	86.44
2000.00	10.95	95.50	1988.70	137.14	6.82	152.69	0.51	152.84	87.44
2100.00	10.96	96.27	2086.88	155.24	4.87	171.60	0.15	171.66	88.37
2200.00	10.20	97.62	2185.18	172.82	2.66	189.82	0.80	189.84	89.20
2300.00	9.73	95.71	2283.67	189.37	0.65	207.01	0.57	207.01	89.82
2400.00	9.16	96.15	2382.32	205.00	-1.05	223.33	0.57	223.33	90.27
2500.00	8.80	97.47	2481.09	219.94	-2.90	238.83	0.41	238.84	90.69
2600.00	8.49	98.80	2579.95	234.42	-5.02	253.71	0.37	253.76	91.13
2700.00	8.01	101.64	2678.92	248.37	-7.55	267.82	0.63	267.93	91.62
2800.00	7.58	103.11	2778.00	261.67	-10.46	281.07	0.47	281.27	92.13
2900.00	7.92	105.09	2877.08	274.97	-13.75	294.15	0.43	294.47	92.68
3000.00	8.63	106.01	2976.04	289.22	-17.61	308.01	0.72	308.51	93.27
3100.00	9.54	106.30	3074.78	304.87	-22.00	323.18	0.91	323.93	93.90
3200.00	10.98	106.65	3173.18	322.54	-27.06	340.26	1.44	341.33	94.55
3300.00	11.79	108.48	3271.21	342.17	-33.03	359.07	0.89	360.59	95.26
3400.00	10.92	112.09	3369.26	361.81	-39.83	377.54	1.12	379.63	96.02
3500.00	10.32	118.39	3467.55	380.21	-47.65	394.19	1.31	397.06	96.89
3600.00	9.66	128.84	3566.04	397.24	-57.17	408.61	1.93	412.59	97.96
3700.00	9.14	136.42	3664.70	412.66	-68.19	420.62	1.34	426.11	99.21
3800.00	8.64	143.11	3763.50	426.52	-79.95	430.61	1.15	437.96	100.52
3900.00	8.35	147.64	3862.41	439.08	-92.09	439.00	0.73	448.56	101.85
4000.00	7.79	154.90	3961.42	450.19	-104.36	445.76	1.16	457.82	103.18
4100.00	7.34	163.20	4060.55	459.43	-116.61	450.48	1.18	465.33	104.51
4200.00	7.51	171.00	4159.71	467.10	-129.18	453.35	1.02	471.40	105.90
4300.00	7.36	179.20	4258.88	473.28	-142.04	454.46	1.07	476.14	107.36
4400.00	6.61	185.39	4358.13	477.73	-154.18	454.01	1.06	479.48	108.76
4500.00	5.02	190.79	4457.62	480.51	-164.20	452.65	1.68	481.52	109.94
4600.00	4.41	193.93	4557.28	482.13	-172.23	450.91	0.66	482.68	110.91
4700.00	3.53	197.12	4657.04	483.13	-178.91	449.08	0.91	483.40	111.72
4800.00	3.32	206.28	4756.86	483.35	-184.45	446.89	0.59	483.46	112.43



Scientific Drilling International

Survey Report

Company: BURNETT OIL COMPANY
Field: Cedar Lake Yeso
Site: Eddy County, NM
Well: Gissler B #52
Wellpath: VH - Job #32K1009460

Date: 11/05/2009 Time: 14:32:11 Page: 2
Co-ordinate(NE) Reference: Site: Eddy County, NM, Grid North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,113.65Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
4900.00	2.51	196.27	4856.73	483.49	-189.14	444.99	0.95	483.52	113.03
5000.00	1.29	197.40	4956.67	483.90	-192.32	444.04	1.22	483.90	113.42
5100.00	0.52	198.86	5056.66	484.06	-193.82	443.56	0.77	484.06	113.60



**Scientific
Drilling**


Field: Cedar Lake Yeso
Site: Eddy County, NM
Well: Gissler B #52
Wellpath: VH - Job #32K1009460
Survey: 10/30/09




Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 11/05/2009
Model: igrf2000

South(-)/North(+) [100ft/in]



West(-)/East(+) [100ft/in]



Scientific Drilling

Gyroscopic Survey Report for BURNETT OIL

Well Location	EDDY COUNTY, NEW MEXICO
Well Name	GISSLER B #52
Rig Name	P/U
Survey Date	10/30/2009
Latitude	32.85 deg
North Reference	True North
Grid Correction	0.00 deg
Depth Reference	RKB
Calculation Method	Minimum Curvature
Section (VS) Ref	0.00N (ft), 0.00E (ft), 0.00Azim (deg)
Definitive Survey	FINAL SURVEY
Operator	LEO GARZA

Comments

ZERO REFERENCE IS K.B. OF 11 FOOT



Survey Report

Well Name:		GISSLER B #52							
Survey:		FINAL SURVEY							
Survey Date:		10/30/2009							
MD	Inc	Azim	TVD	VS	Northing	Easting	DLS	Closure Distance	Closure Angle
ft	deg	deg	ft	ft	ft	ft	deg/100ft	ft	deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	Invalid	0.00	0.00
100.00	0.48	187.03	100.00	-0.41	-0.41	-0.05	0.48	0.42	187.03
200.00	0.48	188.19	200.00	-1.24	-1.24	-0.16	0.01	1.25	187.42
300.00	0.49	180.53	299.99	-2.07	-2.07	-0.22	0.07	2.09	186.16
400.00	0.46	147.69	399.99	-2.84	-2.84	-0.01	0.27	2.84	180.30
500.00	0.62	121.51	499.98	-3.46	-3.46	0.66	0.29	3.52	169.19
600.00	1.01	83.75	599.97	-3.65	-3.65	2.00	0.64	4.16	151.31
700.00	0.98	76.28	699.96	-3.35	-3.35	3.70	0.13	4.99	132.13
800.00	1.02	79.55	799.94	-2.99	-2.99	5.41	0.07	6.18	118.90
900.00	1.72	76.08	899.92	-2.46	-2.46	7.74	0.71	8.12	107.66
1000.00	2.46	75.36	999.85	-1.56	-1.56	11.27	0.74	11.38	97.87
1100.00	3.81	76.75	1099.70	-0.25	-0.25	16.59	1.34	16.59	90.88
1200.00	6.08	78.65	1199.32	1.55	1.55	25.01	2.28	25.06	86.46
1300.00	6.70	79.05	1298.70	3.70	3.70	35.93	0.62	36.12	84.12
1400.00	8.66	82.01	1397.79	5.85	5.85	49.12	2.00	49.46	83.20
1500.00	9.15	84.40	1496.59	7.68	7.68	64.49	0.62	64.94	83.21
1600.00	9.77	86.65	1595.23	8.95	8.95	80.87	0.72	81.37	83.69
1700.00	10.16	89.52	1693.72	9.52	9.52	98.16	0.63	98.62	84.46
1800.00	10.37	92.04	1792.12	9.27	9.27	115.97	0.50	116.34	85.43
1900.00	10.55	93.77	1890.46	8.35	8.35	134.10	0.36	134.36	86.44
2000.00	10.95	95.50	1988.70	6.84	6.84	152.69	0.51	152.84	87.44
2100.00	10.96	96.27	2086.88	4.89	4.89	171.59	0.15	171.65	88.37
2200.00	10.20	97.62	2185.18	2.68	2.68	189.81	0.79	189.83	89.19
2300.00	9.73	95.71	2283.67	0.66	0.66	207.00	0.58	207.00	89.82
2400.00	9.16	96.15	2382.32	-1.03	-1.03	223.31	0.57	223.32	90.26
2500.00	8.80	97.47	2481.09	-2.88	-2.88	238.81	0.41	238.83	90.69
2600.00	8.49	98.80	2579.96	-5.00	-5.00	253.69	0.37	253.74	91.13
2700.00	8.01	101.64	2678.92	-7.53	-7.53	267.81	0.63	267.92	91.61
2800.00	7.58	103.11	2778.00	-10.43	-10.43	281.05	0.47	281.25	92.13
2900.00	7.92	105.09	2877.09	-13.72	-13.72	294.13	0.43	294.45	92.67
3000.00	8.63	106.01	2976.04	-17.58	-17.58	307.99	0.72	308.49	93.27
3100.00	9.54	106.30	3074.79	-21.98	-21.98	323.15	0.92	323.90	93.89
3200.00	10.98	106.65	3173.19	-27.04	-27.04	340.24	1.44	341.31	94.54
3300.00	11.79	108.48	3271.22	-33.00	-33.00	359.05	0.89	360.57	95.25
3400.00	10.92	112.09	3369.26	-39.81	-39.81	377.53	1.12	379.62	96.02
3500.00	10.32	118.39	3467.55	-47.63	-47.63	394.18	1.31	397.05	96.89
3600.00	9.66	128.84	3566.04	-57.14	-57.14	408.59	1.93	412.57	97.96
3700.00	9.14	136.42	3664.70	-68.16	-68.16	420.60	1.34	426.09	99.20
3800.00	8.64	143.11	3763.50	-79.92	-79.92	430.59	1.15	437.94	100.51

WELL NAME AND NUMBER Gissler "B" #52

LOCATION Section 12, T17S, R30E, Unit K, 2310 FSL, 1650 FWL, Eddy County

OPERATOR Burnett Oil Co.

DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation test and obtained the following results:

Degrees @ Depth	Degrees @ Depth	Degrees @ Depth
1/2 @ 352'		
1 1/4 @ 841'		
6 @ 1317'		
6 @ 1614'		
6 @ 1900'		
10 @ 2217'		
9.27 @ 2400'		
8 @ 2671'		
8 1/2 @ 2984'		
10 @ 3111'		
11 @ 3674'		
.70 @ 5166'		

Drilling Contractor- UNITED DRILLING, INC.

By: Luisa Noriega
(Luisa Noriega)

Title: Assistant Office Manager

Subscribed and sworn to before me this 28th day of October, 2009.

My Commission Expires:

10/8/12

Carlue Martin
Notary Public
Chaves New Mexico
County State