

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88240

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, New Mexico 87505

DISTRICT II
811 South First, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

WELL API NO.
30-015-01463

5. Indicate Type of Lease
STATE FEE

6. State Oil & Gas Lease No.
B-2178

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS).

1. Type Of Well:
OIL WELL GAS WELL OTHER

2. Name of Operator
Mack Energy Corporation

3. Address of Operator
P.O. Box 960, Artesia, NM 88211-0960

4. Well Location
Unit Letter N : 990 Feet From The South Line and 1650 Feet From The West Line
Section 20 Township 17S Range 28E NMPM Eddy County

7. Lease Name or Unit Agreement Name
Red Lake Sand Unit

8. Well No.
18

9. Pool name or Wildcat
Red Lake; Queen-Grayburg-SA

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: _____ <input type="checkbox"/>		OTHER: _____ <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Mack Energy Corporation proposes to plug and abandon well as follows:

1. Notify OCD 24 hours prior to starting plugging operations.
2. Set 100' cement plug from 1800-1700' . WOC and tag.
3. Circulate hole with mud gel.
4. Perforate @ 500' squeeze 100' cement plug back to 400'.
5. Perforate @ 60' circulate cement to surface. - WOC 24 HRS - TAG
6. Install dry hole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jerry W. Sherrell TITLE Production Clerk DATE 1/22/04

TYPE OR PRINT NAME Jerry W. Sherrell TELEPHONE NO. _____

(This space for State Use)

APPROVED BY [Signature] TITLE Wild Sep ID DATE JAN 28 2004

CONDITIONS OF APPROVAL, IF ANY:

STATE

MACK ENERGY CORPORATION
RED LAKE SAND UNIT #18
Sec 20 T17S R28E 990FSL 1650FWL

1. Notify OCD 24 hrs. prior to any work done.
2. Set 100' cmt plug 1800-1700' and tag.
3. Circ hole with mud gel.
4. Perf @ 500' squeeze 100' cmt plug back to 400'
5. Perf @ 60' circ cmt to surface
6. Install Dry Hole Marker

5 1/2" 14# @ 1750 C/w 175sks.

Open hole 1750'-1868'