RECEIVED APR 2 5 2010

Form C-144 July 21, 2008

District I
1625 N. French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fc Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Proposed Alternative Method Permit or Closure Plan Application
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  X Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator:WATERFORD OPERATING LLCOGRID #:259169
Address:1001 McKinney Suite 2000 Houston, Texas 77002
Facility or well name: Crystal Amethyst #108
API Number: 30-05-62742 30-005-62742 OCD Permit Number: 37264
U/L or Qtr/QtrE Section8 Township13 - S Range28 - E County:Chaves
Center of Proposed Design: Latitude
Surface Owner: Federal State X Private Tribal Trust or Indian Allotment
2.
Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary:  Drillin X Workover
Permanent Emergency Cavitation P&A
X Lined Unlined Liner type: Thickness 20 mil X LLDPE HDPE PVC Other
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: 30 bbl Dimensions: L 8' x W 5' x D 5'
3.  Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
5,

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  X Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify		
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	,	
Signs: Subsection C of 19.15.17 11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Ycs No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application of Instructions: Each of the following items must be attached to the application. Plants of the Instruction of	
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Siting Criteria Compliance Demonstrations - based upon the appropriate requirements.	rements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC irements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of 19.15 17.11 NMAC	f 19.15.17.12 NMAC
and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number:	
Closed-loop Systems Permit Application Attachment Checklist: Subsection Be Instructions: Each of the following items must be attached to the application. Plattached.	ease indicate, by a check mark in the box, that the documents are
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the Siting Criteria Compliance Demonstrations (only for on-site closure) - based Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of	upon the appropriate requirements of 19.15.17.10 NMAC C of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based up and 19.15.17.13 NMAC	oon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
Previously Approved Operating and Maintenance Plan API Number:	
above ground steel tanks or haul-off bins and propose to implement waste removal	for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NM.  Instructions: Each of the following items must be attached to the application. Plattached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsiting Criteria Compliance Demonstrations - based upon the appropriate requirement:   Cimatological Factors Assessment     Certified Engineering Design Plans - based upon the appropriate requirement:   Dike Protection and Structural Integrity Design - based upon the appropriate     Leak Detection Design - based upon the appropriate requirements of 19 15.1     Liner Specifications and Compatibility Assessment - based upon the appropriate     Quality Control/Quality Assurance Construction and Installation Plan     Operating and Maintenance Plan - based upon the appropriate requirements of     Freeboard and Overtopping Prevention Plan - based upon the appropriate recompliant     Emergency Response Plan     Oil Field Waste Stream Characterization     Monitoring and Inspection Plan     Erosion Control Plan     Closure Plan - based upon the appropriate requirements of Subsection C of	Describe to the second of 19.15.17.9 NMAC described to the second of 19.15.17.10 NMAC described to the second of 19.15.17.11 NMAC described to the second of 19.15.17.12 NMAC described to the second of 19.15.17.12 NMAC described to the second of 19.15.17.11 NMAC described to the second
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regard Type: Drilling X Workover Emergency. Cavitation P&A Peril Alternative  Proposed Closure Method: X Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits a In-place Burial On-site Trench Burnel Alternative Closure Method (Exceptions must be seemed to the proposed Closure Method (Exceptions must b	manent Pit  Below-grade Tank  Closed-loop System  and closed-loop systems)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) closure plan. Please indicate, by a check mark in the box, that the documents ar  X Protocols and Procedures - based upon the appropriate requirements of 19.1:  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Soil Backfill and Cover Design Specifications - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection  Site Reclamation Plan - based upon the appropriate requirements of Subsection	re attached. 5 17.13 NMAC guirements of Subsection F of 19.15.17.13 NMAC drill cuttings) requirements of Subsection H of 19.15.17.13 NMAC 1 of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
Disposal Facility Name: Gandy Marly Disposal Facility Permit Number:		
Disposal Facility NameCRI		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) \( \subseteq \) No		
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.		
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No X NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No X NA	
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No X NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes X No	
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	☐ Yes X No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes X No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes X No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site,	Yes X No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes X No	
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes X No	
Within a 100-year floodplain FEMA map	Yes X No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Operator Application Certification:  I hereby certify that the information submitted with this application is	s true, accurate and complete to the best of my knowledge and belief.	
Name (Print): BRIAN M SIREO		
Signature: Juny to Juny	Date: 4/27/2010	
	(1506) (Com Telephone: 432-667-3334 601 108	
OCD Approval: Permit Application (including closure plan)	Closure Plan (only) OCD Conditions (see attachment)	
OCD Representative Signature: Signed By Mile Besselve Approval Date: APR 2 6 2010		
Title:	OCD Permit Number:	
21. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	Closure Completion Date:	
22. Closure Method: X Waste Excavation and Removal  On-Site Closure Method If different from approved plan, please explain.	☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)	
	oop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than	
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:		
	Formed on or in areas that will not be used for future service and operations?	
Required for impacted areas which will not be used for future service  Site Reclamation (Photo Documentation)	and operations	
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
	following items must be attached to the closure report. Please indicate, by a check	
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closures)	site closure)	
☐ Disposal Facility Name and Permit Number ☐ Soil Backfilling and Cover Installation		
☐ Re-vegetation Application Rates and Seeding Technique ☐ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	Longitude NAD: □1927 □ 1983	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
	Title:	
Signature.	Date:	
e-mail address:	Telephone:	

## **Bill Richardson**

Governor

Jon Goldstein Cabinet Secretary

Jim Noel
Deputy Cabinet Secretary

Mark Fesmire
Division Director
Oil Conservation Division



## Conditions of approval for closure of an existing pit:

Per 19.15.17 NMAC, Operator shall notify the New Mexico Oil Conservation Division District 2 Office (OCD) at least 72 hours, but not more than one week, prior to commencement of closure operations. The notice shall include the Operator's name and the location to be closed by unit letter, section, township and range. The notice shall also include the well name, number and API number.

Notify OCD 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.I15.17.13 NMAC.

A remediation proposal, based on delineation analytical data, may be required.

Final closure report, per 19.15.17 NMAC is to be submitted to OCD within 60 days of satisfactory completion of closure activities.

Approval conditions may be subject to modification as site conditions may warrant.

