

RECEIVED

MAY 26 2010

UNITED STATES

DEPARTMENT OF THE INTERIOR

OCD-ARTESIA

BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB No 1004-0137
Expires July 31, 2010

5. Lease Serial No.

NMNM2748

- 1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,
☐ Other

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and No.

8. Lease Name and Well No.

GISSLER B #60

9. API Well No.

30-015-37676 S1

10. Field and Pool, or Exploratory

LOCO HILLS GLORIETA YESO

11. Sec., T., R., M., on Block and Survey or Area

SEC 11, T17S, R30E

12. County or Parish

EDDY CTY

13. State

NM

17. Elevations (DF, RKB, RT, GL)*

3738' GL

2. Name of Operator

BURNETT OIL, CO., INC.

3. Address

801 CHERRY ST. UNIT #9 FORT WORTH, TX 76102

3a. Phone No. (include area code)

(817) 332-5108

4. Location of Well (Report location clearly and in accordance with Federal requirements *)

At Surface

UNIT G, 2310' FNL, 1690' FEL

At top prod. interval reported below

At total depth

SAME AS SURFACE

14. Date Spudded

3/17/2010

15. Date T. D. Reached

3/30/2010

16. Date Completed 5/01/2010

☐ D&A ☒ Ready to Prod18. Total Depth: MD
TVD 6055' TVD19. Plug Back T.D.: MD
TVD 5970' TVD20. Depth Bridge Plug Set: MD
TVD N/A

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

DLL, MICRO-G, SD, DSN, SPEC GR, BOREHOLE CSA

22. Was well cored?

☒ No☐ Yes (Submit analysis)

Was DST run?

☒ No☐ Yes (Submit report)

Directional Survey?

☒ No☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
14.75"	10.75" H	32.75#		402'		550 SX C	140	SURFACE	0
8.75"	7" K	23.00#		6055'		2715 SX C	827	SURFACE	0

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875"	5505'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
Loco Hills Glorieta						
A) Yeso			5424'-5597'	0.40	40	4 SPF
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
5424'-5597'	2500 GALS 15% NEFE ACID
5424'-5597'	SlickWater Frac w/520,422 gals WTR w/180,536# 40/70 Sand & 20,000# 100 Mesh Sand.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
5/01/10	5/05/10	24	→	245	330	1225	38.5	.83	Pumping
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
SI			→						

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
SI			→						

(See instructions and spaces for additional data on reverse side)

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

ACCEPTED FOR RECORD

MAY 22 2010

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold through Gissler B #3-1 Battery to DCP Midstream

30. Summary of Porous Zones (Include Aquifers)

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				ALLUVIUM	SURFACE
				ANHYDRITE	308'
				SALT	509'
				BASE SALT	1261'
				YATES	1443'
				SEVEN RIVERS	1717'
				QUEEN	2321'
				GRAYBURG	2719
				SAN ANDRES	3036'
				GLORIETA	4524'
				YESO	4609'

32. Additional remarks (include plugging procedure):

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd)
 ☐ Geologic Report
 ☐ DST Report
 ☐ Directional Survey
 ☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☒ Other: **DEVIATION SURVEY**

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) **MARK A. JACOBY**Title **ENGINEERING MANAGER**

Signature

Mark A. Jacoby

Date

5/07/2010

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

(Form 3160-4, page 2)