Form C-144 July 21, 2008


District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fc, NM 87505 State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and previde a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Applic	<u>ation</u>
Type of action: Permit of a pit closed-loop system) below-grade tank, or proposed alter Closure of a pit, closed-loop system, below-grade tank, or proposed alter Modification to an existing permit Closure plan only submitted for an existing permitted below-grade tank, or proposed alternative method	ernative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade	tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surf- environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental author	ace water, ground water or the rity's rules, regulations or ordinances.
Operator: _ Hudson Off Company of Texas OGRID #025111	RECEIVED
Address: _616 Texas Street Fort Worth, TX 76102	111N - 8 2010
Pacifity or well name: Puckett North # 10	3011 , 0 2010
API Number: 30 - 0/5 - 379/2 OCD Permit Number: 210411	NMOCD ARTESIA
U/L or Qir/Qir F Section 12 Township 17S Range 31b County; Edd	
Center of Proposed Design: Latitude Longitude	NAD: [] 1927 [] 1983
Surface Owner 🔀 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Afforment	
Pit: Subsection F or G of 19.15.17.11 NMAC   Temporary	x Wx D
Liner Seams:  Welded  Factory  Other	
4.  Below-grade tank: Subsection I of 19.15.17.11 NMAC	
Volume: bbl Type of fluid:	
Tank Construction material:	
Secondary containment with lenk detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other	
Liner type: Thickness mil	
5. Alternative Method: Submitted of an exception request is required. Exceptions must be submitted to the Santa Pe Environmental Bureau offic	e for consideration of approval,

Fencing: Subsection D of 19.15,17.11 NMAC (Applies to permanent filts, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required of located within 1000 feet of a permanent residence, school, he institution or church)	aspital.
☐ Four flot height, four strands of barbed wire evenly spaced between one and four feet ☐ Alternate. Please specify	
CI Attendam, Pricase specify	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tunks)	
Screen Netting Other	
Monthly inspections (If netting or acreening is not physically feasible)	
Signa: Subsection C of 19.15,17.11 NMAC	
12"x 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.3:103 NMAC	
9. Administrative Approvate and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Pleane check a hox if one or more of the following in requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	ffice for
consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The application must demonstrate compliance for each sliing criteria below in the application. Recommendations of accept material are provided below. Requesty regarding changes to certain siting criteria may require administrative approval from the appropastic or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of up Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not uppty to drying above-grade tanks associated with a closed-loop system.	oriale district oproval. ng pads or
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or takehed, sinkhole, or plays lake (measured from the ordinary high-water mark).  - Topographic map: Visual inspection (certification) of the proposed site	Yes   No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies Witemporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yos No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent plis)	Yes No
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal foot of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yex ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - WATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated manicipal boundaries or within a defined manicipal fresh water well field covered under a manicipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Written confirmation or verification from the manicipality; Written approval obtained from the manicipality	☐ Yes ☐ No
) · · · · · · · · · · · · · · · · · · ·	Yos No
Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Within an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain.	∐] Yex ∐ No

Tempurary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Pleuse complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-luop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following Items must be attached to the application. Please Indicate, by a check mark in the hox, that the documents are attached.  Coologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - hased upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Coperating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: 36-015-37161
Previously Approved Operating and Muintonance Plan API Number: 30-015-37/16/(Applies unity to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC   Instructions: Each of the following items must be attached to the application. Please Indicate, by a check mark in the bux, that the documents are attached.   Hydrogoologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Hydrogoologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.10 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assusament - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Otiors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC   Instructions: Please complete the applicable baxes, Boxes 14 through 18, in regards to the proposed closure plan.    Type: Drilling   Workover   Emergency   Cavitation   P&A   Pennanent Pit   Below-grade Tunk   Closed-loop System   Alternative
Waste Excavation and Removal Cleauro Plan Checklist: (19.15.17.13 NMAC) Instructions: Rach of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Hackfill and Cover Design Specifications - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC



DRIlling Lantractor will operate and maintain closed-Loop System - drilling fluide and cuttings will be hould to CRI For disposal

Weste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tenks or Haul-off Bins Only: (19.15.17.13.1) Instructions: Please Indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if n facilities are required.	NMAC)
Disposal Facility Name: Lout Rolled Recovery Inc. Disposal Facility Name: B 1966	
LIBROSH PROBLEM AND	
Will any of the proposed closed-loop system operations and embelated activities occur on or in areas that will not be used for future serv  Yes (If yes, please provide the information below) by	loe and operations?
Required for Impacted areas which will not be used fix future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection 6 of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	:
17. Sking Criteria (regarding on-site chause methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sours provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate distr considered on exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justis demonstrations of equivolency are required. Please refer to 19.15.17.10 NMAC for guidance.	let office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM (Office of the State Engineer - iWATERS detabase search; USOS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakehed, sinkhole, or plays lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yeu ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐ Yes □ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yus ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed size	☐ Yes ☐ No
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yea ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Goology & Mineral Resources; USGS; NM Geological Society; Topographic map	∏ Yes □ No
Within a 100-year floodplain.  • FEMA map	☐ Yes ☐ No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure p. by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Construction/Design Plan of Temporary Pit (for in-place buriel of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC   Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC   Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Waste Material Sampling Plan: - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards can   Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC   Site Roclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	.15.17.11 NMAC

Operator Application Cortification:	
I heroby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print): J. B. Smith Title: Field Supt	
Signaturo: 18-2010	
e-mail address Telephone: 575-365-8044	-
OCD Approval: Permit Application (including closure plan) Closure Plan (only) UCD Conditions (see attachment)	
()CD Representative Signature: Deuro R. Dele Approval Date: 06/16	/2010
Title: 1.57 September   Company   OCD Permit Number: 2/04//	
51. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the Contract report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not composition of the form until an approved closure plan has been obtained and the closure activities have been completed.	closure report. plete this
Closure Completion Date:	
Clasure Method:    Waste Excavation and Removal   On-Site Closure Method   Alternative Closure Method   Waste Removal (Closed-loop s   If different from approved plan, please explain	ystems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tunks or Haul-off Bi Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachments of facilities were utilized.	eni if more than
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operationally Yes (If yes, please demonstrate compliance to the items below) No.	gua :
Required for impacted areas which will not be used for future service and operations:  ["  Site Reclamation (Photo Documentation)	
5 Soil Backfilling and Cover Installation	. \$
[ ] Re-vegetation Application Rates and Seeding Technique	,,,,,,,,
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate	ne, by a check
mark in the bax, that the documents are attached.  Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site clusures and temporary pits) Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (required for on-site closure)	
Disposal Fueility Name and Permit Number.	
Soil Buckfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location: Lutitude Longitude NAD: 1927	1983
Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan	wledge und
Name (Print):	
Signature: Date:	
c-mail address:	