District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

eace he adviced that approval of this request does not relies

	provar remove the operator of its responsion	ity to comply with any other applicable governme	ital authority's rules, regulations of ordinances.	
I. Operator	Marhoh Energy Cornoration	OCPUD#	14049 DECEIVED	
Address:		OGRID #:	THUMP NEVEIVED	
Facility or well name:	Crunt State #1		JUN 2 9 2010	
API Number: 30:	0/5-37973	OCD Permit Number: 2/053	2	
I/L or Otr/Otr I	Section 30 Towns	hip19S Range26E Count	NMOCD ARTESIA	
Center of Proposed Design: Latitude Longitude NAD: \[\] 1927 \[\] 1983 Surface Owner: \[\] Federal \[\Delta State \[\] Private \[\] Tribal Trust or Indian Allotment				
2.				
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.3.103 NMAC				
attached. ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC ☐ Previously Approved Design (attach council APT Number. ☐ Previously Approved Operating and Maintenance Plan APT Number. ☐ Previously Approved Operating and Maintenance Plan APT Number. ☐ Previously Approved Operating and Maintenance Plan APT Number. ☐ Previously Approved Operating and Maintenance Plan APT Number. ☐ Previously Approved Operating and Maintenance Plan APT Number. ☐ Previously Approved Operating and Maintenance Plan APT Number.				
☐ Closure Plan (Ple	ease complete Box 5) - based upon the appeared Design (attach completed Design (attach completed Design (attach completed Design)	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.1		
Closure Plan (Plan Previously Approved Previously Approved S. Waste Removal Closure Plan (Plan Previously Approved Plan P	ease complete Box 5) - based upon the append Design (attack control of the ded Operating and Maintenance Plan Alere For Closed-loop Systems That Utilized autifus the facility or facilities for the design of the d	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.1 Prinumber. The Above Ground Steel Tanks or Haul-off Birlisposal of liquids, drilling fluids and drill cutti	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two	
Closure Plan (Plan Previously Approved Previously Approved S. Waste Removal Closure Plan (Plan Previously Approved Plan P	ease complete Box 5) - based upon the append Design (attack control of the ded Operating and Maintenance Plan Alere For Closed-loop Systems That Utilized autifus the facility or facilities for the design of the d	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.1 Principles. The Above Ground Steel Tanks or Haul-off Birlisposal of liquids, drilling fluids and drill cutting properties.	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166	
Closure Plan (Plan Previously Approved P	ease complete Box 5) - based upon the append Design (attack active of design (attack active of design (attack active of design	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.1 Principles. The Above Ground Steel Tanks or Haul-off Bin isposal of liquids, drilling fluids and drill cutting properties. Disposal Facility Permit Number:	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166	
Closure Plan (Plan Previously Approved P	ease complete Box 5) - based upon the append Design (attack controlled Plan Ale ed Operating and Maintenance	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.1 Privation: The Above Ground Steel Tanks or Haul-off Bing isposal of liquids, drilling fluids and drill cutting properties. Disposal Facility Permit Number: Disposal Facility Permit Number: Occiated activities occur on or in areas that will reconstruction.	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 nmber: not be used for future service and operations?	
Closure Plan (Plan (Plan Previously Approved Previously Approved Previously Approved Previously Approved State Removal Closus Instructions: Please if facilities are required. Disposal Facility Nation Disposal Facility Nation Previously Previou	ease complete Box 5) - based upon the append Design (attack course of Line) and Maintenance Plan Alere For Closed-loop Systems That Utilizandentify the facility or facilities for the dime: Controlled Recovery, Inc. Ged closed-loop system operations and assase provide the information below) Not a dreas which will not be used for future sold Cover Design Specifications based to	propriate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.12 Principles. The Above Ground Steel Tanks or Haul-off Bing isposal of liquids, drilling fluids and drill cutting properties. Disposal Facility Permit Number:	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 nmber: not be used for future service and operations? The H of 19.15.17.13 NMAC	
Closure Plan (Plan Previously Approved Previously Approved Previously Approved Previously Approved Previously Approved Previously Approved State Plane Plane	ease complete Box 5) - based upon the append Design (attach actual fed Operating and Maintenance Plan Alere For Closed-loop Systems That Utilizandentify the facility or facilities for the dame: Controlled Recovery, Inc. Ged closed-loop system operations and asse asse provide the information below) A dareas which will not be used for future so the dame of Cover Design Specifications - based upon the appropriate requirements on Plan - based upon the appropriate requirements.	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.12. Principles. The Above Ground Steel Tanks or Haul-off Binisposal of liquids, drilling fluids and drill cutting propriate and drill cutting propriate and operations: The Above Ground Steel Tanks or Haul-off Binisposal of liquids, drilling fluids and drill cutting propriate and drill cutting propriate and operations: The Above Ground Steel Tanks or Haul-off Binisposal Facility Permit Number: Disposal Facility Permit Number:	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 nmber: not be used for future service and operations? The H of 19.15.17.13 NMAC	
Closure Plan (Plan Previously Approved Previously Approved Previously Approved Previously Approved Previously Approved Previously Approved Plant Plant	ease complete Box 5) - based upon the appead Design (attack controlled Plan Ale Plan Ale Operating and Maintenance Plan A	riate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.12. Principles. Re Above Ground Steel Tanks or Haul-off Binisposal of liquids, drilling fluids and drill cutting propriate and drill cutting propriate and operations: Lead of the appropriate requirements of Subsection and the appropriate requirements of Subsection and Subsection G of 19.15.17.13 NMAC irements of Subsection G of 19.15.17.13 NMAC cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true, accurate and complete to the best cation is true.	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 umber: not be used for future service and operations? The H of 19.15.17.13 NMAC C of my knowledge and belief.	
Closure Plan (Plan Previously Approved Previously Approved Previously Approved Previously Approved Previously Approved Previously Approved Plant Plant	ease complete Box 5) - based upon the append Design (attach actual fed Operating and Maintenance Plan Alere For Closed-loop Systems That Utilizandentify the facility or facilities for the dame: Controlled Recovery, Inc. Ged closed-loop system operations and asse asse provide the information below) A dareas which will not be used for future so the dame of Cover Design Specifications - based upon the appropriate requirements on Plan - based upon the appropriate requirements.	propriate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.12 Principles. The Above Ground Steel Tanks or Haul-off Binisposal of liquids, drilling fluids and drill cutting propriate and drill cutting propriate and operations: The appropriate requirements of Subsection and the appropriate requirements of Subsection and Subsection G of 19.15.17.13 NMAC irements of Subsection G of 19.15.17.13 NMAC are accurate and complete to the best and Department. Title: Land Department	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 nmber: not be used for future service and operations? The H of 19.15.17.13 NMAC C of my knowledge and belief.	
Closure Plan (Plan Previously Approved Plane	ease complete Box 5) - based upon the appead Design (attack controlled Plan Ale Plan Ale Operating and Maintenance Plan A	propriate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.12 Principles. The Above Ground Steel Tanks or Haul-off Binisposal of liquids, drilling fluids and drill cutting propriate and drill cutting propriate and operations: The appropriate requirements of Subsection and the appropriate requirements of Subsection and Subsection G of 19.15.17.13 NMAC irements of Subsection G of 19.15.17.13 NMAC irements of Subsection G of 19.15.17.13 NMAC and the subsection is true, accurate and complete to the best that the subsection of the subsection G of 19.15.17.13 NMAC and the subsection is true, accurate and complete to the best that the subsection of the subsection of the subsection is true, accurate and complete to the best that the subsection of the subsection of the subsection of the subsection of the subsection is true, accurate and complete to the best that the subsection of the subsection	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 umber: not be used for future service and operations? The H of 19.15.17.13 NMAC C of my knowledge and belief.	
Closure Plan (Plan Previously Approved Plant	ease complete Box 5) - based upon the appead Design (attack controlled Plan Ale Plan Ale Operating and Maintenance Plan A	propriate requirements of 19.15.17.12 NMAC propriate requirements of Subsection C of 19.12 Principles. The Above Ground Steel Tanks or Haul-off Binisposal of liquids, drilling fluids and drill cutting propriate and drill cutting propriate and operations: The appropriate requirements of Subsection and the appropriate requirements of Subsection and Subsection G of 19.15.17.13 NMAC irements of Subsection G of 19.15.17.13 NMAC are accurate and complete to the best and Department. Title: Land Department	ns Only: (19.15.17.13.D NMAC) ngs. Use attachment if more than two R-9166 nmber: not be used for future service and operations? The H of 19.15.17.13 NMAC C of my knowledge and belief.	

OCD Approval: Permit Application (including closure plan) Closure R OCD Representative Signature: Title:	Approval Date: 07/08/20/0		
Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:			
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		

Design Plan Operating and Maintenance Plan Closure Plan

Crypt State #1
2310' FSL & 330' FWL
Section 30, T19S - R26E
Eddy County, New Mexico

Marbob will be using all above ground steel pits for fluid and cuttings while drilling. If any tank develops a leak we will have immediate visual discovery, we would then transfer the fluid to another tank then remove any contaminated soil and dispose of it in the cuttings bins for transportation. All leaks should be kept to less than 5 barrels. Rig crews will monitor the tanks at all times.

Equipment List:

Form C-144 CLEZ

- 1-Rig Shale Shaker
- 1- Clacko Settling Tank
- 2- Roll Off Bins w/ Tracks
- 1- 500 BBL Frac Tank

During drilling operations all liquids, drilling fluids and cuttings will be hauled off via CRI (Controlled Recovery Inc.) Permit R-9166 or any other approved facility.