

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-33030
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-992
7. Lease Name or Unit Agreement Name: Indian Basin 32 State
8. Well Number 7
9. OGRID Number 192463
10. Pool name or Wildcat Indian Basin Upper Penn Associated
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4213' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO RE-ENTER PLUG-BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-102) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other
2. Name of Operator OXY USA WTP Limited Partnership
3. Address of Operator PO BOX 4294, Houston, Texas 77210
4. Well Location Unit Letter <u>A</u> : <u>968'</u> feet from the <u>North</u> line and <u>1218'</u> feet from the <u>East</u> line Section <u>32</u> Township <u>21S</u> Range <u>24E</u> NMPM County <u>Eddy</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4213' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Procedure attached for OXY's first Indian Basin area well to be recompleted uphole in the Yeso formation. See attached work plan. If recompletion is unsuccessful please see attached C-103 contingency plugging.

See Attached

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jereme Robinson TITLE Regulatory Analyst DATE 06/08/2010
jereme_robinson@oxy.com
Type or print name Jereme Robinson E-mail address: jereme_robinson@oxy.com PHONE 713.366.5360

For State Use Only

APPROVED BY David Gray TITLE Field Supv. DATE 7-26-10
Conditions of Approval (if any):

OXY USA WTP LP
Indian Basin 32 State #7
30-015-33030
Sec. 32-21S-24E
Eddy County, New Mexico

Proposed Plug back and Recompletion of the Yeso formation. This is the first well in our Yeso development project, presented to Wesley Ingram/BLM and Darold Grey/NMOCD on May 26, 2010. OXY is committed to recomplete and or P&A a determined number of wells in this project per calendar year. Per the request of the NMOCD please find an attached C-103 for "Contingency P&A" should the recompletion of this well prove unsuccessful.

TD: 8780' PBTD: 8683' Perfs: 7859-8476'

Plug Back from Indian Basin Upper Penn to Glorieta/Yeso pool:
MIRU

POOH w/ tbg and ESP

Contact NMOCD at least 48 hours before setting plugs.

RIH w/ CIBP set @ 7809 w/ 25sx-100' cmt TAG from 7709-7809' (Plug #1).

Set 30sx cmt @ 7354-7214' TAG (Wolfcamp) (Plug #2).

Set 30sx cmt @ 4470-4330' (Plug #3).

Set 30sx cmt @ 3909-3759' TAG (Bone Springs) (Plug #4).

Use 10# MLF between plugs, all csg has cmt behind pipe.

Perf: Glorieta/Yeso @ 2900-2980' and 3170-3202' w/ 4 spf 120 degree phasing.

Frac w/ 200000# +/- propant.

Flow back well, production test, evaluate need for additional perfs or sqz.


RIH w/ tbg and rods, set on rod pump if needed.

*If unable to achieve production after evaluation the well will be P&A's the rest of the way up hole. See included contingency C-103 for P&A procedure. Also attached are current wellbore, recompletion/plug back, and proposed P&A diagrams.

All correspondence in regards to the above procedure should be sent to Jereme Robinson at PO BOX 4294, Houston, Texas 77210, or 713.366.5360 office, 832.518.0108 cell, Jereme_Robinson@oxy.com



OXY USA WTP LP - Proposed Plug Back and Recompletion
Indian Basin 32 State #7
API No. 30-015-33030



OXY USA WTP LP - Current
Indian Basin 32 State #7
API No. 30-015-33030



12-1/4" hole @ 1811'
9-5/8" csg @ 1811"
w/ 1540sx-TOC-Surf-Circ

Queen @ 483'

San Andres @ 1220'

Glorieta @ 2755'

Bone Springs @ 3859'

Wolfcamp @ 7304'

8-3/4" hole @ 8780'
7" csg @ 8780'
w/ 1254sx-TOC-Surf-Circ

Perfs @ 7859-8476'

PB-8683'

TD-8780'