# District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ July 21, 2008 sed-loop systems that only use above

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

## Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure


Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

environment. Nor does approval relieve the operator of its	responsibility to comply w	ith any other applicable	governmental author	rity's rules, regulations or ordinances.
Operator: WAtertord		OGRID#:	25916	9
Operator: WA FER CORD  Address: 1001 McKinnay 57. 5  Facility or well name: Crystal Amo	TE. 2000	Houston TX	1100Z	
Facility or well name: Crystal Amo	thyST 108			
API Number: 30-005-67 1142	OCI	Permit Number:	21061	2
U/L or Qtr/Qtr Section				
Center of Proposed Design: Latitude				
Surface Owner: X Federal  State Private Tr				
2.  Closed-loop System: Subsection H of 19.15.17.  Operation: Drilling a new well Workover or D  Above Ground Steel Tanks or Haul-off Bins		es which require prior a	pproval of a permi	t or notice of intent) 🔏 P&A
3. Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name,  Signed in compliance with 19.15.3.103 NMAC	site location, and emerger	ncy telephone numbers		
Closed-loop Systems Permit Application Attachmen Instructions: Each of the following items must be attached.  Design Plan - based upon the appropriate require Operating and Maintenance Plan - based upon the Closure Plan (Please complete Box 5) - based upon the Previously Approved Design (attach copy of design Previously Approved Operating and Maintenance Previously Approved Operating Ap	rements of 19.15.17.11 NM the appropriate requirement pon the appropriate requirement appropriate requirement API Number:	Please indicate, by a contact of 19.15.17.12 NMA	check mark in the i	t
Waste Removal Closure For Closed-loop Systems T Instructions: Please indentify the facility or facilities facilities are required.	for the disposal of liquid	s, drilling fluids and dr	ill cuttings. Use at	tachment if more than two
Disposal Facility Name: CRT	MACLEY MICC	Disposal Facility Per	rmit Number:	1M-01-0019
Disposal Facility Name:	s and associated activities			
Required for impacted areas which will not be used for  Soil Backfill and Cover Design Specifications -  Re-vegetation Plan - based upon the appropriate  Site Reclamation Plan - based upon the appropriate	- based upon the appropria requirements of Subsection	ate requirements of Sub on I of 19.15.17.13 NM	AC	.17.13 NMAC
Operator Application Certification:  I hereby certify that the information submitted with thi  Name (Print): OAM Egg less top	s application is true, accur	rate and complete to the	best of my knowle	edge and belief.
Signature: Juy ly	,	Date:	- XZ-10	
e-mail address:		Telephone:	132-56	5-3365

OCD Approval: Permit Application (including closure plan) Closure Pl	an (only)
OCD Representative Signature:	100 Approval Date: 07/27/2010
Title: DIST H Superursor	OCD Permit Number: 2/06/2
8.  Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure	o implementing any closure activities and submitting the closure report. in the closure report. The complete this
9.	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems	
Instructions: Please indentify the facility or facilities for where the liquids, drill two facilities were utilized.	ing fluids and arill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	an areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation)	ons:
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
10.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.	
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

Water-Eard OPN
Crystal Amethyst 108
30-025-06709
U/L M, Section 8 T/3S, 28 E
Charles County, New Mexico



All distances approximate Not to scale

Water tood Operating LAC

Morgan Fed #1

Sec. 8, T-13)-S, R-28-E

CHAVES Co., NM

API#: 30-006-62742

### Equipment & Design:

State of NM (WAterford apends) will use a closed loop system in the plug and abandonment of this well. The following equipment will be on location:

(1) 250 bbl steel reverse tank

#### Operations & Maintenance:

During each day of operation, the rig's crew will inspect and closely monitor the fluids contained within the steel tank and visually monitor any release that may occur. Should a release, spill or leak occur, the NMOCD District 1 office Hobbs (575-393-6161) will be notified, as required in NMOCD's rule 19.15.29.8.

#### Closure:

After plugging operations, fluids and solids will be hauled and disposed at Gandy-Marley Disposal's location, permit number NM 01-0019. Secondary site will be Sundance Disposal, permit number NM 01-0003.

#### I. Design Plan

Above ground steel tanks will be used for the management of all workover fluids.

#### II. Operations and Maintenance Plan

Basic Energy will operate and maintain all of the above ground steel tanks involved in plugging operations in a prudent manner to prevent any spills. If a leak develops, the appropriate division district office will be notified within 48 hours of the discovery and the leak will be addressed. During an upset condition the source of the spill is isolated and addressed as soon as it is discovered. Free liquids will be removed and loose topsoil will be used to stabilize the spill. The contaminated soil will be either bioremediated or excavated and taken to an agency approved disposal facility.

#### III. Closure Plan

All plugging fluids will go to above ground steel tanks and will be hauled by various trucking companies to an agency approved disposal facility.

Impacted areas which will not be used for future service or operations will be reclaimed and reseeded as stated in the APD.