OCD-ARTESIA

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB No. 1004-0137 Expires: March 31, 2007

5. Lease Serial No. NMLC-029419A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2.				7. lt	7. If Unit of CA/Agreement, Name and/or No.	
I. Type of Well						
Oil Well Gas Well Other					Vell Name and No. elly #978	
2. Name of Operator Chevron				9. API Well No. 30-015-36062		
15 Smith Road, Midland, TX 79705 (432) 687-72			o. (include area co		10. Field and Pool or Exploratory Area	
			7-7243, (432) 210-4361		Fren; Glorieta - Yeso	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)					Country or Parish,	State
30' FNL & 2310' FEL, Sec 22, T17S, R31E, Unit B		Eddy Co		dy County, NM	County, NM	
12. CHECK	THE APPROPRIATE B	OX(ES) TO INI	DICATE NATUR	E OF NOTICE, R	EPORT OR OTH	ER DATA
TYPE OF SUBMISSION			TY	PE OF ACTION		
✓ Notice of Intent	Acidize	Dee	pen	Production	n (Start/Resume)	Water Shut-Off
	Alter Casing	Frac	ture Treat	Reclamati	on	Well Integrity
Subsequent Report	Casing Repair	☐ New	v Construction	Recomple	te	✓ Other Flowline
	Change Plans	Plug	g and Abandon	Temporari	ily Abandon	
the proposal is to deepen directionall Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab	y or recomplete horizontark will be performed or properations. If the operation on the control of the control o	ertinent details, in a light subsurtion results in a light subsurtier results results in a light subsurtier results results re	face locations and No. on file with I multiple complete	measured and tru BLM/BIA. Requi on or recompletion	any proposed worl the vertical depths of red subsequent rep of in a new interval	of all pertinent markers and zones ports must be filed within 30 days , a Form 3160-4 must be filed on
3. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fi	ration: Clearly state all person or recomplete horizontarick will be performed or properations. If the operations and onment Notices must inal inspection.)	ertinent details, ally, give subsur rovide the Bond tion results in a t be filed only af	including estimate face locations and I No. on file with I multiple completion fter all requiremen	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including recla	any proposed worl the vertical depths of red subsequent rep of in a new interval	of all pertinent markers and zones orts must be filed within 30 days , a Form 3160-4 must be filed on completed and the operator has
13. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit Chevron USA Inc. respectfully reques Skelly Unit # 946 330' FNL & 1650' FEL, Sec 22, T-17S	ration: Clearly state all person or recomplete horizontal will be performed or properations. If the operation and onment Notices must in all inspection.)	ertinent details, ally, give subsur rovide the Bond tion results in a t be filed only af	including estimate face locations and I No. on file with I multiple completion fter all requiremen	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including recla	any proposed worl the vertical depths of red subsequent rep of in a new interval	of all pertinent markers and zones ports must be filed within 30 days , a Form 3160-4 must be filed one
3 Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attach the the street is ready for fice the proposed of the complete of the Chevron USA Inc. respectfully reques Skelly Unit # 946 and FEL, Sec 22, T-17S API # 30-015-32965	ration: Clearly state all person or recomplete horizontal will be performed or properations. If the operation and onment Notices must in all inspection.)	ertinent details, ally, give subsur rovide the Bond tion results in a t be filed only af	including estimate face locations and I No. on file with I multiple completion fter all requiremen	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including recla	any proposed worl the vertical depths of red subsequent rep of in a new interval	of all pertinent markers and zones forts must be filed within 30 days a Form 3160-4 must be filed one completed and the operator has
3. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attach the that the site is ready for final chevron USA Inc. respectfully reques Skelly Unit # 946 30' FNL & 1650' FEL, Sec 22, T-17S PI # 30-015-32965 Eddy County, NM	ration: Clearly state all person or recomplete horizontal will be performed or properations. If the operation and onment Notices must final inspection.) ts permission to add a permission to a permi	ertinent details, ally, give subsur rovide the Bond tion results in a t be filed only af	including estimate face locations and I No. on file with I multiple completion fter all requiremen	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including recla	any proposed worl the vertical depths of red subsequent rep of in a new interval	of all pertinent markers and zones ports must be filed within 30 days, a Form 3160-4 must be filed on completed and the operator has RECEIVED
3. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attached that the site is ready for final Chevron USA Inc. respectfully reques Skelly Unit # 946 330' FNL & 1650' FEL, Sec 22, T-17S API # 30-015-32965 Eddy County, NM	ration: Clearly state all psy or recomplete horizont ark will be performed or properations. If the operations and onment Notices must mal inspection.) ts permission to add a , R-31E, Unit B	ertinent details, ally, give subsur rovide the Bond tion results in a t be filed only af	including estimate face locations and I No. on file with I multiple completion fter all requiremen	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including recla	any proposed worl the vertical depths of red subsequent rep of in a new interval	of all pertinent markers and zones ports must be filed within 30 days, a Form 3160-4 must be filed on completed and the operator has RECEIVED
3. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit Chevron USA Inc. respectfully requestively Unit # 946 (30° FNL & 1650° FEL, Sec 22, T-17S (API # 30-015-32965) (Eddy County, NM) The attached map denotes the flowling the line will be primarily used for gath will construction will be supervised by discovered, work will stop and the BLM	ration: Clearly state all person or procomplete horizontal chewill be performed or properations. If the operations in the operation of the ope	ertinent details, ally, give subsur rovide the Bond tion results in a toe filed only af flowline startin	including estimate face locations and I No. on file with I multiple completion for all requirements at this location corporate safety	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including reclarand routed to	any proposed work ie vertical depths of red subsequent rep in a new interval amation, have been	of all pertinent markers and zones ports must be filed within 30 days, a Form 3160-4 must be filed on completed and the operator has DEC 14 2010 NMOCD ARTESI
3 Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit Chevron USA Inc. respectfully requestively Unit # 946 (30° FNL & 1650° FEL, Sec 22, T-17S API # 30-015-32965 (Eddy County, NM) The attached map denotes the flowling the line will be primarily used for gath will construction will be supervised by discovered, work will stop and the BLM incovered.	ration: Clearly state all person or procomplete horizontal chewill be performed or properations. If the operations in the operation of the ope	ertinent details, ally, give subsur rovide the Bond tion results in a toe filed only af flowline startin	including estimate face locations and I No. on file with I multiple completion for all requirements at this location corporate safety	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including reclarand routed to	any proposed work ie vertical depths of red subsequent rep in a new interval amation, have been	of all pertinent markers and zones ports must be filed within 30 days, a Form 3160-4 must be filed on completed and the operator has DEC 14 2010 NMOCD ARTESI
3. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the won following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit Chevron USA Inc. respectfully requestively Unit # 946 and Final Abdetermined that the site is ready for fit Chevron USA Inc. respectfully requestively Unit # 946 and Final Abdetermined that the site is ready for fit Chevron USA Inc. respectfully requestively Unit # 946 and Final Abdetermined that the site is ready for fit in the site i	ration: Clearly state all person or procomplete horizontal chewill be performed or properations. If the operations in the operation of the ope	ertinent details, ally, give subsur rovide the Bond tion results in a toe filed only af flowline startin	including estimate face locations and I No. on file with I multiple completion for all requirements at this location corporate safety	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including reclarand routed to	any proposed work ie vertical depths of red subsequent rep in a new interval amation, have been	of all pertinent markers and zones ports must be filed within 30 days, a Form 3160-4 must be filed on completed and the operator has DEC 14 2010 NMOCD ARTESI.
13. Describe Proposed or Completed Oper the proposal is to deepen directionally Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit Chevron USA Inc. respectfully reques Skelly Unit # 946	ration: Clearly state all psy or recomplete horizontaric will be performed or properations. If the operations in the important in the importan	ertinent details, ally, give subsur rovide the Bond tion results in a toe filed only af flowline startin	including estimate face locations and I No. on file with I multiple completion for all requirements at this location corporate safety	d starting date of measured and tru BLM/BIA. Requi on or recompletion ts, including reclarand routed to	any proposed work ie vertical depths of red subsequent rep in a new interval amation, have been	of all pertinent markers and zones ports must be filed within 30 days, a Form 3160-4 must be filed on completed and the operator has DEC 14 2010 NMOCD ARTESI.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Title

Office

Is/ Don Peterson

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify

that the applicant holds legal or equitable title to those rights in the subject lease which would



FIELD MANAGER

CARLSBAD FIELD OFFICE

DEC 1 3 2010

entitle the applicant to conduct operations thereon.

Approved by

980

Type = Carbon Steel, Size = 2 3/8", Surface, 60 psi

Destination point = The pipeline will be connected to Skelly Unit 945's existing casing gas flowline. The tie-in point will be on the SKU 945 well pad.

978

Type = Carbon Steel, Size = 2 3/8", Surface, 60 psi

Destination point = The pipeline will be connected to Skelly Unit 946's existing casing gas flowline. The tie-in point will be on the SKU 946 well pad.

849


Type = Carbon Steel, Size = 2 3/8", Surface, 60 psi

Destination point = The pipeline will be connected to Skelly Unit 964's existing casing gas flowline. The tie-in point will be on the SKU 964 well pad.

635

Type = Carbon Steel, Size = 2 3/8", Surface, 60 psi

Destination point = The pipeline will also be connected to Skelly Unit 964's existing casing gas flowline. The tie-in point will also be on the SKU 964 well pad.



BLM LEASE NUMBER: NMLC29420A, NMLC29419A COMPANY NAME: Chevron USA, Inc. WELL NO. & NAME: Skelly Unit 849, 635, 980, 978

STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the Sundry Notices and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:
- a. Activities of the holder including, but not limited to construction, operation, maintenance, and termination of the facility.

b. Activities of other parties including, but not limited to: (1) Land clearing. (2) Earth-disturbing and earth-moving work. (3) Blasting. (4) Vandalism and sabotage. Acts of God. c. The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred. This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States. 5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system. impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein. 6. The authorized right-of-way width will be feet. 14 feet of the right-of-way width will consist of existing disturbance (existing lease roads) and the remaining 6 feet will consist of area adjacent to the disturbance. All construction and maintenance activity will be confined to existing roads. 7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer. 8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features. 9. The pipeline shall be buried with a minimum of 24 inches under all roads, "twotracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface. 10. The holder shall minimize disturbance to existing fences and other improvements on public

lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

- 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.
- 13. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.
- 14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.
- 15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

16. Special Stipulations: Lesser Prairie-Chicken COAs

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period.