Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and

fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

FORM APPROVED OMB No. 1004-0137 Expires: March 31, 2007

5. Lease Serial No.

NMLC-028446-A

or agency of the United States any false,

6. If Indian, Allottee or Tribe Name

abandoned well.	USE FORM 3160-3 (A	וטא) זסר sucn propos	ais.			
SUBMIT IN TRIPLICATE – Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well ✓ Oil Well Gas Well Other				8. Well Name and No. Mark Twain 5 Federal Com 1H		
2. Name of Operator Devon Energy Production Co., LP				9. API Well No. 30-015-38280		
3a. Address 20 North Broadway OKC, OK 73102	3b. Phone No. <i>(include area code)</i> (405)-552-7802		10. Field and Pool or Exploratory Area Dog Canyon; Wolfcamp			
4. Location of Well <i>(Footage, Sec., T.,R.,M., or Survey Description)</i> SESE SL: 990' FSL & 480' FEL BHL: 990' FSL & 330' FWL Sec 5-T17S-R28E				11. Country or Parish, State Eddy County, NM		
12. CHEC	K THE APPROPRIATE BO	X(ES) TO INDICATE NATI	JRE OF NOTIC	E, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION TYPE OF			TYPE OF ACT	CTION		
✓ Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Recla	uction (Start/Resume) Water Shut-Off amation Well Integrity		rity
Subsequent Report	Casing Repair Change Plans	☐ New Construction☐ Plug and Abandon	=			e-Set Surf Casing w/Ashton Rig
Final Abandonment Notice	Convert to Injection	Plug Back	☐ Wate	r Disposal		
the proposal is to deepen directional Attach the Bond under which the was following completion of the involvitesting has been completed. Final determined that the site is ready for MARK TWAIN 5 FEDERAL COM 11 DRILLING SUNDRY – PRESET SUMHC 12.13.10 The surface casing will be set using This rig will be used only to set the stremainder of the wellbore. The reast The BLM will be contacted prior to complete the Ashton right has left the location. Orders No.2 when the drilling right of the BLM will be secured with a cap with the Ashton right has left the location.	work will be performed or pro- ed operations. If the operation of the oper	ovide the Bond No. on file wi on results in a multiple compl be filed only after all requiren es rig. The rig plat is attach tive the location once the su rig to set surface are: rig av tions. The surface casing vasing. Another rig will be o	th BLM/BIA. Retion or recomp nents, including ned. rface casing h vailability and e vill be run and n location to d off location. T	as been run and cemeconomics. cemented back to surill the remainder of the surface casing with the surface casing with the surface casing with the remainder of the surface casing with the surface c	ports must be filed i, a Form 3160-4 in a Completed and th RECEI DEC 22 NMOCD A mented. Another urface as per the the wellbore withi Il be tested as per	within 30 days nust be filed once the operator has VED 2010 RTESIA rig will drill the approved APD. in 60 days after er BLM Onshore
14. I hereby certify that the foregoing is to Name (Printed/Typed) Stephanie A. Ysasaga	rue and correct.	Title Oper	ations Enginee	ering Advisor		
Signature	_//.	Date 12/13	3/2010			
	THIS SPACE	FOR FEDERAL OR	TATE OF	PROVED		
Approved by Conditions of approva, if any, are avached that the applicant holds legal or equitable to				EC 13 2010 stin Winkler	Date	
entitle the applicant to conduct operations	thereon		.,		19 (

95 FEET

Ysasaga, Stephanie

From: Ysasaga, Stephanie

Sent: Monday, December 13, 2010 10:33 AM

To: 'Wesley_Ingram@blm.gov'; 'Dustin_Winkler@blm.gov'

Subject: Mark Twain 5 Federal Com 1H & 3H: NOI - Pre-Set Surface Casing w/Ashton Rig

Attachments: Mark Twain 5 Federal Com 1H_NOIARig.pdf; Mark Twain 5 Fed Com

3H_NOIARig.pdf

Wesley or Dusty,

Attached are the NOI's to pre-set surface casing with the Ashton rig. Hard copies to follow in the mail via Fed-Ex next day. :)





Mark Twain 5 ederal Com 1H_NO.

Mark Twain 5 Fed Com 3H_NOIARi...

Stephanie A. Ysasaga

Sr. Staff Engineering Technician (405)-552-7802 Phone (405)-721-7689 Cell (405)-552-8113 Fax Corporate Tower 03.056 Stephanie.Ysasaga@dvn.com