		LD Artesia	EA 11-20
U.S. Department of the Interior	Well Iformation System		MARY STARKI
rocess Number: 3160-5 rocess Name: Sundry Notices and R rocess Instance Identifier: 00752-0			Viewin
close Process print Process details attachments	reset fill save	to bottom	·
(August 2007) DEPARTM BUREAU C	NITED STATES IENT OF THE INTER IF LAND MANAGEM ES AND REPORTS (	IENT	JAN 05 2011
	oosals to drill or to re-ente 60-3 (APD) for such propo d* fields are required.		ed well.
Section 1	- Completed by Operate	or	
1. BLM Office* Carlsbad, NM	2. Well Type* OTHER		
3. Submission Type*	<b>4. Action*</b> Other Sundry Ne	otice	· · ·
Operati	ng Company Information		·
5. Company Name* BURNETT OIL			
6. Address* 801 CHERRY ST STE 1500	7. Phone Numb 817-332-5108	er*	
FORT WORTH TX 76102			
	rative Contact Informatio	n	
8. Contact Name* MARY _ STARKEY	9. Title* Regulatory Coor	dinator	
10. Address* 801 CHERRY STREET SUITE 1500	<b>11. Phone Num</b> 817-332-5108		
FORT WORTH TX 76102	12. Mobile Num	ber	
1			

7

Technical Contact Information					
Check here if Technical Contact is the same as Administrative Contact.					
15. Contact Name*		16. Title*			
17. Address*		18. Phone Number*			
	-		19. Mobile Number		
			21. Fax Number		
		Lease and	Agreement		
<b>22. Lease Serial Numbe</b> NMLC029338A	r*				
24. If Unit or CA/Agreement, Name and/or Number		<b>25. Field and Pool, or Exploratory Area*</b> NOT APPLICABLE			
		County and S	State for Well		
26. County or Parish, S EDDY NM	tate*				
	A	ssociated W	ell Information		
27. Specify well using or a) Well Name, Well Numbo b) Well Name, Well Numbo	er, API Numbe	er, Section, To	wnship, Range, Qtr/Qtr, N		
Well Name* GISSLER A		Well Number* 22	API Number		
Section Township 14 17S	Range 30E	Qtr/Qtr	N/S Footage	E/W Footage	
Latitude Longitude	Metes and Bounds				
28. Describe Proposed or Completed Operation Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all markers and zones. Attach the Bond under which the work will be performed or provide the Bond Number on file pertinent with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection. Burnett Oil Co., Inc respectfully requests a permit to construct a frac pond to be located in the above sec, township and range. Attached is a surveyed plat describing in detail the exact location of the frac pond, as well as a diagram of the pond with dimensions. Burnett Oil Co.,Inc. also respectfully requests that this permit be expedited. The following is a list of wells to be serviced by this pond: Gissler A2 Battery Wells: Gissler A #17, 18, 19, 20, 21, 23H, 24, 25, 26, 27H, 28H, 31, 32, 33H, 37					

JUMIN

U FREUENESS

			1		
Gissler B 3-3 Battery Wells: Gissle	r B # 20, 24, 25	5, 31, 32,	34, 35, 36, 37, 38, 43,50, 61		
Request pond to be in place for 5 years.					
Flowline: No flowline: Yates fresh Access Road: West side of pond, ru Stockpile Topsoil: North east side p Construction: Fence in ground, not	nning north an		o pond		
Size: 200' x 200' pond floor, depth o Exterior Deminsions: 230' x 230'	of pond 14'				
I hereby certify that the foregoing is	true and correct	ct.			
29. Name*	29. Name*		30. Title		
MARY_STARKEY		Regulatory Coordinator			
31. Date* (MM/DD/YYYY)			32. Signature*		
12/14/2010 Today			ave the ability to sign this form only if a SmartCard or a certificate has been issued to you.		
		G			
Title 18 U.S.C. Section 1001 and Ti knowingly and willfully to make to a or fraudulent statements or represent	any department	t or agenc	y of the United States any false, fictitious		
Sectio	n 2 - System R	leceipt C	onfirmation		
33. Transaction	34. Date S	ent	35. Processing Office		
Saat	ion 3 - Interna	Ravion	#1 Status		
36. Review Category	37. Date	I INEVIEW	38. Reviewer Name		
50. Review Category	Completed	1	56. Reviewel Name		
-					
39. Comments					
<u></u>					
Sect	ion 4 - Interna	I Review	#2 Status		
40. Review Category	41. Date		42. Reviewer Name		
	Completed	1			

43. Comments					
· · · · · · · · · · · · · · · · · · ·	Section 5 - Internal Revi	ew #3 Status			
44. Review Category	45. Date	46. Reviewer Name			
	Completed				
47. Comments					
·					
	Section 6 - Internal Revi				
48. Review Category	49. Date Completed	50. Reviewer Name			
		·······			
51. Comments					
· · · · · · · · · · · · · · · · · · ·					
Section 7 - Final Approval Status					
52. Disposition 53. Date Complet	IS/I RAVIANAR N				
56. Comments		DD			

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard local area, or regional procedures and practices, either are shown below will be issued by, or may be obtained from the local Federal office.

# SPECIFIC INSTRUCTIONS

*Item* 27 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 28* - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.



GISSLER A 22







"Mary C. Starkey" <mcstarkey@burnettoil.com> 12/14/2010 09:57 AM

- To <Owen\_lofton@nm.blm.gov>, <robert\_gomez@nm.blm.gov>
- cc <Randy\_Rust@blm.gov>, <bmathews@burnettoil.com>,
   "Mark Jacoby" <mjacoby@burnettoil.com>

bcc

Subject FW: EC Tran 98983 Rejected

What I received from Carlsbad BLM regarding frac pond.

Mary Carter Starkey

Regulatory Coordinator Burnett Oil Co., Inc. 801 Cherry St. Ste. 1500 Fort Worth, Texas 76102 817-332-5108

----Original Message----From: kmsimmon@blm.gov [mailto:kmsimmon@blm.gov] Sent: Tuesday, December 14, 2010 10:59 AM To: Mary C. Starkey Subject: EC Tran 98983 Rejected

Hi Mary,

Frac ponds that are not attached to a single well are not entered into AFMSS, but treated as a Right-Of-Way issue through the Realty dept. I will give them a copy of the printed SN you sent, but need to reject it here. Please contact Owen Lofton at 575-234-5923 to find out what is required. Thanks and Merry Christmas! Kurt

## Lease #: NMLC029338A Burnett Oil Company Inc. Gissler A 22 Central Freshwater (Frac) Facility

### FRAC POND CONDITIONS OF APPROVAL

A copy of the Sundry Notice and attachments, including stipulations, survey plat and diagram, will be on location during construction. BLM personnel may request to see a copy of your permit during construction to ensure compliance with all conditions of approval.

Holder agrees to comply with the following conditions of approval to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this permit.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated.

3. Required Standard Conditions of Approval:

- Contact the Supervisory Environmental Protection Specialist, Jim Amos, at 575-234-5909 at least 24 hours prior to starting construction.
- The frac pond will only be authorized to contain freshwater and testing of water quality is required. Additives are not allowed without consent of the authorized officer.
- If at any time the water in the frac pond becomes polluted with salts or other contaminants, use of the frac pond will cease and desist, and all liquids will be removed from the frac pond and disposed of properly.
- Confine all construction and maintenance activity to the authorized area.
- Temporary pipelines flowing from the frac pond to the target well will be laid along existing roadways unless an exception has been granted by the authorized officer.
- Mineral materials extracted during construction of the frac pond will be stored onlocation and/or used for constructing the frac pond.
- The frac pond will be lined.
- The operator shall stockpile topsoil approximately 25 feet outside the bermed perimeter of the pond in a low profile manner, reasonably protected from wind and water erosion

- The frac pond shall be fenced on all sides.
- Frac pond boundary fences will be marked by using highly visible and/or reflective markers
- Inner walls of the frac pond will have a minimum of a 3:1 slope ratio in order to minimize the entrapment of fauna
- Install earthen erosion-control structures as are suitable for the specific terrain and soil conditions.
- The plastic lining will be removed prior to final abandonment
- Reclamation efforts will commence immediately after the frac pond is no longer needed for the purpose of completing wells.
- Within 3 months of completion of frac operations on associated wells, all earthwork and final reclamation must be completed. This includes reclaiming and/or removal of:

Any roads approved for use with the pond

Surface water lines

Tanks, pumps, fencing etc.

• Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

#### **Requirements for Operations and Final Reclamation:**

4. If, during any phase of the construction, operation, maintenance, or termination of the frac pond, any pollutant should be released from the contaminated frac pond, the control and total removal, disposal, and cleaning up of such pollutant, wherever found, shall be the responsibility of holder, regardless of fault.

5. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the

passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

6. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

7. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

8. After all disturbed areas have been satisfactorily contoured and prepared for seeding the location needs to be revegetated with the seed mixture provided. Seeding may need to be repeated until revegetation is successful. Operators shall contact Jim Amos, Supervisor, Environmental Protection – (575)234-5909, **prior** to beginning surface reclamation operations.

9. Seeding is required: Use the following seed mix.

## LPC mixture

10. The topsoil to be stripped is approximately 4 inches in depth.

11. Special Stipulations: Temporary Freshwater Lines are authorized along existing roadways only. If the operator wishes to lay a FW line across open terrain a separate approval must be obtained by the BLM-CFO.

12. Upon failure of holder to control, dispose of, or clean up such discharge, or to repair all damages resulting there-from, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

EA File # 11-0281