

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
October 13, 2009OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-015-38105

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Chimayo 16 State SWD

8. Well Number

3

9. OGRID Number

6137

10. Pool name or Wildcat

<90802> SWD; Bell Canyon - Cherry Canyon PK

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ Salt Water Disposal

2. Name of Operator

Devon Energy Production Company, LP

3. Address of Operator

20 North Broadway, Oklahoma City, OK 73102

405.552.4615

4. Well Location

Unit Letter F : 1610 feet from the North line and 1455 feet from the West line

Section 16 Township 25S Range 29E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3015' KB; 2999' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐OTHER: RE-ENTER /SIDETRACK ☐OTHER: ☒ Completed as SWD. SWD-1235

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Completion sundry for SWD.

- 10/26/10-MIRU for completion. RIH w/bit to 4202' TD.
- RIH w/packer and work string to 2876'. Acidized open hole section of Bell and Cherry Canyon formation with 10,000 gals 7.5% HCL w/60000# of rock salt for diverter. Open and flow back load. POOH w/packer and workstring.
- RIH w/3-1/2", 9.3#, L80 fiberglass lined injection tubing and packer. Set packer at 2871'. Ran MIT test on 8-5/8" casing on 11/1/10. MIT witnessed by Darold Gray with NMOCD. Original MIT chart filed with NMOCD.
- Construct salt water disposal facilities.
- 1/10/11: Turn well to salt water disposal into Bell Canyon and Upper Cherry Canyon open hole formation from 2957' to 4202'. Injected 1165 BWPD, 538 PSI Injection Pressure, 0 PSI CP.

Spud Date: 9/25/10 (drilling)

Rig Release Date: 10/5/10 (drilling)

8-18-2010 SWD-1235

RECEIVED
JAN 21 2011
NMOCD ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ronnie Slack TITLE Operations Technician DATE 1/18/11Type or print name Ronnie Slack E-mail address: Ronnie.Slack@dmn.com PHONE: 405.552.4615

For State Use Only

APPROVED BY: Rebecca Inge TITLE Compliance Officer DATE 1/24/11

Conditions of Approval (if any):

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: CHIMAYO 16 STATE #3 SWD		Field: WILLOW LAKE SOUTHEAST	
Location: 1610' FNL & 1455' FWL; SEC 16-T25S-R29E		County: EDDY	State: NM
Elevation: 3015 KB; 2999' GL; 16'-KB TO GL		Spud Date: 9/25/10	Compl Date: 1/10/11
API#: 30-015-38105	Prepared by: Ronnie Slack	Date: 1/11/11	Rev:

ACTUAL SWD SCHEMAT

14-3/4" Hole
11-3/4", 42#, H40, STC @ 704'
 Cement w/400 sx to surface

11" Hole
8-5/8", 24#, J55, STC, 0' - 1846'
8-5/8", 32#, J55, LTC, 1846' - 2957'
 Cement w/825 sx to surface

BELL CANYON / UPPER CHERRY CANYON FORMATION
 OPEN HOLE INJECTION INTERVAL FROM 2957' TO 4202'

3-1/2", 9.3#, L80 fiberglass lined Inj tubing

On-Off Tool
 8-5/8" IPC Arrowset 1X Packer @ 2871
 4-1/2" Wireline re-entry guide. EOT 2880'.

7-7/8" Open Hole drilled to 4,202' TD

4,202' TD

