

30-019-37954


Location: Eddy County, NM_1
Field: Lost Tank
Facility: Lost Tank Pad I


Slot: Lost Tank 4 Fed No. 11
Well: 4 Fed No. 11
Wellbore: 4 Fed No. 11 PWB

**BAKER
HUGHES**
INTEQ

Well Profile Data								
Design Comment	MD (ft)	Inc (°)	Az (°)	TVD (ft)	Local N (ft)	Local E (ft)	DLS (7100ft)	VS (ft)
Tie On	3814.00	3.20	117.900	3812.89	-41.71	11.66	0.00	1.27
Pri to bit	3890.00	3.20	117.900	3888.77	-43.69	15.41	0.00	-1.72
EST. KOP	3970.00	3.20	117.900	3968.65	-45.78	19.35	0.00	-4.67
EOB	5715.82	32.505	255.178	5628.03	-193.17	-404.25	2.00	443.40
4 No. 11 Fed #11 BC A	8071.88	32.505	255.178	7615.00	-517.07	-1628.22	0.00	1708.32
4 No. 11 Fed #11 PBHL	8469.27	32.505	255.178	7967.00	-574.45	-1845.05	0.00	1932.41

Plot reference wellpath is Plan #1	
True vertical depths are referenced to Rig on No. 11 SHL (KB)	Grid System: NAD27 / TM New Mexico State Planes, Eastern Zone (3001), US feet
Measured depths are referenced to Rig on No. 11 SHL (KB)	North Reference: Grid north
Rig on No. 11 SHL (KB) to Mean Sea Level: 3457.5 feet	Scale: True distance
Mean Sea Level to Mud line (Facility: Lost Tank Pad I): -3441 feet	Depths are in feet
Coordinates are in feet referenced to Slot	Created by: gomeoscon 11/28/2010





Actual Wellpath Report

4 Fed No. 11 AWP

Page 1 of 5



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	OXY Permian	Slot	Lost Tank 4 Fed No. 11
Area	Eddy County, NM	Well	4 Fed No. 11
Field	Lost Tank	Wellbore	4 Fed No. 11 AWB
Facility	Lost Tank Pad I		

REPORT SETUP INFORMATION

Projection System	NAD27 / TM New Mexico State Planes, Eastern Zone (3001), US feet	Software System	WellArchitect® 2.0
North Reference	Grid	User	Gomeoscr
Scale	0.999942	Report Generated	12/8/2010 at 8:28:05 AM
Convergence at slot	0.29° East	Database/Source file	WA Midland/4_Fed_No._11_AWB_.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[USft]	Northing[USft]	Latitude	Longitude
Slot Location	0.00	0.00	669635.60	518278.60	32°25'25.183"N	103°47'00.863"W
Facility Reference Pt			669635.60	518278.60	32°25'25.183"N	103°47'00.863"W
Field Reference Pt			677702.20	514850.60	32°24'50.840"N	103°45'26.970"W

WELLPATH DATUM

Calculation method	Minimum curvature	Rig on No. 11 SHL (KB) to GL	16.50ft
Horizontal Reference Pt	Slot	Rig on No. 11 SHL (KB) to Mean Sea Level	3457.50ft
Vertical Reference Pt	Rig on No. 11 SHL (KB)	GL to Mud Line (Facility)	0.00ft
MD Reference Pt	Rig on No. 11 SHL (KB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	252.38°



Actual Wellpath Report

4 Fed No. 11 AWP

Page 2 of 5




INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	OXY Permian	Slot	Lost Tank 4 Fed No. 11
Area	Eddy County, NM	Well	4 Fed No. 11
Field	Lost Tank	Wellbore	4 Fed No. 11 AWP
Facility	Lost Tank Pad I		

WELLPATH DATA (118 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]	Comments
0.00	0.000	304.920	0.00	0.00	0.00	0.00	669635.60	518278.60	32°25'25.183"N	103°47'00.863"W	0.00	
91.50	0.550	304.920	91.50	0.27	0.25	-0.36	669635.24	518278.85	32°25'25.185"N	103°47'00.868"W	0.60	
186.50	0.570	308.800	186.49	0.81	0.81	-1.10	669634.50	518279.41	32°25'25.191"N	103°47'00.876"W	0.05	
279.20	0.590	306.730	279.19	1.34	1.38	-1.84	669633.76	518279.98	32°25'25.196"N	103°47'00.885"W	0.03	
369.60	0.580	306.910	369.58	1.88	1.94	-2.58	669633.02	518280.54	32°25'25.202"N	103°47'00.893"W	0.01	
461.20	0.550	306.290	461.18	2.40	2.47	-3.31	669632.29	518281.07	32°25'25.207"N	103°47'00.902"W	0.03	
551.30	0.510	305.960	551.28	2.90	2.97	-3.98	669631.62	518281.57	32°25'25.212"N	103°47'00.910"W	0.04	
642.60	0.570	299.330	642.57	3.45	3.43	-4.71	669630.89	518282.03	32°25'25.217"N	103°47'00.918"W	0.09	
698.00	0.600	246.300	697.97	3.92	3.45	-5.21	669630.39	518282.05	32°25'25.217"N	103°47'00.924"W	0.94	
804.00	0.800	236.900	803.96	5.19	2.82	-6.34	669629.26	518281.42	32°25'25.211"N	103°47'00.937"W	0.22	
939.00	0.700	245.900	938.95	6.92	1.97	-7.88	669627.72	518280.57	32°25'25.203"N	103°47'00.955"W	0.11	
1074.00	0.800	243.900	1073.94	8.67	1.22	-9.48	669626.12	518279.82	32°25'25.195"N	103°47'00.974"W	0.08	
1209.00	0.900	235.000	1208.92	10.61	0.19	-11.20	669624.40	518278.79	32°25'25.185"N	103°47'00.994"W	0.12	
1344.00	0.900	234.200	1343.91	12.63	-1.04	-12.92	669622.68	518277.56	32°25'25.173"N	103°47'01.014"W	0.01	
1479.00	1.200	235.500	1478.88	14.99	-2.46	-14.95	669620.65	518276.14	32°25'25.159"N	103°47'01.038"W	0.22	
1615.00	1.100	221.100	1614.86	17.47	-4.25	-16.98	669618.62	518274.35	32°25'25.142"N	103°47'01.062"W	0.22	
1750.00	1.000	216.200	1749.83	19.53	-6.17	-18.53	669617.07	518272.43	32°25'25.123"N	103°47'01.080"W	0.10	
1885.00	1.400	210.900	1884.80	21.71	-8.54	-20.07	669615.53	518270.06	32°25'25.099"N	103°47'01.098"W	0.31	
2021.00	1.500	211.700	2020.76	24.31	-11.48	-21.86	669613.74	518267.12	32°25'25.070"N	103°47'01.119"W	0.08	
2156.00	1.700	208.800	2155.71	27.10	-14.74	-23.75	669611.85	518263.86	32°25'25.038"N	103°47'01.141"W	0.16	
2292.00	0.800	172.000	2291.68	28.72	-17.45	-24.59	669611.01	518261.16	32°25'25.011"N	103°47'01.151"W	0.85	
2427.00	0.800	153.000	2426.66	28.72	-19.22	-24.03	669611.57	518259.38	32°25'24.994"N	103°47'01.145"W	0.20	
2562.00	0.700	139.700	2561.65	28.25	-20.69	-23.07	669612.53	518257.91	32°25'24.979"N	103°47'01.134"W	0.15	
2698.00	1.200	122.800	2697.63	27.02	-22.09	-21.34	669614.26	518256.51	32°25'24.965"N	103°47'01.114"W	0.42	
2833.00	1.300	120.800	2832.60	25.11	-23.64	-18.83	669616.77	518254.96	32°25'24.950"N	103°47'01.084"W	0.08	
2968.00	1.200	125.900	2967.57	23.25	-25.26	-16.37	669619.23	518253.35	32°25'24.934"N	103°47'01.056"W	0.11	
3103.00	1.400	117.200	3102.53	21.24	-26.84	-13.76	669621.84	518251.76	32°25'24.918"N	103°47'01.025"W	0.21	
3238.00	1.900	121.100	3237.48	18.59	-28.75	-10.38	669625.22	518249.85	32°25'24.899"N	103°47'00.986"W	0.38	
3373.00	2.000	122.000	3372.40	15.59	-31.15	-6.47	669629.14	518247.45	32°25'24.875"N	103°47'00.941"W	0.08	
3508.00	2.600	123.100	3507.29	12.13	-34.07	-1.90	669633.70	518244.53	32°25'24.846"N	103°47'00.888"W	0.45	
3644.00	2.900	118.800	3643.13	7.80	-37.41	3.70	669639.30	518241.19	32°25'24.812"N	103°47'00.822"W	0.27	
3814.00	3.200	117.900	3812.89	1.51	-41.71	11.66	669647.26	518236.90	32°25'24.769"N	103°47'00.730"W	0.18	
3920.00	2.800	119.100	3918.75	-2.34	-44.35	16.54	669652.13	518234.25	32°25'24.743"N	103°47'00.673"W	0.38	
3977.00	2.200	133.000	3975.69	-3.83	-45.77	18.55	669654.15	518232.83	32°25'24.729"N	103°47'00.650"W	1.49	
4023.00	1.700	156.700	4021.67	-4.33	-47.00	19.47	669655.07	518231.60	32°25'24.717"N	103°47'00.639"W	2.04	
4068.00	1.500	189.600	4066.65	-4.12	-48.20	19.63	669655.23	518230.41	32°25'24.705"N	103°47'00.637"W	2.06	
4113.00	2.000	206.000	4111.63	-3.31	-49.48	19.19	669654.79	518229.12	32°25'24.692"N	103°47'00.642"W	1.56	
4158.00	2.600	216.100	4156.59	-1.95	-51.01	18.25	669653.84	518227.59	32°25'24.677"N	103°47'00.654"W	1.60	
4203.00	2.900	231.100	4201.54	-0.07	-52.55	16.76	669652.36	518226.05	32°25'24.662"N	103°47'00.671"W	1.73	
4248.00	4.000	246.300	4246.46	2.56	-53.90	14.43	669650.03	518224.70	32°25'24.649"N	103°47'00.698"W	3.16	
4293.00	5.500	248.600	4291.31	6.27	-55.32	10.99	669646.59	518223.29	32°25'24.635"N	103°47'00.738"W	3.36	
4338.00	6.400	250.200	4336.06	10.93	-56.95	6.62	669642.22	518221.65	32°25'24.619"N	103°47'00.789"W	2.03	
4383.00	8.000	251.200	4380.71	16.56	-58.81	1.30	669636.90	518219.79	32°25'24.601"N	103°47'00.852"W	3.57	
4428.00	9.000	252.400	4425.21	23.21	-60.89	-5.02	669630.58	518217.72	32°25'24.580"N	103°47'00.926"W	2.26	
4473.00	9.500	251.600	4469.63	30.45	-63.12	11.90	669623.70	518215.48	32°25'24.559"N	103°47'01.006"W	1.15	



Actual Wellpath Report

4 Fed No. 11 AWP

Page 3 of 5




INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	OXY Permian	Slot	Lost Tank 4 Fed No. 11
Area	Eddy County, NM	Well	4 Fed No. 11
Field	Lost Tank	Wellbore	4 Fed No. 11 AWB
Facility	Lost Tank Pad I		

WELLPATH DATA (118 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]	Comments
4518.00	10.900	252.100	4513.91	38.42	-65.60	-19.47	669616.13	518213.00	32°25'24.535"N	103°47'01.094"W	3.12	
4563.00	11.200	252.500	4558.08	47.04	-68.22	-27.69	669607.91	518210.38	32°25'24.509"N	103°47'01.190"W	0.69	
4608.00	11.100	251.500	4602.23	55.74	-70.91	-35.97	669599.64	518207.69	32°25'24.483"N	103°47'01.287"W	0.48	
4653.00	12.400	250.500	4646.29	64.90	-73.90	-44.63	669590.97	518204.70	32°25'24.454"N	103°47'01.388"W	2.92	
4699.00	13.700	251.400	4691.10	75.29	-77.29	-54.45	669581.16	518201.32	32°25'24.421"N	103°47'01.503"W	2.86	
4744.00	15.000	253.600	4734.69	86.44	-80.63	-65.09	669570.52	518197.97	32°25'24.388"N	103°47'01.627"W	3.13	
4789.00	15.300	254.700	4778.13	98.19	-83.84	-76.40	669559.21	518194.76	32°25'24.357"N	103°47'01.760"W	0.92	
4834.00	16.300	257.100	4821.43	110.42	-86.82	-88.28	669547.32	518191.79	32°25'24.328"N	103°47'01.898"W	2.65	
4879.00	16.900	256.800	4864.55	123.23	-89.72	-100.81	669534.80	518188.88	32°25'24.300"N	103°47'02.045"W	1.35	
4924.00	16.900	255.900	4907.61	136.28	-92.81	-113.52	669522.09	518185.80	32°25'24.270"N	103°47'02.193"W	0.58	
4969.00	17.500	253.600	4950.60	149.58	-96.31	-126.35	669509.26	518182.29	32°25'24.236"N	103°47'02.343"W	2.02	
5014.00	16.800	253.800	4993.60	162.84	-100.04	-139.09	669496.52	518178.57	32°25'24.200"N	103°47'02.492"W	1.56	
5059.00	16.300	253.600	5036.73	175.66	-103.63	-151.39	669484.22	518174.97	32°25'24.165"N	103°47'02.636"W	1.12	
5104.00	16.300	254.400	5079.92	188.28	-107.11	-163.53	669472.08	518171.49	32°25'24.131"N	103°47'02.777"W	0.50	
5149.00	16.600	254.200	5123.08	201.02	-110.56	-175.80	669459.81	518168.04	32°25'24.098"N	103°47'02.921"W	0.68	
5194.00	17.700	251.800	5166.08	214.28	-114.45	-188.48	669447.13	518164.16	32°25'24.060"N	103°47'03.069"W	2.91	
5239.00	18.300	250.500	5208.88	228.18	-118.95	-201.64	669433.97	518159.66	32°25'24.016"N	103°47'03.223"W	1.60	
5284.00	19.100	250.500	5251.50	242.60	-123.76	-215.24	669420.37	518154.85	32°25'23.969"N	103°47'03.382"W	1.78	
5329.00	20.400	251.300	5293.85	257.80	-128.73	-229.61	669406.00	518149.87	32°25'23.921"N	103°47'03.550"W	2.95	
5374.00	21.900	252.000	5335.82	274.04	-133.84	-245.02	669390.59	518144.77	32°25'23.871"N	103°47'03.730"W	3.38	
5420.00	23.400	251.800	5378.27	291.75	-139.35	-261.86	669373.76	518139.26	32°25'23.817"N	103°47'03.926"W	3.27	
5465.00	24.600	252.300	5419.38	310.05	-144.98	-279.27	669356.35	518133.62	32°25'23.762"N	103°47'04.130"W	2.70	
5510.00	25.600	254.100	5460.13	329.14	-150.50	-297.54	669338.07	518128.11	32°25'23.709"N	103°47'04.343"W	2.80	
5556.00	26.600	255.100	5501.44	349.36	-155.87	-317.06	669318.56	518122.74	32°25'23.656"N	103°47'04.571"W	2.37	
5601.00	26.800	253.800	5541.64	369.57	-161.29	-336.53	669299.09	518117.32	32°25'23.604"N	103°47'04.799"W	1.37	
5646.00	27.500	252.800	5581.68	390.10	-167.19	-356.20	669279.42	518111.42	32°25'23.546"N	103°47'05.029"W	1.86	
5691.00	28.600	252.900	5621.40	411.26	-173.43	-376.42	669259.20	518105.18	32°25'23.486"N	103°47'05.265"W	2.45	
5736.00	29.700	253.600	5660.70	433.17	-179.74	-397.41	669238.21	518098.87	32°25'23.424"N	103°47'05.510"W	2.56	
5781.00	30.900	255.200	5699.55	455.86	-185.84	-419.28	669216.35	518092.77	32°25'23.365"N	103°47'05.766"W	3.21	
5826.00	31.600	255.700	5738.02	479.17	-191.71	-441.87	669193.75	518086.90	32°25'23.308"N	103°47'06.030"W	1.66	
5871.00	32.200	255.000	5776.23	502.92	-197.72	-464.88	669170.75	518080.89	32°25'23.250"N	103°47'06.298"W	1.57	
5916.00	32.400	254.100	5814.26	526.95	-204.13	-488.05	669147.57	518074.48	32°25'23.188"N	103°47'06.569"W	1.16	
6006.00	33.800	253.000	5889.66	576.08	-218.05	-535.19	669100.45	518060.56	32°25'23.052"N	103°47'07.120"W	1.69	
6096.00	32.800	252.600	5964.88	625.49	-232.66	-582.39	669053.25	518045.95	32°25'22.910"N	103°47'07.671"W	1.14	
6185.00	32.200	252.600	6039.94	673.31	-246.96	-628.02	669007.62	518031.65	32°25'22.771"N	103°47'08.204"W	0.67	
6275.00	32.100	253.000	6116.14	721.20	-261.13	-673.77	668961.87	518017.49	32°25'22.633"N	103°47'08.739"W	0.26	
6365.00	34.000	253.300	6191.57	770.28	-275.35	-720.74	668914.90	518003.27	32°25'22.495"N	103°47'09.288"W	2.12	
6455.00	33.000	252.600	6266.62	819.95	-289.91	-768.24	668867.41	517988.71	32°25'22.353"N	103°47'09.843"W	1.19	
6545.00	32.400	253.600	6342.36	868.57	-304.05	-814.75	668820.89	517974.57	32°25'22.215"N	103°47'10.386"W	0.90	
6636.00	31.000	253.600	6419.78	916.37	-317.55	-860.63	668775.03	517961.07	32°25'22.084"N	103°47'10.922"W	1.54	
6722.00	29.500	254.200	6494.07	959.68	-329.57	-902.25	668733.41	517949.05	32°25'21.967"N	103°47'11.408"W	1.78	
6816.00	30.200	254.100	6575.60	1006.44	-342.35	-947.26	668688.40	517936.27	32°25'21.843"N	103°47'11.934"W	0.75	
6861.00	30.000	255.000	6614.53	1028.99	-348.36	-969.01	668666.65	517930.26	32°25'21.785"N	103°47'12.188"W	1.10	
6906.00	29.800	253.900	6653.54	1051.41	-354.37	-990.62	668645.04	517924.25	32°25'21.726"N	103°47'12.441"W	1.30	
6951.00	30.700	253.900	6692.41	1074.07	-360.66	-1012.40	668623.26	517917.96	32°25'21.665"N	103°47'12.695"W	2.00	



Actual Wellpath Report

4 Fed No. 11 AWP

Page 4 of 5




INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	OXY Permian	Slot	Lost Tank 4 Fed No. 11
Area	Eddy County, NM	Well	4 Fed No. 11
Field	Lost Tank	Wellbore	4 Fed No. 11 AWP
Facility	Lost Tank Pad I		

WELLPATH DATA (118 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]	Comments
6996.00	31.100	255.100	6731.02	1097.16	-366.83	-1034.67	668601.00	517911.79	32°25'21.605"N	103°47'12.955"W	1.63	
7041.00	32.200	255.800	6769.33	1120.74	-372.76	-1057.52	668578.14	517905.86	32°25'21.548"N	103°47'13.222"W	2.58	
7086.00	32.800	254.500	6807.28	1144.89	-378.96	-1080.89	668554.77	517899.66	32°25'21.488"N	103°47'13.495"W	2.05	
7131.00	32.300	254.300	6845.22	1169.09	-385.47	-1104.21	668531.46	517893.15	32°25'21.424"N	103°47'13.768"W	1.14	
7176.00	33.500	253.900	6883.00	1193.52	-392.17	-1127.72	668507.95	517886.46	32°25'21.359"N	103°47'14.042"W	2.71	
7221.00	33.800	253.400	6920.46	1218.45	-399.19	-1151.64	668484.03	517879.44	32°25'21.291"N	103°47'14.322"W	0.91	
7311.00	32.700	253.100	6995.72	1267.79	-413.41	-1198.90	668436.78	517865.22	32°25'21.153"N	103°47'14.874"W	1.24	
7401.00	32.200	252.900	7071.67	1316.08	-427.53	-1245.08	668390.60	517851.10	32°25'21.015"N	103°47'15.414"W	0.57	
7537.00	30.800	252.900	7187.63	1387.13	-448.42	-1312.99	668322.69	517830.21	32°25'20.812"N	103°47'16.207"W	1.03	
7627.00	31.900	253.600	7264.48	1433.95	-461.91	-1357.83	668277.85	517816.72	32°25'20.681"N	103°47'16.731"W	1.29	
7710.00	31.600	254.800	7335.06	1477.60	-473.80	-1399.85	668235.83	517804.83	32°25'20.565"N	103°47'17.222"W	0.84	
7756.00	32.100	255.100	7374.14	1501.85	-480.11	-1423.30	668212.39	517798.52	32°25'20.504"N	103°47'17.496"W	1.14	
7800.00	32.700	254.800	7411.29	1525.40	-486.23	-1446.06	668189.62	517792.40	32°25'20.445"N	103°47'17.762"W	1.41	
7846.00	32.200	254.200	7450.11	1550.07	-492.82	-1469.85	668165.84	517785.81	32°25'20.381"N	103°47'18.040"W	1.29	
7891.00	32.000	253.500	7488.23	1573.97	-499.47	-1492.82	668142.87	517779.16	32°25'20.316"N	103°47'18.308"W	0.94	
7936.00	31.700	252.300	7526.45	1597.72	-506.45	-1515.51	668120.18	517772.18	32°25'20.248"N	103°47'18.573"W	1.56	
7981.00	32.800	252.800	7564.51	1621.73	-513.65	-1538.42	668097.27	517764.98	32°25'20.178"N	103°47'18.841"W	2.52	
8026.00	34.200	253.700	7602.03	1646.56	-520.81	-1562.20	668073.49	517757.82	32°25'20.108"N	103°47'19.119"W	3.30	
8071.00	35.600	254.400	7638.94	1672.30	-527.88	-1586.96	668048.74	517750.75	32°25'20.040"N	103°47'19.408"W	3.24	
8117.00	35.600	255.300	7676.34	1699.05	-534.88	-1612.80	668022.89	517743.75	32°25'19.972"N	103°47'19.710"W	1.14	
8162.00	33.600	255.300	7713.38	1724.57	-541.36	-1637.52	667998.18	517737.27	32°25'19.909"N	103°47'19.999"W	4.44	
8207.00	32.900	255.000	7751.01	1749.21	-547.68	-1661.37	667974.33	517730.95	32°25'19.847"N	103°47'20.277"W	1.60	
8252.00	33.400	254.900	7788.69	1773.79	-554.07	-1685.13	667950.57	517724.56	32°25'19.785"N	103°47'20.555"W	1.12	
8297.00	33.600	255.600	7826.21	1798.60	-560.40	-1709.15	667926.55	517718.24	32°25'19.724"N	103°47'20.835"W	0.97	
8342.00	32.100	255.500	7864.02	1822.97	-566.49	-1732.79	667902.92	517712.15	32°25'19.665"N	103°47'21.111"W	3.34	
8387.00	30.300	255.600	7902.51	1846.25	-572.31	-1755.36	667880.35	517706.33	32°25'19.609"N	103°47'21.375"W	4.00	
8430.00	28.700	255.900	7939.93	1867.38	-577.52	-1775.88	667859.82	517701.12	32°25'19.558"N	103°47'21.615"W	3.74	
8480.00	28.700	255.900	7983.79	1891.35	-583.37	-1799.17	667836.54	517695.27	32°25'19.501"N	103°47'21.887"W	0.00	Proj to Bit



Actual Wellpath Report

4 Fed No. 11 AWP

Page 5 of 5



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	OXY Permian	Slot	Lost Tank 4 Fed No. 11
Area	Eddy County, NM	Well	4 Fed No. 11
Field	Lost Tank	Wellbore	4 Fed No. 11 AWB
Facility	Lost Tank Pad I		

TARGETS

Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	Shape
4 No. 11 BC A		7615.00	-517.07	-1628.22	668007.48	517761.56	32°25'20.149"N	103°47'19.889"W	circle
4 No. 11 BS		7839.00	-562.63	-1771.71	667864.00	517716.00	32°25'19.705"N	103°47'21.565"W	point

WELLPATH COMPOSITION Ref Wellbore: 4 Fed No. 11 AWB Ref Wellpath: 4 Fed No. 11 AWP

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
0.00	642.60	Generic gyro - northseeking (Standard)	Gyro	4 Fed No. 11 AWB
642.60	8480.00	NaviTrak (Standard)	MWD	4 Fed No. 11 AWB