

30-015-39071

devon

Project: Eddy County
 Site: Snapping 2 State
 Well: #4H
 Wellbore: OH
 Plan: Plan 1 (#4H/OH)

RECEIVED

MAY 26 2011

NMOCD ARTESIA

PATHFINDER[®]

A Schlumberger Company

West(-)/East(+) (200 usft/in)

PROJECT DETAILS: Eddy County
 Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Eastern Zone
 System Datum: Mean Sea Level
 Local North: Grid



Azimuths to Grid North
 True North: -0.31°
 Magnetic North: 7.34°

Magnetic Field
 Strength: 48548.6snT
 Dip Angle: 60.03°
 Date: 5/13/2011
 Model: IGRF200510

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Diag	TFace	VSeal	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	8020.54	0.00	0.00	8020.54	0.00	0.00	0.00	0.00	0.00	
3	8358.34	-33.83	7.30	8337.36	95.11	12.19	10.00	7.30	95.20	
4	8358.72	-33.83	7.30	8337.68	95.32	12.22	0.00	0.00	95.41	
5	8923.54	90.00	0.00	8595.00	574.10	33.97	10.00	-8.75	574.33	
6	13007.54	90.00	0.00	8595.00	4658.10	33.97	0.00	0.00	4658.22	BHL (Snapping #4)



WELL DETAILS: #4H

Ground Elevation: 3267.10
 RKB Elevation: WELL @ 3293.10usft (Original Well Elev)
 Rig Name: Original Well Elev

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	388171.260	724310.370	32° 3' 56.830 N	103° 44' 33.569 W	

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N/-S	+E/-W	Northing	Easting	Shape
BHL (Snapping #4)	8595.00	4658.10	33.97	392829.360	724344.340	Point



Plan: Plan 1 (#4H/OH)

Created By: Nate Bingham Date: 9:22, May 13 2011



Devon Energy, Inc.

Eddy County
Snapping 2 State
#4H
OH

Plan: Plan 1

Pathfinder X&Y Report

13 May, 2011

PATHFINDER[®]
A Schlumberger Company



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Project	Eddy County		
Map System:	US State Plane, 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Snapping 2 State		
Site Position:		Northing:	388,152.190 usft
From:	Map	Easting:	720,418.150 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 3' 56.850 N
		Longitude:	103° 45' 18.802 W
		Grid Convergence:	0.31 "

Well	#4H					
Well Position	+N-S	0.00 usft	Northing:	388,171.260 usft	Latitude:	32° 3' 56.830 N
	+E-W	0.00 usft	Easting:	724,310.370 usft	Longitude:	103° 44' 33.569 W
Position Uncertainty	0.00 usft		Wellhead Elevation:	usft	Ground Level:	3,267.10 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	5/13/2011	7.65	60.03	48,549

Design	Plan 1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	0.42

Survey Tool Program	Date	5/13/2011		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.00	13,007.54	Plan 1 (OH)	Pathfinder	Pathfinder MWD



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	TVDSS (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Northing (usft)	Easting (usft)
0.00	0.00	0.00	0.00	-3,293.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
100.00	0.00	0.00	100.00	-3,193.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
200.00	0.00	0.00	200.00	-3,093.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
300.00	0.00	0.00	300.00	-2,993.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
400.00	0.00	0.00	400.00	-2,893.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
500.00	0.00	0.00	500.00	-2,793.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
600.00	0.00	0.00	600.00	-2,693.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
700.00	0.00	0.00	700.00	-2,593.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
800.00	0.00	0.00	800.00	-2,493.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
900.00	0.00	0.00	900.00	-2,393.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,000.00	0.00	0.00	1,000.00	-2,293.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,100.00	0.00	0.00	1,100.00	-2,193.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,200.00	0.00	0.00	1,200.00	-2,093.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,300.00	0.00	0.00	1,300.00	-1,993.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,400.00	0.00	0.00	1,400.00	-1,893.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,500.00	0.00	0.00	1,500.00	-1,793.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,600.00	0.00	0.00	1,600.00	-1,693.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,700.00	0.00	0.00	1,700.00	-1,593.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,800.00	0.00	0.00	1,800.00	-1,493.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
1,900.00	0.00	0.00	1,900.00	-1,393.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,000.00	0.00	0.00	2,000.00	-1,293.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,100.00	0.00	0.00	2,100.00	-1,193.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,200.00	0.00	0.00	2,200.00	-1,093.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,300.00	0.00	0.00	2,300.00	-993.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,400.00	0.00	0.00	2,400.00	-893.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,500.00	0.00	0.00	2,500.00	-793.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,600.00	0.00	0.00	2,600.00	-693.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	TVDSS (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Northing (usft)	Easting (usft)
2,700.00	0.00	0.00	2,700.00	-593.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,800.00	0.00	0.00	2,800.00	-493.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
2,900.00	0.00	0.00	2,900.00	-393.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,000.00	0.00	0.00	3,000.00	-293.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,100.00	0.00	0.00	3,100.00	-193.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,200.00	0.00	0.00	3,200.00	-93.10	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,300.00	0.00	0.00	3,300.00	6.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,400.00	0.00	0.00	3,400.00	106.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,500.00	0.00	0.00	3,500.00	206.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,600.00	0.00	0.00	3,600.00	306.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,700.00	0.00	0.00	3,700.00	406.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,800.00	0.00	0.00	3,800.00	506.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
3,900.00	0.00	0.00	3,900.00	606.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,000.00	0.00	0.00	4,000.00	706.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,100.00	0.00	0.00	4,100.00	806.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,200.00	0.00	0.00	4,200.00	906.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,300.00	0.00	0.00	4,300.00	1,006.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,400.00	0.00	0.00	4,400.00	1,106.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,500.00	0.00	0.00	4,500.00	1,206.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,600.00	0.00	0.00	4,600.00	1,306.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,700.00	0.00	0.00	4,700.00	1,406.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,800.00	0.00	0.00	4,800.00	1,506.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
4,900.00	0.00	0.00	4,900.00	1,606.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,000.00	0.00	0.00	5,000.00	1,706.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,100.00	0.00	0.00	5,100.00	1,806.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,200.00	0.00	0.00	5,200.00	1,906.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,300.00	0.00	0.00	5,300.00	2,006.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	TVDSS (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Northing (usft)	Easting (usft)
5,400.00	0.00	0.00	5,400.00	2,106.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,500.00	0.00	0.00	5,500.00	2,206.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,600.00	0.00	0.00	5,600.00	2,306.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,700.00	0.00	0.00	5,700.00	2,406.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,800.00	0.00	0.00	5,800.00	2,506.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
5,900.00	0.00	0.00	5,900.00	2,606.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,000.00	0.00	0.00	6,000.00	2,706.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,100.00	0.00	0.00	6,100.00	2,806.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,200.00	0.00	0.00	6,200.00	2,906.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,300.00	0.00	0.00	6,300.00	3,006.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,400.00	0.00	0.00	6,400.00	3,106.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,500.00	0.00	0.00	6,500.00	3,206.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,600.00	0.00	0.00	6,600.00	3,306.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,700.00	0.00	0.00	6,700.00	3,406.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,800.00	0.00	0.00	6,800.00	3,506.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
6,900.00	0.00	0.00	6,900.00	3,606.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,000.00	0.00	0.00	7,000.00	3,706.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,100.00	0.00	0.00	7,100.00	3,806.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,200.00	0.00	0.00	7,200.00	3,906.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,300.00	0.00	0.00	7,300.00	4,006.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,400.00	0.00	0.00	7,400.00	4,106.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,500.00	0.00	0.00	7,500.00	4,206.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,600.00	0.00	0.00	7,600.00	4,306.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,700.00	0.00	0.00	7,700.00	4,406.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,800.00	0.00	0.00	7,800.00	4,506.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
7,900.00	0.00	0.00	7,900.00	4,606.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37
8,000.00	0.00	0.00	8,000.00	4,706.90	0.00	0.00	0.00	0.00	388,171.26	724,310.37



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	TVDSS (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Northing (usft)	Easting (usft)
8,020.04	0.00	0.00	8,020.04	4,726.94	0.00	0.00	0.00	0.00	388,171.26	724,310.37
8,050.00	3.00	7.30	8,049.99	4,756.89	0.78	0.10	0.78	10.00	388,172.04	724,310.47
8,100.00	8.00	7.30	8,099.74	4,806.64	5.52	0.71	5.53	10.00	388,176.78	724,311.08
8,150.00	12.99	7.30	8,148.89	4,855.79	14.56	1.87	14.57	10.00	388,185.82	724,312.24
8,200.00	17.99	7.30	8,197.06	4,903.96	27.80	3.56	27.83	10.00	388,199.06	724,313.93
8,250.00	22.99	7.30	8,243.88	4,950.78	45.16	5.79	45.20	10.00	388,216.42	724,316.16
8,300.00	27.99	7.30	8,288.99	4,995.89	66.50	8.52	66.56	10.00	388,237.76	724,318.89
8,350.00	32.99	7.30	8,332.06	5,038.96	91.66	11.75	91.74	10.00	388,262.92	724,322.12
8,356.34	33.63	7.30	8,337.36	5,044.26	95.11	12.19	95.20	10.00	388,266.37	724,322.56
8,356.72	33.63	7.30	8,337.68	5,044.58	95.32	12.22	95.41	0.00	388,266.58	724,322.59
8,400.00	37.91	6.23	8,372.79	5,079.69	120.43	15.18	120.54	10.00	388,291.69	724,325.55
8,450.00	42.87	5.23	8,410.86	5,117.76	152.66	18.40	152.79	10.00	388,323.92	724,328.77
8,500.00	47.83	4.39	8,445.99	5,152.89	188.09	21.37	188.25	10.00	388,359.35	724,331.74
8,550.00	52.80	3.68	8,477.91	5,184.81	226.47	24.07	226.64	10.00	388,397.73	724,334.44
8,600.00	57.78	3.05	8,506.37	5,213.27	267.48	26.48	267.67	10.00	388,438.74	724,336.85
8,650.00	62.75	2.50	8,531.16	5,238.06	310.84	28.57	311.04	10.00	388,482.10	724,338.94
8,700.00	67.73	1.98	8,552.10	5,259.00	356.19	30.34	356.40	10.00	388,527.45	724,340.71
8,750.00	72.71	1.51	8,569.01	5,275.91	403.20	31.77	403.42	10.00	388,574.46	724,342.14
8,800.00	77.69	1.06	8,581.78	5,288.68	451.52	32.85	451.75	10.00	388,622.78	724,343.22
8,850.00	82.67	0.62	8,590.30	5,297.20	500.76	33.57	501.00	10.00	388,672.02	724,343.94
8,900.00	87.65	0.20	8,594.52	5,301.42	550.57	33.93	550.80	10.00	388,721.83	724,344.30
8,923.54	90.00	0.00	8,595.00	5,301.90	574.10	33.97	574.33	10.00	388,745.36	724,344.34
9,000.00	90.00	0.00	8,595.00	5,301.90	650.56	33.97	650.79	0.00	388,821.82	724,344.34
9,100.00	90.00	0.00	8,595.00	5,301.90	750.56	33.97	750.79	0.00	388,921.82	724,344.34
9,200.00	90.00	0.00	8,595.00	5,301.90	850.56	33.97	850.79	0.00	389,021.82	724,344.34
9,300.00	90.00	0.00	8,595.00	5,301.90	950.56	33.97	950.78	0.00	389,121.82	724,344.34
9,400.00	90.00	0.00	8,595.00	5,301.90	1,050.56	33.97	1,050.78	0.00	389,221.82	724,344.34



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	TVDSS (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Northing (usft)	Easting (usft)
9,500.00	90.00	0.00	8,595.00	5,301.90	1,150.56	33.97	1,150.78	0.00	389,321.82	724,344.34
9,600.00	90.00	0.00	8,595.00	5,301.90	1,250.56	33.97	1,250.78	0.00	389,421.82	724,344.34
9,700.00	90.00	0.00	8,595.00	5,301.90	1,350.56	33.97	1,350.77	0.00	389,521.82	724,344.34
9,800.00	90.00	0.00	8,595.00	5,301.90	1,450.56	33.97	1,450.77	0.00	389,621.82	724,344.34
9,900.00	90.00	0.00	8,595.00	5,301.90	1,550.56	33.97	1,550.77	0.00	389,721.82	724,344.34
10,000.00	90.00	0.00	8,595.00	5,301.90	1,650.56	33.97	1,650.77	0.00	389,821.82	724,344.34
10,100.00	90.00	0.00	8,595.00	5,301.90	1,750.56	33.97	1,750.76	0.00	389,921.82	724,344.34
10,200.00	90.00	0.00	8,595.00	5,301.90	1,850.56	33.97	1,850.76	0.00	390,021.82	724,344.34
10,300.00	90.00	0.00	8,595.00	5,301.90	1,950.56	33.97	1,950.76	0.00	390,121.82	724,344.34
10,400.00	90.00	0.00	8,595.00	5,301.90	2,050.56	33.97	2,050.76	0.00	390,221.82	724,344.34
10,500.00	90.00	0.00	8,595.00	5,301.90	2,150.56	33.97	2,150.75	0.00	390,321.82	724,344.34
10,600.00	90.00	0.00	8,595.00	5,301.90	2,250.56	33.97	2,250.75	0.00	390,421.82	724,344.34
10,700.00	90.00	0.00	8,595.00	5,301.90	2,350.56	33.97	2,350.75	0.00	390,521.82	724,344.34
10,800.00	90.00	0.00	8,595.00	5,301.90	2,450.56	33.97	2,450.75	0.00	390,621.82	724,344.34
10,900.00	90.00	0.00	8,595.00	5,301.90	2,550.56	33.97	2,550.74	0.00	390,721.82	724,344.34
11,000.00	90.00	0.00	8,595.00	5,301.90	2,650.56	33.97	2,650.74	0.00	390,821.82	724,344.34
11,100.00	90.00	0.00	8,595.00	5,301.90	2,750.56	33.97	2,750.74	0.00	390,921.82	724,344.34
11,200.00	90.00	0.00	8,595.00	5,301.90	2,850.56	33.97	2,850.73	0.00	391,021.82	724,344.34
11,300.00	90.00	0.00	8,595.00	5,301.90	2,950.56	33.97	2,950.73	0.00	391,121.82	724,344.34
11,400.00	90.00	0.00	8,595.00	5,301.90	3,050.56	33.97	3,050.73	0.00	391,221.82	724,344.34
11,500.00	90.00	0.00	8,595.00	5,301.90	3,150.56	33.97	3,150.73	0.00	391,321.82	724,344.34
11,600.00	90.00	0.00	8,595.00	5,301.90	3,250.56	33.97	3,250.72	0.00	391,421.82	724,344.34
11,700.00	90.00	0.00	8,595.00	5,301.90	3,350.56	33.97	3,350.72	0.00	391,521.82	724,344.34
11,800.00	90.00	0.00	8,595.00	5,301.90	3,450.56	33.97	3,450.72	0.00	391,621.82	724,344.34
11,900.00	90.00	0.00	8,595.00	5,301.90	3,550.56	33.97	3,550.72	0.00	391,721.82	724,344.34
12,000.00	90.00	0.00	8,595.00	5,301.90	3,650.56	33.97	3,650.71	0.00	391,821.82	724,344.34
12,100.00	90.00	0.00	8,595.00	5,301.90	3,750.56	33.97	3,750.71	0.00	391,921.82	724,344.34



Pathfinder
Pathfinder X&Y Report



Company: Devon Energy, Inc.
Project: Eddy County
Site: Snapping 2 State
Well: #4H
Wellbore: OH
Design: Plan 1

Local Co-ordinate Reference: Well #4H
TVD Reference: WELL @ 3293.10usft (Original Well Elev)
MD Reference: WELL @ 3293.10usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	TVDSS (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Northing (usft)	Easting (usft)
12,200.00	90.00	0.00	8,595.00	5,301.90	3,850.56	33.97	3,850.71	0.00	392,021.82	724,344.34
12,300.00	90.00	0.00	8,595.00	5,301.90	3,950.56	33.97	3,950.71	0.00	392,121.82	724,344.34
12,400.00	90.00	0.00	8,595.00	5,301.90	4,050.56	33.97	4,050.70	0.00	392,221.82	724,344.34
12,500.00	90.00	0.00	8,595.00	5,301.90	4,150.56	33.97	4,150.70	0.00	392,321.82	724,344.34
12,600.00	90.00	0.00	8,595.00	5,301.90	4,250.56	33.97	4,250.70	0.00	392,421.82	724,344.34
12,700.00	90.00	0.00	8,595.00	5,301.90	4,350.56	33.97	4,350.69	0.00	392,521.82	724,344.34
12,800.00	90.00	0.00	8,595.00	5,301.90	4,450.56	33.97	4,450.69	0.00	392,621.82	724,344.34
12,900.00	90.00	0.00	8,595.00	5,301.90	4,550.56	33.97	4,550.69	0.00	392,721.82	724,344.34
13,007.54	90.00	0.00	8,595.00	5,301.90	4,658.10	33.97	4,658.22	0.00	392,829.36	724,344.34

Checked By: _____ Approved By: _____ Date: _____