

CLSF

NM OIL CONS. COMMISSION

Drawer D

Form 9-331  
(May 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0558973

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED BY  
FEB 27 1986  
O. C. D.  
ARTESIA OFFICE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Lillie Federal

9. WELL NO.

7

10. FIELD AND POOL, OR WILDCAT

Wildcat San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 19, T-14S, R-28E

12. COUNTY OR PARISH

Chaves

13. STATE  
New Mexico

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR

Ralph Nix

3. ADDRESS OF OPERATOR

P. O. Box 617 Artesia, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

1650' FEL & 1980' FSL, Sec 19, T-14S, R 28E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3546' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Run 5 jts of tubing. Hit a bridge. Worked tubing, came out of hole with tubing. Run a bit rotated tubing and circulated. Bridge was about 10' thick, consisting of wood, beer cans and gravel. Pulled bit out of hole. Run tubing down to 1750'. 57 jts of tubing w/14' out on the last jt. Pumped 150' plug. Pulled 46 jts, pumped 100' plug. Pulled out of hole. Waited 4 hours. Run tubing back in hole. Tagged plug at 210'. Laid down tubing. Pumped a 10sx surface plug. Cemented marker on well.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Ralph Nix Jr*

TITLE

DATE

8-2-82

(This space for Federal or State office use)

APPROVED BY

APPROVED  
PETER W. CHESTER

TITLE

DATE

RECEIVED  
AUG 4 1982

FEB 27 1986

BUREAU OF LAND MANAGEMENT  
ROSWELL RESOURCE AREA  
\*See Instructions on Reverse Side

OIL & GAS  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

WELL NAME AND NUMBER Lillie #7 *Journal* ✓  
 LOCATION Sec.19; T-14-S; R-28-E  
 (Give Unit, Section, Township and Range)  
 OPERATOR Ralph Nix Oil Company  
 DRILLING CONTRACTOR Yucca Drilling Co., Inc.

RECEIVED BY  
 FEB 27 1986  
 O. C. D.  
 ARTESIA, OFFICE

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH
1/4° @ 281'		
1/2 ° @ 660'		
1/2° @ 1200'		
3/4° @ 1700'		
3/4° @ 2400'		

DRILLING CONTRACTOR Yucca Drilling Co., Inc.  
 By: Robert I. Johnson  
 Robert I. Johnson

Subscribed and sworn to before me this 15<sup>th</sup> day of October, 19 81  
James A. Benton  
 Notary Public  
Eddy County New Mexico



My Commission Expires: 9-13-82

RECEIVED  
 AUG 1 1982

