

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

RECEIVED
JUL 25 1991

O. C. D.
ARTESIA, OFFICE

WELL API NO.
30-015-62153

5. Indicate Type of Lease
STATE FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
Beavers Fee

8. Well No.
2

9. Pool name or Wildcat
South Pecos Slope Abo

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL GAS WELL OTHER Plug & Abandon

2. Name of Operator
McClellan Oil Corporation

3. Address of Operator
P.O. Drawer 730 Roswell, NM 88202-0730

4. Well Location
Unit Letter 0 : 760 Feet From The South Line and 1980 Feet From The East Line

Section 35 Township 8S Range 25E NMPM Chaves County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3531 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Tbg. 4075' TOC 3100'
Csg. 4090' PBTD CIBP Perfs 4067-84'
8 5/8 Csg. 900' Circulated

Plug well as per verbal w/Mike Williams on 7/23/91.

1. Load hole w/heavy gel H₂O.
2. Set wireline CIBP at 4010' 35' cmt on top.
3. 1st plug - Set at 3850'-3750' 25 sx plug.
4. Shoot csg. off at 3000' & pullout of hole.
5. 2nd plug - 3050'-2950' 35 sx plug & tag.
6. 3rd plug - 1650'-1550' 25 sx plug
(See Attached)

Post ID-2
8-2-91
P4A

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Drlg. & Comp. Engineer DATE 7/24/91

TYPE OR PRINT NAME TELEPHONE NO.

(This space for State Use)

APPROVED BY [Signature] TITLE [Signature] DATE 7/23/91

CONDITIONS OF APPROVAL, IF ANY: