

Drawer DD

Form 3160-1, NM 88210 UNITED STATES
November 1985
Formerly 9-331)

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

95F

AMENDED

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen, or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such purposes.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	RECEIVED BY JUN 06 1985 O. C. D. ARTESIA, OFFICE
2. NAME OF OPERATOR Marbob Energy Corporation	
3. ADDRESS OF OPERATOR P.O. Drawer 217, Artesia, N.M. 88210	

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660 FNL 1980 FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, ST, GR, etc.)

3637' DF

5. LEASE DESIGNATION AND SERIAL NO.

LC-028731 (B)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

M. Dodd "B"

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Grbg Jackson SR Q G SA

11. SEC., T., R., M., OR BLK. AND
SUBDIVISION AREA

Sec. 14-T17S-R29E

12. COUNTY OR PARISH

Eddy

13. STATE

N.M.

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other) Deepen well

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

We propose to deepen this well from its present depth of 2550' to 4500' w/Larue Drilling Rig #2. 7" casing was run to 2298.32'. We will run a temperature survey to find top of cement; squeeze to base of salt; perforate at top of salt; squeeze cement inside surface pipe or to surface; drill 6 1/2" hole to 4500' and run 4 1/2" 11.60# J-55 new casing to TD and cement. The existing well pad will be extended to 280' x 280' as shown on the attached exhibit.

This will amend our sundry notice dated 4/23/85.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Production Clerk

DATE

5/22/85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

6-11-85

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



