Form Approved. Budget Bureau No. 42-R1424 C/27

Drawer DD

UNITED STATES Artesia, NM	88510
DEPARTMENT OF THE INTERIOR	

5. LEASE

		1	LC-	-(120	18	4-a	Ł	
-	 	 		_					
	 				0 T		00	-	1 6

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS

GEOLOGICAL SURVEY

(Do not use this form for proposals to drill or to deepen or reservoir. Use Form 9-331-C for such proposals.)

well xxxx well

8. FARM OR LEASE NAME Keely A Fed

7. UNIT AGREEMENT NAME

9. WELL NO.

RECEIVED BY JUN 08 1984

O. €. D

ARTESIA, OFFICE

2. NAME OF OPERATOR PHILLIPS OIL COMPANY (Successor to General American Oil Co. of Texas by acquisition

other

effective March 8, 1983)
3. ADDRESS OF OPERATOR Room 401; 4001 Penbrook St. Odessa, Texas 79762

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: Unit G 2310' FN & 1650' FE

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

SUBSEQUENT REPORT OF:

10. FIELD OR WILDCAT NAME

Gravburg-Jackson 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 24, T-17-S, R-29-E

12. COUNTY OR PARISH 13. STATE New Mexico Eddy

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD) 3622' GR

TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) add perforations and additional pay

REQUEST FOR APPROVAL TO:

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Clean out to TD

2. Acidize and fracture treat the San Andres open hole $(\pm 2800-3200)$

3. Perforated selected Grayburg/San Andres (+ 2350-2800')

4. Acidize and fracture treat the San Andres (+2650-2800') 5. Acidize and fracture treat the Grayburg (+ $\overline{2350}$ -2650')

6. Return well to production.

LAND

Subsurface Safety Valve: Manu. and Type	Set @	Ft.
18. Thereby tertify that the foregoing is true and correct Senior Engineering		
SIGNED J. Maesler	3-27-84	
(This space for Federal or State office use) TITLE P.E. DA	TE 6/6/84	
APPROVED BY I TO APPROVAL IF ANY:	, ,	

e e e				
;				
		e e		