Fom: 3160-5 (August 1999)

UNII L. STATES

OCD-Artesic

FORM APPROVED

## DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS			LC-029426 A
	is form for proposals to drill or to re-		6. If Indian, Allottee or Tribe Name
abandoned well. Use Form 3160-3 (APD) for such proposals.			NA
SUBMIT IN TRIPLICATE - Other instructions on reverse side			7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well	NA		
			8. Well Name and No. H.E. West "A" #7
			9. API Well No.
3a. Address  3b. Phone No. (include the great code)  4005 550 45000000000000000000000000000			30-015-05066
20 N.Broadway, Suite 1500, Okia City, Ok 75102 (405)502-45260 ARTECO			10. Field and Pool, or Exploratory Area Grayburg-Jackson Field
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Parish, State
660' FNL & 660' FEL of Section 4-T17S-R31E Unit A			Eddy County,
		20212223	New Mexico
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
☑ Notice of Intent	☐ Acidize ☐ Deepen	Production (Start	Resume)
	☐ Alter Casing ☐ Fracture Tr	reat Reclamation	☐ Well Integrity
☐ Subsequent Report	Casing Repair New Const	•	U Other
☐ Final Abandonment Notice	☐ Change Plans ☐ Plug and A☐ Convert to Injection ☐ Plug Back		
It is Devons intent to further evaluate and develope the Seven Rivers interval for additional exploitation potential. Devon requests, that in lieu of permanently plugging this well, that the wellbore be allowed to be temporarily abandoned prior to being utilized for future use as a Seven Rivers producer or injector. Plugging this well would possibly necessitate it being redrilled at a future date.  Devon Proposes To Temporarily Abandon The Wellbore as Follows:  1. POOH with 2 3/8" tubing and packer.  2. Clean out wellbore with bit and scrapper.  3. RIH with 5 1/2" CIBP and set at 3,175'.  4. Circulate wellbore full with corrosion inhibited packer fluid.  5. Run MIT, pressure test casing to 500 psi for thirty(30) minutes and submit chart to BLM.  Note: BLM shall be notified 24 hours prior to MIT and test shall be witnessed by a BLM representative.			
14. I hereby certify that the foregoing is true and correct			
Name (Printed/Typed) Charles H. Carleton			nician
Signature Kulio Hallitae	م ر	Date 04/19/2002	
TAS SPACE FOR FEDERAL OR STATE OFFICE USE			
Approved by <b>(ORI</b>	G. SOO.) JOE G. LARA	Titl Potroleum Fa-	Date 6/5/02
Conditions of approval, if any, are attisched. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BOLLO THAKOY BABBAR COLLAR FURNE

2002 LFR 23 KH 9: 51

RECEIVED

## **DEVON ENERGY CORPORATION** WELLBORE SCHEMATIC WELL NAME: H.E. WEST "A" #7 FIELD: GRAYBURG-JACKSON LOCATION: 660'FNL & 660'FEL, SEC 4-T17S-R31E COUNTY: EDDY STATE: NM ELEVATION: GL=3967'; KB=UNK SPUD DATE: 05/08/55 COMP DATE: 06/21/55 PREPARED BY: C.H. CARLETON API#: 30-015-05066 DATE: 11/04/97 **DEPTH** WEIGHT THREAD SIZE **GRADE** HOLE SIZE CASING: 0' - 760' 8 5/8" 24# J-55 CASING: 0' - 3233' 5 1/2" 15.5# J-55 CASING: TUBING: 0' - UNK 2 3/8" 4.7# J-55 EUE 8rd TUBING: CURRENT PROPOSED OPERATOR: DEVON ENERGY CORPORATION(NEVADA) 8 5/8" CASING @ 760' W/100 SXS. TOC @ 500'(calculated) NOTE: EXACT DEPTH OF TUBING AND PACKER ARE UNKNOWN PACKER @ UNK 5 1/2" CASING @ 3233' W/200 SXS. TOC @ 2470'(calculated) OPEN HOLE: 3233'- 3700' (GRAYBURG - U.JACKSON INTERVALS) PBTD @ 3700' (SAND) TD @ 3883'

## **DEVON ENERGY CORPORATION** WELLBORE SCHEMATIC FIELD: GRAYBURG-JACKSON WELL NAME: H.E. WEST "A" #7 LOCATION: 660'FNL & 660'FEL, SEC 4-T17S-R31E COUNTY: EDDY STATE: NM SPUD DATE: 05/08/55 ELEVATION: GL=3967'; KB=UNK COMP DATE: 06/21/55 API#: 30-015-05066 PREPARED BY: C.H. CARLETON DATE: 04/18/02 DEPTH **WEIGHT GRADE** THREAD HOLE SIZE SIZE 0' - 760' 8 5/8" 24# J-55 CASING: 0' - 3233' 5 1/2" 15.5# J-55 CASING: CASING: TUBING: TUBING: CURRENT PROPOSED **OPERATOR: DEVON ENERGY CORPORATION(NEVADA)** 8 5/8" CASING @ 760' W/100 SXS. TOC @ 500'(calculated) CIBP @ 3175' 5 1/2" CASING @ 3233' W/200 SXS. TOC @ 2470'(calculated) OPEN HOLE: 3233'- 3700' (GRAYBURG - U.JACKSON INTERVALS) PBTD @ 3700' (SAND) TD @ 3883'