Form 3160-5 (June 1990)

14. I hereby certify that the foregoing is true and correct

Approved by

Conditions of approval, if any:

(ORIG. SGD.) ALEXIS C. SWOBODA

## UNITED STATES DEPARTME: OF THE INTERIOR BUREAU OF LAND MANAGEMENT

N.M. C., Cons. Division 811 S. 1st Street FORM

FORM APPROVED

ds	1
----	---

	Artesia, NM	88210-28 Pores March 31, 1993
	AND REPORTS ON WELLS	5. Lease Designation and Serial No.
	r to deepen or reentry to a different reservoir.	LC-029426-B
Use "APPLICATION FO	OR PERMIT—" for such preperate	6. If Indian, Allottee or Tribe Name
SURMIT	IN TRIPLICATE	j.
SUBINIT	IN TRIFLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well	MAY 1 3 1987	
Oil Gas Other	ita (i g C ioci	a willy 19
2. Name of Operator	/ /*****	8. Well Name and No.
DEVON ENERGY CORPORATION (NEVA	ADA) 🗸 💢 🧸 🧸 🕹 🕹 🕹 🕹 🕹	H. E. West "B" #5
3. Address and Telephone No.	(N. T. Z	9. API Well No.
20 NORTH BROADWAY, SUITE 1500, OKLAH	OMA CITY, OKLAHOMA 73102 (405)552-4527	30-015-05069
4. Location of Well (Footage, Sec., T., R., M., or Survey	Description	10. Field and Pool, or Exploratory Area
	Description	
1980' FNL & 1980' FWL, Sec. 4-17S-31E		Grayburg Jackson 11. County or Parish, State
		_
		Eddy County, NM
CHECK APPROPRIATE BOX(s	) TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent		Change of Plans
<u> </u>	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
T F' 1 Al A Notice	Casing Repair	Water Shut-Off
Final Abandonment Notice	☐ Altering Casing ☐ Other	Conversion to Injection Dispose Water
		(Note: Report results of multiple completion on Well
13 Describe Proposed or Completed Operations (Clearly state all	pertinent details, and give pertinent dates, including estimated date of starting a	Completion or Recompletion Report and Log form.)
subsurface locations and measured and true vertical depths		is proposed work. If well is directionally diffied, give
We plan to P&A this well as fo	llowe:	
we plan to I sea this wen as to	nows.	
G . O CIPP O 2050	/10 01 "0"	
<b>–</b>	/10 sxs Class "C" cmt on top.	
	s @ 1670' (±50' below base of salt). Set ceme	nt retainer @ 1600' & pump 100
sxs "C" below re	etainer & cap retainer w/50' cmt (8 sxs).	
Perf 7" casing w/4 holes	s @ 732' (±50' below surface casing shoe). Pu	imp 200 sxs "C" & circ cement to
surface.	,	•
	g from 50' to surface. Install dry hole marker.	
	, nom 50 to surface. Instant dry note marker.	
Restore location.		B
	SEE ATTACHED FOR	RE 1997 MA BUREAU ( ROSWA
	CONDITIONS OF APPROVAL	R 1997 J REAL ROSS
		R. R. S. W.
		MAY THE

KAREN BYERS
Title ENGINEERING TECHNICIAN