Form 3160-5 (June 1990)

Approved by _

Conditions of approval, if any:

UNITED STATES .VT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

* 4,5		
113		

Ofi .	101/
ÉORM APPROVE	() S 1
dget Bureau No. 1004-	

Dolano Or	briana, N	Budget Bureau No. 1004-0135 Expires March 31, 1993
SUNDRY NOTICES	S AND REPORTS ON WELLS	5. Lease Designation and Serial No.
o not use this form for proposals to drill o	LC-029426-B	
Use "APPLICATION FO	OR PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name
SURMIT	IN TRIPLICATE	
		7. If Unit or CA, Agreement Designation
Type of Well Oil Well Gas Well Other W I W		
		8. Well Name and No.
. Name of Operator DEVON ENERGY CORPORATION (NEV	ADA)	
		H. E. West "B" #10
Address and Telephone No.	()	9. API Well No.
20 NORTH BROADWAY, SUITE 1500, O	KLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611	30-015-05117
Location of Well (Footage, Sec., T., R., M., or Survey	10. Field and Pool, or Exploratory Area	
1980' FNL & 660' FWL, Sec. 9-17S-31E		Grayburg Jackson
	4.9	
		Eddy County, NM

CHECK APPROPRIATE BOX(s	s) TO INDICATE NATURE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	ION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
<u> </u>	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other <u>Acidized</u>	Dispose Water (Note: Report results of multiple completion on Well
		Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state all subsurface locations and measured and true vertical depths 	pertinent details, and give pertinent dates, including estimated date of star for all markers and zones pertinent to this work.)*	ting any proposed work. If well is directionally drilled, give
•	· · · · · · · · · · · · · · · · · · ·	
	·	
This well was plugged back	and acidized as follows:	·
This wen was plugged back	and acidized as follows.	
6/3/98 – Ran bit & scraper	to 3607'	
0/3/36 – Rail bit & scraper	to 3007.	
6/4/98 – Set cement retaine	r @ 3599'. Pumped 50 sx cement below re	etainer.
6/6/98 - Acidized perfs 309	35'-3588' w/4000 gals 15% HCl acid + 450	00# TOP REPTED FOR RECORD
6/8/98 - RIH w/pkr and tub	ping. Set pkr @ 2985'. Returned well to in	ijecting was o a toca
		JUN 2 9 1999
	and the second of the second o	2
	(ORIG. SGD.) GARY GOURLE	101.54
	:	
I. I hereby certify that the foregoing is true and correct		
. Thereby certify that the foregoing is true and correct	Karen Byers	
	IMMULI LI TUID	

Title.

Title Engineering Technician

Date