

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPL'
(Other instructions
verse side)

E*
re

Budget Bureau No. 1004-0135
Expires August 31, 1985

15F

5. LEASE DESIGNATION AND SERIAL NO.

LC-029426-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1.

OIL WELL ☐ GAS WELL ☐ OTHER WIW

2. NAME OF OPERATOR

OCT 17 '89

Hondo Oil & Gas Company

3. ADDRESS OF OPERATOR

O. C. D.
OFFICE

P. O. Box 2208, Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

1980' FSL & 1980' FWL

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

H. E. West "B"

9. WELL NO.

14

10. FIELD AND POOL, OR WILDCAT

Grayburg Jackson

11. SEC., T., R., M., OR BLK. AND
SURVEY OR ARMA

Sec.10-T17S-R31E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

3907' DF

12. COUNTY OR PARISH 13. STATE

Eddy

NM

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other) ran tubing and packer

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

8/31/89 Perforated 3773-3900' with 25 shots. Acidized 3773-3900' with 3000 gal. 15% NEFE acid. Swabbed well back. Reacidized with 6000 gal. 20% CRA acid. Swabbed well back.

9/02/89 Perforated 3582-3749' with 30 shots. Acidized 3582-3749' with 4000 gal. 15% NEFE acid. Flowed well back. Reacidized with 8000 gal. 20% CRA acid. Flowed and swabbed well back.

9/06/89 Perforated 3317-3547' with 34 shots. Acidized 3317-3547' with 8000 gal. 15% NEFE acid. Swabbed well back.

9/28/89 Ran a Model "R" packer and 117 jts. 2 3/8" plastic coated tubing and set @ 3208'. Well ready for injection. Tested to 325 psi for 15 min. - held okay.

OCT 6 11 03 AM '89
CARLSBAD, NEW MEXICO
RECEIVED

18. I hereby certify that the foregoing is true and correct

SIGNED

Aisa Behannon

TITLE Engineering Technician

DATE 10/4/89

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

DATE

OCT 13 1989

*See Instructions on Reverse Side

SJS

CARLSBAD, NEW MEXICO