

L CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☒ New ☐
5. State Oil & Gas Lease No.
Federal LC-049998 (a)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

RECEIVED

7. Unit Agreement Name

8. Farm or Lease Name

V. L. Foster

9. Well No.

3

10. Field and Pool, or Wildcat

Grayburg-Jackson Q-G-S4

12. County

Eddy

15. Elevation (Show whether DF, RT, GR, etc.)

NA

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒REMEDIAL WORK ☐ALTERING CASING ☐TEMPORARILY ABANDON ☐COMMENCE DRILLING OPNS. ☐PLUG AND ABANDONMENT ☐PULL OR ALTER CASING ☐CHANGE PLANS ☐CASING TEST AND CEMENT JOB ☐OTHER ☐OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU csg pullers. Install BOP. RIH w/2-3/8" tbg to 3500'. Load hole w/9.5# mud laden fluid. POH.

Run CIBP on WL & set @ 2800'. Dump 2 sx cmt on CIBP.

Stretch csg & locate free point. Cut csg above free point & POH w/7" csg.

RIH w/2-3/8" tbg. Spot 50 sx cmt from 1412-1312, 30 sx cmt from 580'-480'.

Tag plugs.

Spot 10 sx cmt @ surface.

Cut csg off 3' below surface. Weld on steel plate and dry hole marker, clean up location.

12-3-81
per csg = 22' csg
to 112' csg
as per
11/18/81

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Maria L. PerezTITLE Sr. Acctng. Asst.DATE 12-1-81

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

WELL COMPLETION SKETCHES
SUN-6641-A

V.L. Foster #3
WELL

GREBURG-JACKSON
FIELD

DATE

- ☐ PRESENT COMPLETION
☐ SUGGESTED COMPLETION

☐ ORIGINAL COMP.

WELL CLASS TH

PERMANENT WELL BORE DATA


DATA ON THIS COMPLETION

8 7/8" 32# CSB. CMTD W/50
SV. CS at 520

TOC calculated 1460'

7" 20# CSB. CMTD W/50 SV. CS at 2852'

TD-3504



WELL COMPLETION SKETCHES
SUN-6641 A

V.L. FOSTER #3
WELL

FIELD

DATE

- ☐ PRESENT COMPLETION
☐ SUGGESTED COMPLETION

☐ ORIGINAL COMP

WELL CLASS TH

PERMANENT WELL BORE DATA

8 7/8" 32" CSG - CMTD. W/ 50
SV - CS at 120

225.20 - 5"

IOC calculated 1460'

1" 70' ...
CMT 1452'

TD-3504




DATA ON THIS COMPLETION

10 SX PLUG AT
SURFACE


30 SX CMT PLUG
FROM 580' to 480'

50 SX CMT PLUG
From 1412' to 1312'

CIBP 2800 W/ 2 SX
CMT ON TOP



R.- 31 - E.



Scale: 1"=1000'

(The Wells That Are Shown As "A" Wells Are Foster Eddy Lse Wells.)

SUN OIL COMPANY
FOSTER EDDY LEASE & V. L. FOSTER LEASE EDDY CO., NEW MEXICO