

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TR. CATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC 029395 (a)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Turner "A"

9. WELL NO.

21

10. FIELD AND POOL, OR WILDCAT

Fren-Seven Rivers

11. SEC. T., R., M., OR BLK. AND
SURVEY OR AREA

19-17S-31E

12. COUNTY OR PARISH

Eddy

13. STATE

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Atlantic Richfield Company

3. ADDRESS OF OPERATOR

P. O. Box 1710, Hobbs, New Mexico 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

2310' FNL & 2310' FEL (Unit letter G)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3614' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Plug & Abandon

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Rigged up on 2/16/76. RIH w/2-3/8" tbg to 1855', spotted 35 sx Cl C cmt to cover bottom 100' of 5 1/2" csg. No plug. Spotted 35 sx Cl C plug 1855-1500'. Tagged cmt plug @ 1500'.
2. Filled hole w/heavy gelled mud between all cmt plugs.
3. Stretch on 5 1/2" csg indicated free pt @ 950'. Shot csg @ 950' & POH w/950' of 5 1/2" csg.
4. Spotted 35 sx Cl H cmt (100' plug) across 5 1/2" csg stub @ 950'. No plug. Pmpd cotton hulls & 60 BBW. Spotted 35 sx Cl H cmt across 5 1/2" csg stub @ 950'. Tagged cmt plug @ 800'. After WOC, pmpd 12 sx cotton seed hulls & 12 sx SW gel, no circ.
5. RIH w/8-5/8" cmt retr on 2-3/8" tbg, set retr @ 270'. Squeezed thru retr w/200 sx Cl H cmt. MP 800#. PO of retr & dumped 15 sx cmt on top of retr.
6. Spotted 10 sx Cl H cmt plug @ surface. Installed regulation dry hole marker. Cleaned & leveled location. P&A effective 2/24/76. Final Report.

RECEIVED

MAR 16 1976

RECEIVED

MAR - 1 1976

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Dist. Drlg. Supv.

DATE 2/27/76

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: