

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRI
(Other instructions on re-
verse side)DATE
on re-Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Las Cruces 031844

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR FREN OIL COMPANY	8. FARM OR LEASE NAME Max Priess-Federal
3. ADDRESS OF OPERATOR P. O. Box 756 Monahans, Texas	9. WELL NO. 6
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 990 ft. from South Line and 1650 ft. from East Line Sec. 19-17S.-31E., Eddy County, New Mexico	10. FIELD AND POOL, OR WILDCAT (Grayburg-Jackson) Fren
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SE Sec. 19-17S.-31E.
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3591' DF	12. COUNTY OR PARISH Eddy County
	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Drill

x

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Will drill with Fort Worth Jumbo J Spudder (cable tools) to and thru 1920'-1980' oil and gas horizons and/or as they may correspond and correlate with wells No 1 and No. 5 drilled in this new well No. 6 and run 3-5/8" O.D. (8-1/4" I.D. casing- 28 lbs.- to top of salt around 500 ft. and cement same with 50 sacks of cement. The cement will be allowed 72 hours to set before drilling is resumed. After the pay has been found, will submit notice or obtain verbal approval for 7" O.D. (6 5/8" I.D.) casing - 20 lbs.- casing point, after which said 7" casing will be set and cemented with at least 100 sacks of cement with heavy mud pumped ahead.

RECEIVED

JUN 15 1964

O. C. C.
ARTESIA OFFICE

18. I hereby certify that the foregoing is true and correct

SIGNED

Max Enginger

TITLE

Partner

DATE

July 31, 1945

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Company

W. H. & S. W.

Lease

W. H. & S. W.

Sec

29

7


27

Location

W. H. & S. W.


County

W. H. & S. W.



Scale 4" = 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Witness:

Alvarado, New Mexico

Surveyed

August 1

[Handwritten signature]

Engineer and Surveyor

1400-14507 Advocate Print

